

No. 465

1st Quarter 1965

GENERAL REGISTER OFFICE

THE REGISTRAR GENERAL'S
QUARTERLY RETURN FOR
ENGLAND AND WALES

THE ROYAL SOCIETY
for the Promotion
OF HEALTH
LIBRARY

**BIRTHS, DEATHS AND
MARRIAGES
INFECTIOUS DISEASES
WEATHER
POPULATION ESTIMATES**

Quarter ended 31st March 1965



LONDON

HER MAJESTY'S STATIONERY OFFICE
1965

PRICE 2s. 6d. NET

TABLE OF CONTENTS

| | Page |
|--|------|
| General Notes | 3 |
| Non-Quarterly Statistics..... | 4 |
| Notes on the Quarter..... | 5 |
| Births, Deaths, Marriages and Infectious Diseases | |
| Table I Marriages, live births, stillbirths and deaths—total numbers registered. Years 1955 to 1965 and each quarter of those years. England and Wales..... | 6 |
| Table II Persons marrying, live births and deaths—annual rates per 1,000 population. Stillbirths and perinatal mortality—rates per 1,000 total live and still births. Deaths under 1 year and deaths under 4 weeks—rates per 1,000 live births. Years 1955 to 1965 and each quarter of those years. England and Wales..... | 7 |
| Table IIa Seasonally adjusted quarterly live birth occurrences—numbers (in thousands) and annual rates per 1,000 population, 1951 to 1965. England and Wales..... | 8 |
| Table III Live births, stillbirths and deaths—total numbers registered. Live births and deaths—annual rates per 1,000 population. Stillbirths and perinatal mortality—rates per 1,000 total live and still births. Infant mortality rates per 1,000 live births. Last five quarters. England and Wales, standard regions and hospital regions..... | 9 |
| Table IV Notifications of certain infectious diseases in the quarter. England and Wales, counties, county boroughs, London A.C., City of London, metropolitan boroughs and port health districts..... | 12 |
| Table IVa Corrected notifications of certain infectious diseases in the preceding quarter, analysed by sex and age. England and Wales | 16 |
| Table V Infant mortality. Rates by quarters and each completed year, 1962 to 1965. England and Wales and various other countries | 17 |
| Table VI Deaths by cause and sex, 1962, 1963 and 1964, and in each of the last eight available quarters, classified according to the International Abbreviated List with certain sub-divisions. England and Wales | 17 |
| Table VII Accidental deaths registered in the quarter, analysed by sex and age, with totals for the corresponding quarter of the previous year. England and Wales..... | 20 |
| Table VIII Numbers of insured persons absent from work owing to certified sickness of industrial injury (or prescribed disease). England and Wales and standard regions... | 21 |
| Table IX Population, births (distinguishing stillbirths) and deaths (distinguishing deaths from certain causes) in the last two quarters. London Administrative County and certain cities abroad | 22 |
| Meteorology | |
| Table X Values of air temperature, rainfall and sunshine for the quarter, expressed as differences from, or percentages of, the average values. Districts of England and Wales | 23 |

A Estimated home population as at 30th June 1964, marriages, births (distinguishing stillbirths) and deaths (distinguishing deaths of infants under 1 year of age) registered in the year 1964. England and Wales and administrative counties with associated county boroughs..... 24

B Estimated home population as at 30th June 1964, births (distinguishing stillbirths), deaths (distinguishing deaths of infants under 1 year of age) and deaths from certain causes registered in the year 1964. England and Wales, municipal boroughs and urban districts with a resident population of 25,000 and over at the Census, 1961, county boroughs, Greater London, City of London and metropolitan boroughs, with comparative figures for four Scottish and Irish towns 25

C Deaths registered in the year 1964 by cause and age. London Administrative County 31

D Infant mortality, 1962 to 1964. England and Wales, standard regions and certain large towns 32

E Populations, births (distinguishing stillbirths) and deaths (distinguishing deaths from certain causes) in the year 1964. London Administrative County and certain cities abroad 32

GENERAL NOTES

1. The figures in this return are provisional until confirmed in the Statistical Reviews. Births and deaths are tabulated from returns furnished to the Registrar General by Registrars of Births and Deaths; marriages from returns furnished by the Clergy, Authorised Persons, Registrars of Marriages and others; and notifications of infectious diseases (Tables IV and IVa) from special quarterly statements furnished to the Registrar General by Medical Officers of Health. Owing to the time required to obtain complete marriage returns for a quarter, the latest marriage figures available for inclusion in this return relate to the *preceding* quarter.
2. Definition of Areas
- London A.C.—Administrative County of London which consists of the City of London including the Inner and Middle Temple) and the metropolitan boroughs.
- Greater London—London A.C. plus the remaining administrative areas falling entirely within the area of the Metropolitan Police District as defined in the Police Act, 1946 (an area of approximately 15 miles radius from Charing Cross).
- C.B.—county borough; M.B.—municipal borough; U.D.—urban district; R.D.—rural district.
3. The home population comprises the population, of all types, actually in England and Wales, distributed by area according to residence.
4. Non-civilians are included in all figures except where otherwise stated.
5. Births and deaths for England and Wales and the parts thereof are those registered within the quarter or period shown. In some non-quarterly statistics (*see page 4*) they are assigned to the area of residence.
6. The notifications of infectious diseases have been corrected for changes in diagnosis by the notifying medical practitioner or the medical superintendent of the infectious diseases hospital.

SPECIAL NOTE

One new table has been introduced and two tables have been renumbered in this Return as follows:

Table III. A new table showing quarterly births and deaths, numbers and rates, in standard and hospital regions.

Tables IX and X were previously numbered III and IX respectively.

NON-QUARTERLY STATISTICS

Certain non-quarterly information is published in the Quarterly Return as stated below:

Half-Yearly

June and December Returns

Lists of the changes in boundaries, names, etc., of local authority areas during the six months ending 30th June and 31st December respectively.

Yearly

March Return

- (1) Estimated home population as at 30th June, marriages, births (distinguishing stillbirths and deaths (distinguishing deaths of infants under 1 year of age) registered in England and Wales during the preceding year, showing those assigned to each administrative county (with associated county boroughs).
- (2) Estimated home population as at 30th June for the preceding year, births (distinguishing stillbirths), deaths (distinguishing deaths of infants under 1 year of age and deaths from certain causes) registered in England and Wales during the preceding year, showing those assigned to municipal boroughs and urban districts with a resident population of 25,000 and over at the Census, 1961, county boroughs, Greater London, City of London and metropolitan boroughs, with comparative figures for four Scottish and Irish towns.
- (3) Deaths registered during the preceding year and assigned to London Administrative County, analysed by cause and age.
- (4) Infant mortality in England and Wales, standard regions and certain large towns in the preceding three years.
- (5) Populations, births (distinguishing stillbirths) and deaths (distinguishing deaths from certain causes) for the preceding year in London Administrative County and certain cities abroad.
- (6) Births registered in the preceding year by sex and legitimacy and the illegitimacy rate.

June Return

- (1) A presentation of mortality from certain causes in the preceding year in terms of the resulting loss in expected years of life.
- (2) Deaths registered in the preceding year in England and Wales distinguishing 36 causes of death (Registrar General's Abridged List) by sex and age.
- (3) An abridged life table constructed from the estimated home population and deaths in England and Wales for the preceding three years.

September Return

- (1) Estimates of the sex and age distribution of the total, home and civilian populations of England and Wales as a whole as at 30th June.
- (2) Occupations of intending long-term migrants travelling by sea and air routes in the calendar year, United Kingdom.
- (3) Migration into and out of the total population, by sex, age and marital condition, England and Wales.

December Return

- (1) A textual summary of the vital statistics of England and Wales for the year then ended.
- (2) A table showing the home population of England and Wales and each standard region and conurbation by sex and age as at 30th June.
- (3) Projections of the total populations for England and Wales by sex and age as at 30th June.
- (4) Home populations of each hospital region in England and Wales by sex and age as at 30th June.
- (5) Movements of intending long-term migrants by sea and air routes between the United Kingdom and the rest of the world (excluding the Irish Republic).
- (6) Estimated population, as at 30th June, of children aged under 1 year, 1-4 years and 5-14 years, in England and Wales and in administrative counties, county boroughs, London Administrative County, City of London and metropolitan boroughs.

Number of births 1964 by sex and legitimacy and the illegitimacy rate

Of the 874,178 live births registered 450,171 were male and 424,007 were female, a proportion of 1,062 males to 1,000 females. The number of illegitimate births included in the total was 63,308, giving an illegitimacy rate for England and Wales of 72 per 1,000 live births compared with an average of 60 per 1,000 for the preceding 5 years.

NOTES ON THE FIRST QUARTER OF 1965, ENGLAND AND WALES

Live Births

The number of live births registered during this quarter was 222,829 representing a live birth rate, based on the home population of England and Wales for mid-1964, of 19.1 per thousand. Table II(a) indicates that the number of seasonally adjusted births which was steady in the later part of 1964, fell in the first quarter of 1965. However, this figure can be only approximate and is liable to considerable revision.

Stillbirths

The 3,624 stillbirths registered represent 16.0 per 1,000 of the total live and still births. This rate is 0.9 lower than that for the first quarter of 1964.

Deaths

The number of deaths registered was 157,059, representing a death rate, based on the 1964 home population, of 13.4 per 1,000. The rate for the corresponding quarter of 1964 was 13.2 and the average death rate for the first quarters of the five years 1959-63 was 15.4.

The deaths of children under one year of age numbered 4,650* representing an infant mortality rate of 20.9 per 1,000 live births; this was 1.0 per 1,000 lower than that for the first quarter of 1964, and is the lowest recorded for the first quarter of any year. This compares with a rate of 29.2 for the corresponding quarter of 1955.

The death rate from tuberculosis (all forms), pneumonia and influenza per million population, with comparative rates for the preceding five quarters, were as follows:—

| Quarter | Tuberculosis (all forms) | | Pneumonia | | Influenza | |
|---------|-----------------------------|-------------------|--------------|-------------------|--------------|-------------------|
| | Un-corrected | Corrected | Un-corrected | Corrected | Un-corrected | Corrected |
| 1963 | | | | | | |
| Fourth | 56 | 58 | 710 | 611 | 16 | 17 |
| 1964 | | | | | | |
| First | 68 | 65 | 1094 | 934 | 58 | 60 |
| Second | 51 | 52 | 668 | 573 | 10 | 12 |
| Third | 43 | 44 | 495 | 405 | 2 | 2 |
| Fourth | 50 | 49 | 745 | 630 | 13 | 13 |
| 1965 | | | | | | |
| First | 53 | Not yet available | 1033 | Not yet available | 31 | Not yet available |

There were no cases of smallpox notified and no deaths from this cause registered during the quarter.

Natural Increase

The births registered exceeded the deaths by 65,770. Corresponding figures for the first quarters of 1964, 1963 and 1962 were 63,352, 24,982 and 42,864 respectively.

*The number of infant deaths in provisional returns has recently tended to be understated; the figure has been adjusted by an estimated amount of the deficiency.

TABLE I

Marriages, live births, stillbirths, and deaths: total numbers registered
 Years 1955 to 1965 and each quarter of those years. England and Wales

| — | 1955 | 1956 | 1957 | 1958 | 1959 | 1960 | 1961 | 1962 | 1963 | 1964 (a) | 1965 (c) |
|--|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|
| MARRIAGES | | | | | | | | | | | |
| Year ... | 357,918 | 352,944 | 346,903 | 339,913 | 340,126 | 343,614 | 346,678 | 347,732 | 351,329 | 358,548 | |
| March Qtr. | 100,696 | 107,122 | 110,092 | 102,629 | 101,430 | 88,944 | 84,448 | 100,925 | 97,309 | 97,493 | (b) |
| June " | 74,763 | 68,821 | 65,804 | 66,211 | 63,281 | 72,895 | 76,169 | 63,072 | 63,564 | 68,380 | |
| September " | 106,691 | 106,923 | 103,617 | 101,698 | 102,591 | 103,580 | 112,367 | 107,677 | 110,985 | 110,936 | |
| December " | 75,768 | 70,078 | 67,390 | 69,375 | 72,824 | 78,195 | 73,694 | 76,058 | 79,471 | 81,739 | |
| LIVE BIRTHS | | | | | | | | | | | |
| Year ... | 664,954 | 698,317 | 723,274 | 739,337 | 750,383 | 782,221 | 803,843 | 840,600 | 856,232 | 874,178 | |
| March Qtr. | 169,190 | 179,151 | 183,864 | 190,767 | 191,860 | 197,932 | 203,991 | 221,074 | 221,857 | 219,424 | 222,829 |
| June " | 171,234 | 182,400 | 185,361 | 189,866 | 198,410 | 198,764 | 207,676 | 216,142 | 219,790 | 228,277 | |
| September " | 166,890 | 173,534 | 179,978 | 180,322 | 186,792 | 197,560 | 204,688 | 207,360 | 215,015 | 222,317 | |
| December " | 157,640 | 163,232 | 174,071 | 178,382 | 173,321 | 187,965 | 187,488 | 196,024 | 199,570 | 204,160 | |
| STILLBIRTHS | | | | | | | | | | | |
| Year ... | 15,815 | 16,384 | 16,622 | 16,309 | 16,076 | 15,795 | 15,631 | 15,503 | 15,000 | 14,545 | |
| March Qtr. | 4,032 | 4,311 | 4,262 | 4,194 | 4,239 | 4,008 | 4,012 | 4,143 | 4,014 | 3,782 | 3,624 |
| June " | 4,023 | 4,248 | 4,274 | 4,092 | 4,313 | 4,149 | 3,974 | 3,960 | 3,782 | 3,801 | |
| September " | 3,910 | 3,948 | 4,117 | 3,967 | 3,912 | 3,895 | 3,886 | 3,788 | 3,583 | 3,562 | |
| December " | 3,850 | 3,877 | 3,969 | 4,056 | 3,612 | 3,743 | 3,759 | 3,612 | 3,621 | 3,400 | |
| DEATHS (excluding stillbirths): ALL AGES | | | | | | | | | | | |
| Year ... | 518,864 | 521,331 | 514,870 | 526,843 | 527,651 | 526,268 | 551,752 | 557,636 | 572,868 | 534,737 | |
| March Qtr. | 168,645 | 170,292 | 134,557 | 163,595 | 176,880 | 149,037 | 177,043 | 178,210 | 196,875 | 156,072 | 157,059 |
| June " | 124,230 | 120,059 | 118,122 | 124,169 | 120,172 | 124,338 | 125,194 | 128,681 | 129,013 | 127,013 | |
| September " | 101,677 | 104,131 | 110,037 | 105,629 | 103,397 | 112,477 | 110,747 | 110,688 | 113,918 | 113,551 | |
| December " | 124,312 | 126,849 | 152,154 | 133,450 | 127,202 | 140,416 | 138,768 | 140,057 | 133,062 | 138,101 | |
| INFANT MORTALITY (deaths of infants under 1 year of age) | | | | | | | | | | | |
| Year ... | 16,613 | 16,554 | 16,720 | 16,685 | 16,629 | 17,118 | 17,393 | 18,187 | 18,042 | 17,445 | |
| March Qtr. | 4,852 | 4,939 | 4,467 | 4,851 | 4,810 | 4,598 | 4,908 | 5,397 | 5,330 | 4,803 | 4,650(c) |
| June " | 4,155 | 4,083 | 4,062 | 4,090 | 4,103 | 4,143 | 4,244 | 4,527 | 4,288 | 4,483 | |
| September " | 3,605 | 3,525 | 3,873 | 3,651 | 3,631 | 3,850 | 3,851 | 3,854 | 3,946 | 3,871 | |
| December " | 4,001 | 4,007 | 4,318 | 4,093 | 4,085 | 4,527 | 4,390 | 4,409 | 4,478 | 4,288 | |
| NEONATAL MORTALITY (deaths of infants under 4 weeks of age) | | | | | | | | | | | |
| Year ... | 11,516 | 11,779 | 11,904 | 11,970 | 11,881 | 12,191 | 12,443 | 12,656 | 12,173 | 12,106 | |
| March Qtr. | 3,081 | 3,210 | 3,028 | 3,134 | 3,153 | 3,154 | 3,229 | 3,433 | 3,260 | 3,105 | (b) |
| June " | 2,970 | 2,981 | 2,987 | 3,026 | 3,034 | 2,997 | 3,140 | 3,246 | 3,100 | 3,194 | |
| September " | 2,760 | 2,706 | 2,902 | 2,853 | 2,792 | 2,959 | 2,971 | 2,917 | 2,910 | 2,922 | |
| December " | 2,705 | 2,882 | 2,987 | 2,957 | 2,902 | 3,081 | 3,103 | 3,060 | 2,903 | 2,885 | |
| PERINATAL MORTALITY (stillbirths and deaths of infants under 1 week of age) | | | | | | | | | | | |
| Year ... | 25,565 | 26,313 | 26,799 | 26,523 | 26,245 | 26,268 | 26,399 | 26,391 | 25,498 | 25,082 | |
| March Qtr. | 6,537 | 6,947 | 6,795 | 6,792 | 6,864 | 6,667 | 6,774 | 7,058 | 6,767 | 6,442 | 6062 |
| June " | 6,536 | 6,786 | 6,861 | 6,667 | 6,945 | 6,724 | 6,723 | 6,761 | 6,470 | 6,585 | |
| September " | 6,351 | 6,276 | 6,624 | 6,443 | 6,316 | 6,477 | 6,463 | 6,344 | 6,138 | 6,133 | |
| December " | 6,141 | 6,304 | 6,519 | 6,621 | 6,120 | 6,400 | 6,439 | 6,228 | 6,123 | 5,922 | |

(a) Provisional.

(b) Not yet available.

(c) The number of infant deaths in provisional returns has recently tended to be understated; the figure has been adjusted by an estimated amount of the deficiency.

TABLE II

Persons marrying, live births, deaths: annual rates per 1,000 population
 Stillbirths, perinatal mortality: rates per 1,000 total live and still births
 Infant mortality, neonatal mortality: rates per 1,000 live births*

Years 1955 to 1965 and each quarter of those years. England and Wales

| Estimated home population in thousands | | 44,441 | 44,667 | 44,907 | 45,109 | 45,386 | 45,755 | 46,205 | 46,709 | 47,028 | 47,401 | (d) |
|--|--|--------|--------|--------|--------|--------|--------|--------|--------|--------|----------|----------|
| — | | 1955 | 1956 | 1957 | 1958 | 1959 | 1960 | 1961 | 1962 | 1963 | 1964 (a) | 1965 (a) |
| PERSONS MARRYING | | | | | | | | | | | | |
| Year ... | | 16.1 | 15.8 | 15.4 | 15.1 | 15.0 | 15.0 | 15.0 | 14.9 | 14.9 | 15.1 | |
| March Qtr. | | 18.4 | 19.3 | 19.9 | 18.5 | 18.1 | 15.6 | 14.8 | 17.5 | 16.8 | 16.5 | (b) |
| June " | | 13.5 | 12.4 | 11.8 | 11.8 | 11.2 | 12.8 | 13.2 | 10.8 | 10.8 | 11.6 | |
| September " | | 19.0 | 19.0 | 18.3 | 17.9 | 17.9 | 18.0 | 19.3 | 18.3 | 18.7 | 18.6 | |
| December " | | 13.5 | 12.5 | 11.9 | 12.2 | 12.7 | 13.6 | 12.7 | 12.9 | 13.4 | 13.7 | |
| LIVE BIRTHS | | | | | | | | | | | | |
| Year ... | | 15.0 | 15.6 | 16.1 | 16.4 | 16.5 | 17.1 | 17.4 | 18.0 | 18.2 | 18.4 | |
| March Qtr. | | 15.4 | 16.1 | 16.6 | 17.2 | 17.1 | 17.4 | 17.9 | 19.2 | 19.1 | 18.6 | 19.1 |
| June " | | 15.5 | 16.4 | 16.6 | 16.9 | 17.5 | 17.5 | 18.0 | 18.6 | 18.7 | 19.4 | |
| September " | | 14.9 | 15.5 | 15.9 | 15.9 | 16.3 | 17.2 | 17.6 | 17.6 | 18.1 | 18.7 | |
| December " | | 14.1 | 14.5 | 15.4 | 15.7 | 15.2 | 16.3 | 16.1 | 16.7 | 16.8 | 17.1 | |
| STILLBIRTHS | | | | | | | | | | | | |
| Year ... | | 23.2 | 22.9 | 22.5 | 21.6 | 21.0 | 19.8 | 19.1 | 18.1 | 17.2 | 16.4 | |
| March Qtr. | | 23.3 | 23.5 | 22.6 | 21.5 | 21.6 | 19.8 | 19.3 | 18.4 | 17.8 | 16.9 | 16.0 |
| June " | | 23.0 | 22.8 | 23.1 | 21.1 | 21.3 | 20.4 | 18.8 | 18.0 | 16.9 | 16.4 | |
| September " | | 23.0 | 22.2 | 22.4 | 21.5 | 20.5 | 19.3 | 18.6 | 17.9 | 16.4 | 15.8 | |
| December " | | 23.8 | 23.2 | 22.2 | 22.2 | 20.4 | 19.5 | 19.7 | 18.1 | 17.8 | 16.4 | |
| DEATHS (excluding stillbirths): ALL AGES | | | | | | | | | | | | |
| Year ... | | 11.7 | 11.7 | 11.5 | 11.7 | 11.6 | 11.5 | 11.9 | 11.9 | 12.2 | 11.3 | |
| March Qtr. | | 15.4 | 15.3 | 12.2 | 14.7 | 15.8 | 13.1 | 15.5 | 15.5 | 17.0 | 13.2 | 13.4 |
| June " | | 11.2 | 10.8 | 10.6 | 11.0 | 10.6 | 10.9 | 10.9 | 11.1 | 11.0 | 10.8 | |
| September " | | 9.1 | 9.3 | 9.7 | 9.3 | 9.0 | 9.8 | 9.5 | 9.4 | 9.6 | 9.5 | |
| December " | | 11.1 | 11.3 | 13.4 | 11.7 | 11.1 | 12.2 | 11.9 | 11.9 | 11.2 | 11.6 | |
| INFANT MORTALITY (deaths of infants under 1 year of age) | | | | | | | | | | | | |
| Year ... | | 24.9 | 23.7 | 23.1 | 22.6 | 22.2 | 21.9 | 21.6 | 21.6 | 21.1 | 20.0 | |
| March Qtr. | | 29.2 | 28.6 | 25.2 | 25.4 | 25.1 | 23.2 | 24.1 | 24.4 | 24.0 | 21.9 | 20.9(c) |
| June " | | 24.4 | 22.9 | 22.3 | 21.5 | 20.7 | 20.8 | 20.4 | 20.9 | 19.5 | 19.6 | |
| September " | | 21.6 | 20.1 | 21.5 | 20.2 | 19.4 | 19.5 | 18.8 | 18.6 | 18.4 | 17.4 | |
| December " | | 24.5 | 23.7 | 24.8 | 22.9 | 23.6 | 24.1 | 23.4 | 22.5 | 22.4 | 21.0 | |
| NEONATAL MORTALITY (deaths of infants under 4 weeks of age) | | | | | | | | | | | | |
| Year ... | | 17.3 | 16.8 | 16.5 | 16.2 | 15.8 | 15.6 | 15.5 | 15.1 | 14.2 | 13.8 | |
| March Qtr. | | 18.5 | 18.2 | 16.8 | 16.4 | 16.4 | 15.9 | 15.8 | 15.5 | 14.7 | 14.2 | (b) |
| June " | | 17.3 | 16.5 | 16.2 | 15.9 | 15.3 | 15.1 | 15.1 | 15.0 | 14.1 | 14.0 | |
| September " | | 16.6 | 15.4 | 16.1 | 15.8 | 14.9 | 15.0 | 14.5 | 14.1 | 13.5 | 13.1 | |
| December " | | 16.7 | 17.3 | 17.2 | 16.6 | 16.7 | 16.4 | 16.5 | 15.6 | 14.5 | 14.1 | |
| PERINATAL MORTALITY (stillbirths and deaths of infants under 1 week of age) | | | | | | | | | | | | |
| Year ... | | 37.6 | 36.8 | 36.2 | 35.1 | 34.2 | 32.9 | 32.2 | 30.8 | 29.3 | 28.2 | |
| March Qtr. | | 37.7 | 37.9 | 36.1 | 34.8 | 35.0 | 33.0 | 32.6 | 31.3 | 30.0 | 28.9 | 26.8 |
| June " | | 37.3 | 36.4 | 36.2 | 34.4 | 34.3 | 33.1 | 31.8 | 30.7 | 28.9 | 28.4 | |
| September " | | 37.2 | 35.4 | 36.0 | 35.0 | 33.1 | 32.2 | 31.0 | 30.0 | 28.1 | 27.2 | |
| December " | | 38.0 | 37.7 | 36.6 | 36.3 | 34.6 | 33.4 | 33.7 | 31.1 | 30.1 | 28.5 | |

*Based on related live births up to and including the September quarter 1957. Rates for subsequent periods (including the year 1957) are based on the live births of the period.

(a) Provisional.

(b) Not yet available.

(c) See footnote (c) to Table I.

(d) Provisional rates based on 1964 population.

TABLE II (a)

Seasonally adjusted * quarterly live birth occurrences : numbers (in thousands) and annual rates per 1,000 population, 1951 to 1965

England and Wales

| Year | QUARTER | | | | | | | |
|-------|---------|------|--------|------|-------|------|--------|------|
| | First | | Second | | Third | | Fourth | |
| | No. | Rate | No. | Rate | No. | Rate | No. | Rate |
| 1951 | 169.6 | 15.7 | 171.7 | 15.7 | 169.9 | 15.4 | 166.4 | 15.1 |
| 1952 | 167.7 | 15.3 | 165.4 | 15.1 | 169.8 | 15.4 | 170.8 | 15.5 |
| 1953 | 166.8 | 15.3 | 172.3 | 15.7 | 174.7 | 15.7 | 170.6 | 15.3 |
| 1954 | 167.7 | 15.4 | 168.4 | 15.3 | 168.4 | 15.1 | 169.1 | 15.2 |
| 1955 | 163.2 | 14.9 | 164.7 | 14.9 | 168.0 | 15.0 | 172.0 | 15.4 |
| 1956 | 173.0 | 15.6 | 173.8 | 15.6 | 177.4 | 15.8 | 176.2 | 15.7 |
| 1957 | 175.5 | 15.8 | 180.1 | 16.1 | 182.4 | 16.1 | 185.4 | 16.4 |
| 1958 | 183.2 | 16.5 | 181.6 | 16.1 | 183.5 | 16.1 | 192.4 | 16.9 |
| 1959 | 186.7 | 16.7 | 187.1 | 16.5 | 188.6 | 16.5 | 186.2 | 16.3 |
| 1960 | 190.7 | 16.8 | 193.3 | 17.0 | 199.1 | 17.3 | 201.9 | 17.6 |
| 1961 | 196.2 | 17.2 | 200.1 | 17.4 | 206.4 | 17.7 | 208.6 | 17.9 |
| 1962 | 205.8 | 17.9 | 209.0 | 17.9 | 211.6 | 18.0 | 212.4 | 18.0 |
| 1963 | 210.6 | 18.2 | 212.9 | 18.2 | 214.8 | 18.1 | 215.7 | 18.2 |
| 1964 | 214.4 | 18.2 | 217.4 | 18.4 | 222.3 | 18.7 | 221.9 | 18.6 |
| 1965† | 212 | 18.1 | | | | | | |

* The original figures for occurrences have been adjusted by removing the estimated regular seasonal fluctuations so that the trend and any random variations are left. Some refinement of the method of seasonal adjustment has produced slight revisions in the figures shown throughout the table, when compared with the corresponding table in the Quarterly Return for the Quarter ended 31st December, 1964.

† The 1965 figure is only approximate. The number of registrations which is itself provisional, has been roughly adjusted to obtain an estimate of birth occurrences. The latter has been seasonally adjusted and the resulting figure is liable to considerable revision.

The rates shown above are illustrated in the following diagram—




TABLE III

Live births, stillbirths, deaths: total numbers registered

Live births, deaths: annual rates per 1,000 population

Stillbirths, perinatal mortality: rates per 1,000 total live and still births

Infant mortality: rates per 1,000 live births

Last five quarters. England and Wales, standard regions and hospital regions*

| | NUMBERS | | | | | RATES | | | | |
|------------------------------|---------|---------|---------|---------|---------|-------|------|-------|------|------|
| | 1964 | | | | 1965 | 1964 | | | | 1965 |
| | Mar. | June | Sept. | Dec. | Mar. | Mar. | June | Sept. | Dec. | Mar. |
| LIVE BIRTHS | | | | | | | | | | |
| ENGLAND AND WALES | 219,424 | 228,277 | 222,317 | 204,160 | 222,829 | 18·6 | 19·4 | 18·7 | 17·1 | 19·1 |
| Standard regions: | | | | | | | | | | |
| Northern | 15,100 | 15,228 | 15,466 | 14,494 | 15,054 | 18·4 | 18·6 | 18·6 | 17·5 | 18·5 |
| Yorkshire and Humberside ... | 21,586 | 22,895 | 22,161 | 20,300 | 22,252 | 18·5 | 19·7 | 18·8 | 17·2 | 19·3 |
| North Western | 31,754 | 33,048 | 32,173 | 29,982 | 32,226 | 19·2 | 19·9 | 19·2 | 17·9 | 19·6 |
| East Midlands | 15,217 | 15,896 | 15,131 | 13,889 | 15,489 | 18·9 | 19·8 | 18·6 | 17·1 | 19·4 |
| West Midlands | 23,725 | 24,924 | 24,416 | 22,108 | 24,997 | 19·4 | 20·4 | 19·7 | 17·9 | 20·6 |
| Eastern | 18,647 | 19,757 | 19,161 | 17,104 | 17,749 | 18·8 | 19·9 | 19·1 | 17·1 | 18·0 |
| London and South Eastern ... | 51,439 | 52,774 | 51,214 | 46,976 | 52,030 | 18·2 | 18·7 | 18·0 | 16·5 | 18·6 |
| Southern | 14,310 | 14,924 | 14,439 | 13,239 | 14,868 | 19·6 | 20·4 | 19·5 | 17·9 | 20·5 |
| South Western | 15,765 | 16,579 | 16,021 | 14,881 | 16,215 | 17·4 | 18·3 | 17·5 | 16·3 | 18·1 |
| Wales | 11,881 | 12,252 | 12,135 | 11,187 | 11,949 | 17·9 | 18·4 | 18·0 | 16·6 | 18·1 |
| Hospital regions: | | | | | | | | | | |
| Newcastle | 14,073 | 14,230 | 14,371 | 13,587 | 14,335 | 18·5 | 18·7 | 18·7 | 17·7 | 19·0 |
| Leeds | 14,310 | 15,225 | 14,763 | 13,448 | 14,257 | 18·2 | 19·4 | 18·6 | 16·9 | 18·3 |
| Sheffield | 21,022 | 22,124 | 21,246 | 19,532 | 21,272 | 18·3 | 19·8 | 18·8 | 17·3 | 19·2 |
| East Anglian | 7,017 | 7,446 | 7,331 | 6,617 | 7,361 | 17·6 | 18·7 | 18·2 | 16·4 | 18·6 |
| North West Metropolitan ... | 20,235 | 21,114 | 20,507 | 18,400 | 20,052 | 19·3 | 20·1 | 19·3 | 17·3 | 19·3 |
| North East Metropolitan ... | 15,588 | 15,900 | 15,456 | 14,188 | 15,868 | 19·0 | 19·4 | 18·7 | 17·1 | 19·5 |
| South East Metropolitan ... | 15,213 | 15,939 | 15,387 | 14,085 | 16,261 | 17·9 | 18·7 | 17·9 | 16·3 | 19·2 |
| South West Metropolitan ... | 14,422 | 14,574 | 14,016 | 12,830 | 13,019 | 17·9 | 18·1 | 17·2 | 15·8 | 16·3 |
| Oxford | 8,956 | 9,211 | 8,927 | 8,182 | 9,304 | 20·6 | 21·2 | 20·3 | 18·6 | 21·5 |
| South Western | 12,681 | 13,511 | 12,974 | 11,949 | 13,391 | 17·1 | 18·3 | 17·3 | 16·0 | 18·2 |
| Welsh | 11,881 | 12,252 | 12,135 | 11,187 | 11,949 | 17·9 | 18·4 | 18·0 | 16·6 | 18·1 |
| Birmingham | 23,725 | 24,924 | 24,416 | 22,108 | 24,997 | 19·4 | 20·4 | 19·7 | 17·9 | 20·6 |
| Manchester | 20,781 | 21,309 | 20,781 | 19,555 | 20,961 | 18·6 | 19·1 | 18·4 | 17·3 | 18·9 |
| Liverpool | 11,193 | 11,924 | 11,600 | 10,615 | 11,501 | 20·3 | 21·6 | 20·8 | 19·1 | 21·0 |
| Wessex | 8,327 | 8,594 | 8,407 | 7,877 | 8,301 | 18·1 | 18·7 | 18·1 | 16·9 | 18·2 |
| STILLBIRTHS | | | | | | | | | | |
| ENGLAND AND WALES | 3,782 | 3,801 | 3,562 | 3,400 | 3,624 | 16·9 | 16·4 | 15·8 | 16·4 | 16·0 |
| Standard regions: | | | | | | | | | | |
| Northern | 314 | 308 | 260 | 291 | 273 | 20·4 | 19·8 | 16·5 | 19·7 | 17·8 |
| Yorkshire & Humberside ... | 419 | 398 | 396 | 352 | 377 | 19·0 | 17·1 | 17·6 | 17·0 | 16·7 |
| North Western | 592 | 629 | 603 | 536 | 602 | 18·3 | 18·7 | 18·4 | 17·6 | 18·3 |
| East Midlands | 237 | 307 | 243 | 241 | 244 | 15·3 | 18·9 | 15·8 | 17·1 | 15·5 |
| West Midlands | 409 | 407 | 440 | 397 | 443 | 16·9 | 16·1 | 17·7 | 17·6 | 17·4 |
| Eastern | 298 | 298 | 251 | 251 | 226 | 15·7 | 14·9 | 12·9 | 14·5 | 12·6 |
| London and South Eastern ... | 791 | 752 | 718 | 697 | 757 | 15·1 | 14·0 | 13·8 | 14·6 | 14·3 |
| Southern | 233 | 216 | 212 | 177 | 171 | 16·0 | 14·3 | 14·5 | 13·2 | 11·4 |
| South Western | 261 | 264 | 248 | 239 | 280 | 16·3 | 15·7 | 15·2 | 15·8 | 17·0 |
| Wales | 228 | 222 | 191 | 219 | 251 | 18·8 | 17·8 | 15·5 | 19·2 | 20·6 |
| Hospital regions: | | | | | | | | | | |
| Newcastle | 298 | 291 | 251 | 273 | 268 | 20·7 | 20·0 | 17·2 | 19·7 | 18·4 |
| Leeds | 270 | 276 | 232 | 250 | 238 | 18·5 | 17·8 | 15·5 | 18·3 | 16·4 |
| Sheffield | 366 | 414 | 383 | 327 | 351 | 17·1 | 18·4 | 17·7 | 16·5 | 16·2 |
| East Anglian | 112 | 118 | 98 | 97 | 90 | 15·7 | 15·6 | 13·2 | 14·4 | 12·1 |
| North West Metropolitan ... | 293 | 291 | 257 | 260 | 285 | 14·3 | 13·6 | 12·4 | 13·9 | 14·0 |
| North East Metropolitan ... | 257 | 233 | 215 | 230 | 229 | 16·2 | 14·4 | 13·7 | 16·0 | 14·2 |
| South East Metropolitan ... | 243 | 245 | 234 | 215 | 233 | 15·7 | 15·1 | 15·0 | 15·0 | 14·1 |
| South West Metropolitan ... | 214 | 194 | 193 | 172 | 175 | 14·6 | 13·1 | 13·6 | 13·2 | 13·3 |
| Oxford | 161 | 124 | 133 | 117 | 118 | 17·7 | 13·3 | 14·7 | 14·1 | 12·5 |
| South Western | 204 | 207 | 192 | 194 | 228 | 15·8 | 15·1 | 14·6 | 16·0 | 16·7 |
| Welsh | 228 | 222 | 191 | 219 | 251 | 18·8 | 17·8 | 15·5 | 19·2 | 20·6 |
| Birmingham | 409 | 407 | 440 | 397 | 443 | 16·9 | 16·1 | 17·7 | 17·6 | 17·4 |
| Manchester | 389 | 416 | 384 | 347 | 376 | 18·4 | 19·1 | 18·1 | 17·4 | 17·6 |
| Liverpool | 208 | 217 | 223 | 193 | 226 | 18·2 | 17·9 | 18·9 | 17·9 | 19·3 |
| Wessex | 130 | 146 | 136 | 109 | 113 | 15·4 | 16·7 | 15·9 | 13·6 | 13·4 |

* See page 11.

TABLE III (continued)

| | NUMBERS | | | | | RATES | | | | |
|---|---------|---------|---------|---------|---------|-------|------|-------|------|------|
| | 1964 | | | | 1965 | 1964 | | | | 1965 |
| | Mar. | June | Sept. | Dec. | Mar. | Mar. | June | Sept. | Dec. | Mar. |
| DEATHS (excluding stillbirths): ALL AGES | | | | | | | | | | |
| ENGLAND AND WALES | 156,072 | 127,013 | 113,551 | 138,101 | 157,059 | 13.2 | 10.8 | 9.5 | 11.6 | 13.1 |
| Standard regions: | | | | | | | | | | |
| Northern | 10,304 | 8,986 | 8,233 | 10,001 | 10,931 | 12.6 | 10.9 | 9.9 | 12.1 | 13.1 |
| Yorkshire & Humberside ... | 16,089 | 13,116 | 11,576 | 14,186 | 16,232 | 13.8 | 11.3 | 9.8 | 12.0 | 14.1 |
| North Western | 23,495 | 19,326 | 17,290 | 21,176 | 24,006 | 14.2 | 11.7 | 10.3 | 12.6 | 14.1 |
| East Midlands | 10,859 | 8,253 | 7,162 | 8,784 | 10,036 | 13.5 | 10.3 | 8.8 | 10.8 | 12.0 |
| West Midlands | 15,070 | 11,882 | 10,796 | 12,930 | 14,831 | 12.3 | 9.7 | 8.7 | 10.4 | 12.2 |
| Eastern | 11,838 | 9,757 | 8,758 | 10,420 | 11,700 | 11.9 | 9.8 | 8.7 | 10.4 | 11.9 |
| London and South Eastern... | 37,212 | 30,158 | 27,191 | 33,268 | 38,446 | 13.2 | 10.7 | 9.5 | 11.7 | 13.1 |
| Southern | 8,636 | 7,221 | 6,395 | 7,995 | 8,993 | 11.8 | 9.9 | 8.6 | 10.8 | 12.1 |
| South Western | 12,710 | 10,436 | 9,301 | 11,181 | 12,648 | 14.0 | 11.5 | 10.2 | 12.2 | 14.1 |
| Wales | 9,859 | 7,878 | 6,849 | 8,160 | 9,236 | 14.8 | 11.8 | 10.2 | 12.1 | 14.0 |
| Hospital regions: | | | | | | | | | | |
| Newcastle | 9,411 | 8,235 | 7,494 | 9,131 | 10,128 | 12.4 | 10.8 | 9.7 | 11.9 | 13.1 |
| Leeds | 11,026 | 9,245 | 8,243 | 10,085 | 11,345 | 14.0 | 11.8 | 10.4 | 12.7 | 14.1 |
| Sheffield | 15,012 | 11,550 | 10,079 | 12,340 | 13,843 | 13.4 | 10.3 | 8.9 | 10.9 | 12.1 |
| East Anglian | 5,107 | 4,328 | 3,888 | 4,628 | 5,803 | 12.8 | 10.8 | 9.6 | 11.5 | 14.1 |
| North West Metropolitan ... | 11,898 | 9,715 | 8,758 | 10,631 | 11,721 | 11.3 | 9.3 | 8.3 | 10.0 | 11.1 |
| North East Metropolitan ... | 10,030 | 8,139 | 7,231 | 8,878 | 10,138 | 12.2 | 9.9 | 8.7 | 10.7 | 12.1 |
| South East Metropolitan ... | 12,234 | 9,909 | 8,874 | 11,034 | 12,870 | 14.4 | 11.6 | 10.3 | 12.8 | 15.2 |
| South West Metropolitan ... | 10,868 | 8,725 | 7,960 | 9,554 | 10,910 | 13.5 | 10.8 | 9.8 | 11.7 | 13.1 |
| Oxford | 5,074 | 4,091 | 3,563 | 4,395 | 4,997 | 11.7 | 9.4 | 8.1 | 10.0 | 11.1 |
| South Western | 10,519 | 8,709 | 7,714 | 9,403 | 10,689 | 14.2 | 11.8 | 10.3 | 12.6 | 14.1 |
| Welsh | 9,859 | 7,878 | 6,849 | 8,160 | 9,236 | 14.8 | 11.8 | 10.2 | 12.1 | 14.0 |
| Birmingham | 15,070 | 11,882 | 10,796 | 12,930 | 14,831 | 12.3 | 9.7 | 8.7 | 10.4 | 12.2 |
| Manchester | 16,514 | 13,718 | 12,334 | 15,034 | 16,775 | 14.8 | 12.3 | 10.9 | 13.3 | 15.1 |
| Liverpool | 7,186 | 5,744 | 5,134 | 6,324 | 7,409 | 13.0 | 10.4 | 9.2 | 11.4 | 13.1 |
| Wessex | 6,264 | 5,145 | 4,634 | 5,574 | 6,364 | 13.6 | 11.2 | 10.0 | 12.0 | 13.1 |
| INFANT MORTALITY (deaths of infants under 1 year of age) | | | | | | | | | | |
| ENGLAND AND WALES | 4,803 | 4,483 | 3,871 | 4,288 | 4,650 | 21.9 | 19.6 | 17.4 | 21.0 | 20.9 |
| Standard regions | | | | | | | | | | |
| Northern | 350 | 314 | 327 | 350 | 337 | 23.2 | 20.6 | 21.1 | 24.1 | 22.4 |
| Yorkshire and Humberside... | 538 | 501 | 439 | 482 | 534 | 24.9 | 21.9 | 19.8 | 23.7 | 24.0 |
| North Western | 784 | 736 | 655 | 698 | 773 | 24.7 | 22.3 | 20.4 | 23.3 | 24.0 |
| East Midlands | 332 | 296 | 247 | 255 | 288 | 21.8 | 18.6 | 16.3 | 18.4 | 18.6 |
| West Midlands | 535 | 486 | 414 | 472 | 514 | 22.6 | 19.5 | 17.0 | 21.3 | 20.6 |
| Eastern | 341 | 321 | 256 | 289 | 303 | 18.3 | 16.2 | 13.4 | 16.9 | 17.1 |
| London and South Eastern... | 1,036 | 1,005 | 796 | 924 | 1,053 | 20.1 | 19.0 | 15.5 | 19.7 | 20.2 |
| Southern | 250 | 250 | 242 | 262 | 277 | 17.5 | 16.8 | 16.8 | 19.8 | 18.6 |
| South Western | 293 | 287 | 250 | 278 | 311 | 18.6 | 17.3 | 15.6 | 18.7 | 19.2 |
| Wales | 344 | 287 | 245 | 278 | 260 | 29.0 | 23.4 | 20.2 | 24.9 | 21.8 |
| Hospital regions: | | | | | | | | | | |
| Newcastle | 334 | 293 | 303 | 335 | 325 | 23.7 | 20.6 | 21.1 | 24.7 | 22.7 |
| Leeds | 339 | 344 | 305 | 330 | 326 | 23.7 | 22.6 | 20.7 | 24.5 | 22.9 |
| Sheffield | 487 | 428 | 373 | 379 | 468 | 23.2 | 19.3 | 17.6 | 19.4 | 22.0 |
| East Anglian | 130 | 143 | 94 | 123 | 114 | 18.5 | 19.2 | 12.8 | 18.6 | 15.5 |
| North West Metropolitan ... | 399 | 351 | 282 | 334 | 379 | 19.7 | 16.6 | 13.8 | 18.2 | 18.9 |
| North East Metropolitan ... | 308 | 298 | 226 | 245 | 336 | 19.8 | 18.7 | 14.6 | 17.3 | 21.2 |
| South East Metropolitan ... | 319 | 299 | 257 | 286 | 322 | 21.0 | 18.8 | 16.7 | 20.3 | 19.8 |
| South West Metropolitan ... | 267 | 283 | 214 | 268 | 246 | 18.5 | 19.4 | 15.3 | 20.9 | 18.9 |
| Oxford | 160 | 152 | 160 | 165 | 155 | 17.9 | 16.5 | 17.9 | 20.2 | 16.7 |
| South Western | 232 | 229 | 199 | 219 | 265 | 18.3 | 16.9 | 15.3 | 18.3 | 19.8 |
| Welsh | 344 | 287 | 245 | 278 | 260 | 29.0 | 23.4 | 20.2 | 24.9 | 21.8 |
| Birmingham | 535 | 486 | 414 | 472 | 514 | 22.6 | 19.5 | 17.0 | 21.3 | 20.6 |
| Manchester | 524 | 488 | 438 | 450 | 480 | 25.2 | 22.9 | 21.1 | 23.0 | 22.9 |
| Liverpool | 263 | 255 | 224 | 251 | 294 | 23.5 | 21.4 | 19.3 | 23.6 | 25.6 |
| Wessex | 162 | 147 | 137 | 153 | 166 | 19.5 | 17.1 | 16.3 | 19.4 | 20.0 |

TABLE III (continued)

| | Numbers | | | | | Rates | | | | |
|--|---------|-------|-------|-------|-------|-------|------|-------|------|------|
| | 1964 | | | | 1965 | 1964 | | | | 1965 |
| | Mar. | June | Sept. | Dec. | Mar. | Mar. | June | Sept. | Dec. | Mar. |
| PERINATAL MORTALITY (stillbirths and deaths of infants under 1 week of age) | | | | | | | | | | |
| ENGLAND AND WALES ... | 6,442 | 6,585 | 6,133 | 5,922 | 6,062 | 28.9 | 28.4 | 27.2 | 28.5 | 26.8 |
| Standard regions | | | | | | | | | | |
| Northern | 515 | 491 | 477 | 482 | 460 | 33.4 | 31.6 | 30.3 | 32.6 | 30.0 |
| Yorkshire and Humberside | 696 | 691 | 668 | 609 | 621 | 31.6 | 29.7 | 29.6 | 29.5 | 27.4 |
| North Western | 1,009 | 1,066 | 1,031 | 950 | 1,002 | 31.2 | 31.7 | 31.5 | 31.1 | 30.5 |
| East Midlands | 405 | 500 | 414 | 378 | 402 | 26.2 | 30.9 | 26.9 | 26.8 | 25.6 |
| West Midlands | 698 | 690 | 712 | 691 | 716 | 28.9 | 27.2 | 28.6 | 30.7 | 28.1 |
| Eastern | 494 | 492 | 437 | 425 | 390 | 26.1 | 24.5 | 22.5 | 24.5 | 21.7 |
| London and South Eastern | 1,415 | 1,428 | 1,248 | 1,258 | 1,329 | 27.1 | 26.7 | 24.0 | 26.4 | 25.2 |
| Southern | 378 | 375 | 389 | 341 | 318 | 26.0 | 24.8 | 26.6 | 25.4 | 21.1 |
| South Western | 428 | 443 | 402 | 400 | 444 | 26.7 | 26.3 | 24.7 | 26.5 | 26.9 |
| Wales | 404 | 409 | 355 | 388 | 380 | 33.4 | 32.8 | 28.8 | 34.0 | 31.1 |
| Hospital regions | | | | | | | | | | |
| Newcastle | 490 | 462 | 452 | 454 | 450 | 34.1 | 31.8 | 30.9 | 32.8 | 30.8 |
| Leeds | 436 | 474 | 422 | 425 | 382 | 29.9 | 30.6 | 28.1 | 31.0 | 26.4 |
| Sheffield | 628 | 682 | 627 | 528 | 593 | 29.4 | 30.3 | 29.0 | 26.6 | 27.4 |
| East Anglian | 186 | 214 | 166 | 170 | 156 | 26.1 | 28.3 | 22.3 | 25.3 | 20.9 |
| North West Metropolitan | 536 | 523 | 454 | 466 | 504 | 26.1 | 24.4 | 22.0 | 25.0 | 24.8 |
| North East Metropolitan | 431 | 427 | 371 | 374 | 407 | 27.2 | 26.5 | 23.7 | 25.9 | 25.3 |
| South East Metropolitan | 428 | 439 | 398 | 386 | 399 | 27.7 | 27.1 | 25.5 | 27.0 | 24.2 |
| South West Metropolitan | 380 | 384 | 343 | 344 | 308 | 26.0 | 26.0 | 24.1 | 26.5 | 23.3 |
| Oxford | 245 | 222 | 243 | 222 | 206 | 26.9 | 23.8 | 26.8 | 26.8 | 21.9 |
| South Western | 344 | 350 | 313 | 320 | 370 | 26.7 | 25.5 | 23.8 | 26.4 | 27.2 |
| Welsh | 404 | 409 | 355 | 388 | 380 | 33.4 | 32.8 | 28.8 | 34.0 | 31.1 |
| Birmingham | 698 | 690 | 712 | 691 | 716 | 28.9 | 27.2 | 28.6 | 30.7 | 28.1 |
| Manchester | 677 | 706 | 676 | 613 | 627 | 32.0 | 32.5 | 31.9 | 30.8 | 29.4 |
| Liverpool | 339 | 367 | 366 | 341 | 376 | 29.7 | 30.2 | 31.0 | 31.6 | 32.1 |
| Wessex | 220 | 236 | 235 | 200 | 188 | 26.0 | 27.0 | 27.5 | 25.0 | 22.3 |

In this Table the constitution of the Standard Regions of England and Wales is as follows:

| | | |
|--|--------------------------------|-----------------|
| Northern | West Midlands | Southern |
| Cumberland | Herefordshire | Berkshire |
| Durham | Shropshire | Buckinghamshire |
| Northumberland | Staffordshire | Hampshire |
| Westmorland | Warwickshire | Oxfordshire |
| Yorkshire, North Riding | Worcestershire | Wight, Isle of |
| Yorkshire and Humberside | Eastern | South Western |
| Lincolnshire | Bedfordshire | Cornwall |
| Parts of Lindsey, Part of ¹ | Cambridgeshire and Isle of Ely | Devon |
| Yorkshire, East Riding | Essex | Dorset |
| Yorkshire, West Riding | Hertfordshire | Gloucestershire |
| North Western | Huntingdon and Peterborough | Somerset |
| Cheshire | Norfolk | Wiltshire |
| Derbyshire, Part of ² | Suffolk, East | Wales |
| Lancashire | Suffolk, West | Anglesey |
| East Midlands | London and South Eastern | Breconshire |
| Derbyshire, Part of ³ | City of London and London | Caernarvonshire |
| Leicestershire | Boroughs | Cardiganshire |
| Lincolnshire | Kent | Carmarthenshire |
| Parts of Holland | Surrey | Denbighshire |
| Parts of Kesteven | Sussex, East | Flintshire |
| Parts of Lindsey, Part of ⁴ | Sussex, West | Glamorgan |
| Northamptonshire | | Merionethshire |
| Nottinghamshire | | Monmouthshire |
| Shropshire | | Montgomeryshire |
| Staffordshire | | Pembrokeshire |
| Warwickshire | | Radnorshire |

¹ All except Lincoln C.B.

² Buxton M.B., Glossop M.B., New Mills U.D., Whaley Bridge U.D. and Chapel en le Frith R.D.

³ All except the areas stated in 2 above.

⁴ Lincoln C.B. only.

TABLE IV

Notifications of certain infectious diseases in the quarter ended 31st March 1965

England and Wales, counties (distinguishing aggregates of municipal boroughs and urban districts, and rural districts), county boroughs, London A.C., City of London, metropolitan boroughs and port health districts

Note: Total original and corrected notifications are distinguished for England and Wales as a whole. Otherwise the figures refer to corrected notifications only.

(See General Notes on page 3)

| | Scarlet fever | Diphtheria | Typhoid fever | Paratyphoid fever | Acute pneumonia (prim'y or influenzal) | Dysentery | | Acute polio- myelitis | | Food poisoning | Tuberculosis | | | Respiratory | Meninges and C.N.S. | Other | | |
|---|---|---------------------------------|---------------------------------|---------------------------------|---|--|---------------------------------|---------------------------------|---------------------------------|-------------------------------------|---|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|-------------------------|--|
| | | | | | | Paralytic | Non- paralytic | Acute | polio- myelitis | | Respiratory | Meninges and C.N.S. | Other | | | | | |
| England and Wales | 9,753 | 40 | 17 | 35 | 3,373 | 7,358 | Original notifications | | 6 | 2 | 1,124 | 3,586 | 38 | 573 | | | | |
| | | | | | | | Corrected notifications | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| England and Wales | 9,750 | 18 | 15 | 32 | 3,355 | 6,648 | 5 | 2 | 579 | 3,556 | 39 | 570 | | | | | | |
| | | | | | | | | | | | | | | | | | Corrected notifications | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| Bedfordshire Luton C.B. Total M.Bs. & U.Ds. Total R.Ds. | 51 10 25 16 | — — — — | — — — — | 1 — — 1 | 13 — 9 4 | 143 1 132 10 | — — — — | — — — — | 5 1 1 3 | 579 | 32 15 7 10 | — — — — | — — — — | — — — — | — — — — | — — — — | | |
| | | | | | | | | | | | | | | | | | Corrected notifications | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| Berkshire Reading C.B. Total M.Bs. & U.Ds. Total R.Ds. | 69 6 11 52 | — — — — | — — — — | — — — — | 19 2 2 15 | 83 — 58 25 | — — — — | — — — — | 2 — — 2 | 38 8 16 14 | — — — — | — — — — | — — — — | — — — — | — — — — | — — — — | | |
| | | | | | | | | | | | | | | | | | Corrected notifications | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| Buckinghamshire Total M.Bs. & U.Ds. Total R.Ds. | 36 18 18 | — — — | — — — | 1 1 | 4 — 4 | 41 11 30 | — — — | — — — | — — — | — — — | 24 15 9 | — — — | — — — | — — — | — — — | — — — | | |
| | | | | | | | | | | | | | | | | | Corrected notifications | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| Cambridgeshire Cambridge M.B. Total R.Ds. | 44 21 23 | — — — | — — — | — — — | 9 2 7 | 41 8 33 | — — — | — — — | 2 — 2 | 11 7 4 | — — — | — — — | — — — | — — — | — — — | — — — | | |
| | | | | | | | | | | | | | | | | | Corrected notifications | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| Cheshire Total C.Bs. Birkenhead C.B. Chester C.B. Stockport C.B. Wallasey C.B. Total M.Bs. & U.Ds. Total R.Ds. | 274 94 27 8 27 149 31 | — — — — — — — | — — — — — — — | — — — — — — — | 62 34 17 1 14 22 6 | 144 20 12 2 — 104 20 | — — — — — — — | — — — — — — — | 1 1 1 — — — — | 65 19 10 4 5 40 6 | 62 34 12 9 10 3 27 1 | — — — — — — — | — — — — — — — | — — — — — — — | — — — — — — — | — — — — — — — | | |
| | | | | | | | | | | | | | | | | | Corrected notifications | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |

TABLE IV (continued)

| | Scarlet fever | Diphtheria | Typhoid fever | Paratyphoid fever | Acute pneumonia (prim'y or influenzal) | Dysentery | Tuberculosis | | Food poisoning | Acute polio-myelitis | | Tuberculosis | Other |
|--|----------------------------------|----------------------------|----------------------------|----------------------------|---|-------------------------------|---------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------|---------------------|
| | | | | | | | Respiratory | Meninges and C.N.S. | | Paralytic | Non-paralytic | Respiratory | Meninges and C.N.S. |
| Norfolk Total C.Bs. Great Yarmouth C.B. | 99 34 | — — | — — | — — | 77 23 | 6 5 | 32 7 | — — | 1 1 | — — | — — | 139 93 | — — |
| Norwich C.B. Total M.Bs. & U.Ds. Total R.Ds. | 1 33 8 57 | — — — — | — — — — | — — — — | 1 22 8 46 | — 5 — 1 | 1 6 5 20 | — — — — | — — — — | — — — — | — — — — | 3 26 25 8 | — — — — |
| Northamptonshire Northampton C.B. Total M.Bs. & U.Ds. Total R.Ds. | 85 22 12 51 | — — — — | — — — — | — — — — | 29 6 19 4 | 54 9 53 1 | 26 9 14 3 | — — — — | 1 — — — | — — — — | — — — — | 11 20 36 10 | — — — — |
| Northumberland ... Total C.Bs. Newcastle upon Tyne C.B. Total M.Bs. & U.Ds. Total R.Ds. | 116 36 29 7 64 16 | — — — — — — | — — — — — — | — — — — — — | 44 27 24 3 12 5 | 90 8 8 — 42 40 | 85 47 42 31 7 | — — — — — — | — — — — — — | — — — — — — | — — — — — — | 15 4 8 3 | — — — — |
| Nottinghamshire ... Nottingham C.B. ... Total M.Bs. & U.Ds. Total R.Ds. | 203 44 78 81 | — — — — | — — — — | — — — — | 54 16 32 6 | 95 37 38 20 | 67 29 28 10 | — — — — | — — — — | — — — — | — — — — | 95 13 75 7 | — — — — |
| Oxfordshire Oxford C.B. Total M.Bs. & U.Ds. Total R.Ds. | 6 3 1 2 | — — — — | — — — — | — — — — | 12 5 — 7 | 15 2 1 12 | 36 22 2 12 | — — — — | — — — — | — — — — | — — — — | 34 14 11 | — — — |
| Peterborough, Soke of Peterborough M.B. Total R.Ds. | 1 1 — | — — — | — — — | — — — | 7 6 1 | 1 1 — | 7 5 2 | — — — | — — — | — — — | — — — | 13 9 4 | — — — |
| Rutland Oakham U.D. Total R.Ds. | 3 — 3 | — — — | — — — | — — — | 5 — 5 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| Shropshire Total M.Bs. & U.Ds. Total R.Ds. | 51 24 27 | — — — | — — — | — — — | 18 6 12 | 46 9 37 | 9 5 4 | — — — | — — — | — — — | — — — | 240 209 160 | 3 1 1 |
| Somerset Bath C.B. Total M.Bs. & U.Ds. | 74 4 32 | — — — | — — — | — — — | 20 4 2 | 17 6 — | 20 3 10 | — — — | — — — | — — — | — — — | 19 12 | 2 — |

TABLE IV (continued)

Original notifications of *Meningococcal infection* numbered 136, *Whooping cough* 3,017, and *Measles* 257,377. Corrected notifications were *Meningococcal infection* 126, *Whooping cough* 2,994 and *Measles* 257,290, distributed by county as follows:—

| | Meningo- coccal infection | Whooping cough | Measles | | Meningo- coccal infection | Whooping cough | Measles | | Meningo- coccal infection | Whooping cough |
|----------------------|---------------------------------|-------------------|---------|----------------------|---------------------------------|-------------------|---------|---------------------|---------------------------------|-------------------|
| Bedfordshire ... | — | 33 | 2,459 | Lincs. (Kesteven) | 2 | 11 | 914 | Wiltshire ... | 1 | 24 |
| Berkshire ... | 2 | 56 | 3,371 | Lincs. (Lindsey) ... | 2 | 18 | 4,286 | Worcestershire... | 3 | 16 |
| Buckinghamshire... | 1 | 23 | 2,953 | London A.C. ... | 14 | 182 | 25,567 | Yorks. E. Riding | — | 37 |
| Cambridgeshire ... | — | 8 | 960 | Middlesex ... | 2 | 74 | 15,951 | Yorks. N. Riding | 3 | 40 |
| Cheshire ... | 4 | 79 | 7,704 | Norfolk ... | 1 | 25 | 860 | Yorks. W. Riding | — | — |
| Cornwall ... | 1 | 4 | 459 | Northamptonshire | 3 | 50 | 2,072 | (including York | — | — |
| Cumberland ... | — | 12 | 2,158 | Northumberland | 1 | 27 | 4,844 | C.B.) ... | 11 | 213 |
| Derbyshire ... | 2 | 64 | 3,960 | Nottinghamshire | — | 11 | 6,041 | Anglesey ... | — | 5 |
| Devon ... | 2 | 51 | 2,755 | Oxfordshire ... | — | 13 | 1,237 | Breconshire ... | — | — |
| Dorset ... | 1 | 25 | 1,177 | Peterboro', Soke of | — | 7 | 154 | Caernarvonshire | — | 5 |
| Durham ... | 8 | 146 | 8,150 | Rutland ... | — | 2 | 132 | Cardiganshire... | — | 2 |
| Ely, Isle of ... | — | 10 | 91 | Shropshire ... | 1 | 19 | 858 | Carmarthenshire | — | 27 |
| Essex ... | 8 | 227 | 20,714 | Somerset ... | 2 | 67 | 2,669 | Denbighshire ... | — | 6 |
| Gloucestershire ... | 4 | 68 | 4,204 | Staffordshire... | 5 | 99 | 6,118 | Flintshire ... | 1 | 5 |
| Hampshire ... | 5 | 117 | 10,940 | Suffolk, East ... | 1 | 82 | 1,113 | Glamorgan ... | 3 | 60 |
| Herefordshire ... | — | 3 | 735 | Suffolk, West ... | 1 | 16 | 994 | Merionethshire | — | — |
| Hertfordshire ... | — | 26 | 7,243 | Surrey ... | 1 | 107 | 13,900 | Monmouthshire | — | 17 |
| Huntingdonshire | — | 13 | 691 | Sussex, East ... | 2 | 38 | 3,716 | Montgomeryshire | — | 4 |
| Kent ... | 3 | 155 | 17,679 | Sussex, West ... | 1 | 14 | 3,634 | Pembrokeshire | — | — |
| Lancashire ... | 12 | 343 | 20,032 | Warwickshire ... | 7 | 110 | 6,210 | Radnorshire ... | — | — |
| Leicestershire ... | 1 | 83 | 814 | Westmorland ... | 3 | 1 | 286 | | | |
| Lincs. (Holland) ... | — | 11 | 720 | Wight, Isle of ... | 1 | 3 | 359 | Port Health Dists.* | — | — |

Other diseases notified:—*Ophthalmia neonatorum*: Original 202, Corrected 198. *Acute encephalitis, Infective*: Original 27, Corrected 27. *Acute encephalitis Post infectious*: Original 21, Corrected 20. *Erysipelas*: Original 578, Corrected 574. *Puerperal pyrexia*: Original 1,420, Corrected 1,415. *Anthrax*: Original 3, Corrected 3. No cases of *Cholera*, *Plague*, *Smallpox* or *Typhoid fever* were notified.

*Uncorrected figures for 13 weeks ended 2nd April, 1965, not included in totals for England and Wales.

TABLE IV (a)
Corrected notifications of certain infectious diseases in the quarter ended 31st December 1964,
analysed by sex and age
England and Wales
(See General Notes on page 3)

| Age-group | Dysentery | | Scarlet fever | | Whooping cough | | Diphtheria | | Measles | | Meningo- coccal infection | | Acute poliomyelitis | |
|----------------|-----------|-------|---------------|-------|----------------|-------|------------|----|---------|--------|---------------------------------|----|---------------------|---------------|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | Paralytic | Non-paralytic |
| All Ages ... | 2,098 | 2,290 | 3,251 | 3,119 | 1,723 | 1,893 | — | 1 | 59,208 | 56,270 | 65 | 35 | 8 | 3 |
| 0— ... | 160 | 125 | 18 | 9 | 239 | 239 | — | — | 2,211 | 2,162 | 24 | 7 | 1 | — |
| 1— ... | 208 | 173 | 63 | 55 | 200 | 220 | — | — | 6,097 | 5,905 | 7 | 5 | 1 | — |
| 2— ... | 198 | 177 | 194 | 152 | 262 | 274 | — | — | 7,761 | 7,437 | 6 | 2 | 2 | — |
| 3— ... | 171 | 163 | 328 | 299 | 187 | 267 | — | — | 8,390 | 8,066 | 2 | 3 | — | — |
| 4— ... | 148 | 143 | 411 | 424 | 252 | 237 | — | — | 8,659 | 8,075 | 3 | 2 | — | — |
| 5— ... | 507 | 467 | 1,861 | 1,802 | 490 | 555 | — | — | 24,573 | 23,132 | 5 | 3 | 2 | 1 |
| 10— ... | 156 | 124 | 293 | 292 | 53 | 56 | — | — | 980 | 944 | 3 | 4 | — | — |
| 15— ... | 138 | 251 | 52 | 51 | 15 | 15 | — | 1 | 203 | 233 | 10 | 2 | — | — |
| 25 and over... | 380 | 628 | 19 | 29 | 15 | 21 | — | — | 109 | 119 | 5 | 7 | 2 | — |
| Unknown ... | 32 | 39 | 12 | 6 | 10 | 9 | — | — | 225 | 197 | — | — | — | — |

| Age-group | Typhoid fever | | Paratyphoid fever | | Erysipelas | | Acute encephalitis | | | | Acute pneumonia | | Food poisoning |
|-----------------|---------------|----|-------------------|----|------------|-----|--------------------|----|-----------------|---|-----------------|-------|----------------|
| | M. | F. | M. | F. | M. | F. | Infective | | Post-infectious | | M. | F. | |
| All Ages ... | 18 | 21 | 37 | 30 | 197 | 277 | 14 | 22 | 9 | 8 | 1,265 | 1,036 | 398 |
| 0— ... | 4 | 6 | 10 | 7 | 7 | 2 | 2 | 4 | 6 | 2 | 261 | 214 | 104 |
| 5— ... | 5 | 1 | 8 | 4 | 9 | 6 | 2 | 4 | 2 | 2 | 114 | 79 | 76 |
| 15— ... | 8 | 10 | 13 | 11 | 48 | 48 | 8 | 12 | — | 2 | 214 | 174 | 128 |
| 45— ... | 1 | 3 | 4 | 4 | 88 | 133 | 2 | 2 | 1 | 2 | 357 | 247 | 57 |
| 65 and over ... | — | 1 | 1 | 3 | 39 | 86 | — | — | — | — | 304 | 315 | 11 |
| Unknown ... | — | — | 1 | 1 | 6 | 2 | — | — | — | — | 15 | 7 | 22 |

Tuberculosis

| Age-group | Respiratory | | Meninges and C.N.S. | | Other | | Age-group | Respiratory | | Meninges and C.N.S. | | Other |
|--------------|-------------|-------|---------------------|----|-------|-----|-------------|-------------|-----|---------------------|----|-------|
| | M. | F. | M. | F. | M. | F. | | M. | F. | M. | F. | |
| All Ages ... | 2,231 | 1,134 | 19 | 12 | 277 | 302 | 25— ... | 322 | 232 | 5 | 3 | 76 |
| 0— ... | 10 | 6 | — | 1 | 1 | — | 35— ... | 387 | 215 | 1 | 1 | 55 |
| 1— ... | 24 | 14 | — | 1 | — | 2 | 45— ... | 363 | 128 | 1 | 2 | 37 |
| 2— ... | 47 | 34 | 3 | — | 8 | 9 | 55— ... | 427 | 90 | 2 | 1 | 21 |
| 5— ... | 40 | 31 | 2 | 1 | 7 | 13 | 65— ... | 214 | 82 | — | 1 | 13 |
| 10— ... | 36 | 46 | 2 | — | 9 | 16 | 75 and over | 88 | 23 | — | — | 6 |
| 15— ... | 83 | 107 | 1 | — | 17 | 16 | Unknown ... | 10 | 3 | — | — | 4 |
| 20— ... | 180 | 123 | 2 | 1 | 23 | 31 | | | | | | |

TABLE V

Infant mortality: rates by quarters and each completed year, 1962 to 1965

England and Wales and various other countries

(Deaths under 1 year per 1,000 live births)

| Country | 1962 | 1963 | 1964 | 1962 | | | 1963 | | | | 1964 | | | | 1965 |
|-----------------------|------|------|------|------|-------|------|------|------|-------|------|------|------|-------|------|------|
| | | | | June | Sept. | Dec. | Mar. | June | Sept. | Dec. | Mar. | June | Sept. | Dec. | Mar. |
| England and Wales ... | 22 | 21 | 20 | 21 | 19 | 22 | 24 | 20 | 18 | 22 | 22 | 20 | 17 | 21 | 21 |
| Wales ... | 23 | 23 | 24 | 22 | 19 | 23 | 25 | 21 | 21 | 23 | 29 | 23 | 20 | 25 | 22 |
| Scotland ... | 27 | 26 | 24 | 26 | 24 | 26 | 29 | 24 | 21 | 28 | 27 | 23 | 22 | 23 | † |
| N. Ireland ... | 27 | 27 | 26 | 28 | 23 | 25 | 30 | 26 | 25 | 27 | 26 | 27 | 26 | 27 | † |
| Irish Republic | 29 | 27 | 27 | 29 | 24 | 28 | 30 | 26 | 24 | 27 | 29 | 26 | 25 | 27 | † |
| Australia ... | 20 | 20 | 19 | 20 | 21 | 20 | 19 | 20 | 20 | 19 | 18 | 20 | 21 | 18 | † |
| Canada ... | 28 | 26 | † | 27 | 25 | 29 | 29 | 25 | 24 | 27 | † | † | † | † | † |
| Chile ... | 121 | 111 | † | 111 | 94 | 133 | 130 | 100 | 99 | 116 | † | † | † | † | † |
| Denmark ... | 20 | 19 | † | 19 | 18 | 21 | 20 | 20 | 18 | 19 | † | † | † | † | † |
| France ... | 26 | 26 | 23 | 26 | 21 | 24 | 31 | 25 | 22 | 24 | 26 | 24 | 21 | 23 | † |
| Italy ... | 41 | 40 | 36 | 42 | 40 | 42 | 46 | 39 | 36 | 38 | 38 | 37 | 32 | 36 | † |
| Netherlands ... | 15 | 14 | 15 | 14 | 14 | 17 | 17 | 14 | 13 | 15 | 17 | 14 | 14 | 15 | † |
| New Zealand | 20 | 20 | 19 | 20 | 20 | 20 | 18 | 21 | 23 | 17 | 18 | 19 | 22 | 18 | 19 |
| Sweden ... | 15 | 15 | † | 14 | 16 | 15 | 17 | 14 | 13 | 16 | 14 | 12 | 14 | † | † |
| U.S.A. ... | 26 | 25 | 24 | 26 | 24 | 26 | 27 | 25 | 23 | 26 | 25 | 24 | 23 | 25 | 27 |

* See footnote to Table IX.

† Figures not yet available.

TABLE VI

Deaths by cause and sex in 1962, 1963 and 1964 and in the last eight available quarters, classified according to the International Abbreviated List (7th Revision, 1955), with certain sub-divisions

England and Wales

| Causes of Death | | 1962 | 1963 | 1964† | 1963 | | | | 1964† | | | |
|---|---|---------|---------|---------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | | | | March | June | Sept. | Dec. | March | June | Sept. | Dec. |
| ALL CAUSES ... | M | 285,154 | 292,410 | 274,773 | 99,493 | 65,681 | 58,699 | 68,537 | 79,885 | 65,136 | 58,096 | 71,656 |
| | F | 272,482 | 280,458 | 259,964 | 97,382 | 63,332 | 55,219 | 64,525 | 76,187 | 61,877 | 55,455 | 66,445 |
| Deaths from non-violent causes | M | 271,342 | 278,336 | 260,529 | 95,672 | 62,411 | 55,317 | 64,936 | 76,163 | 61,618 | 54,760 | 67,988 |
| | F | 262,397 | 269,909 | 249,648 | 93,949 | 61,028 | 53,040 | 61,892 | 73,158 | 59,427 | 53,290 | 63,773 |
| Tuberculosis of respiratory system (001-008) | M | 2,101 | 2,022 | 1,711 | 700 | 465 | 404 | 453 | 542 | 426 | 332 | 411 |
| | F | 673 | 587 | 498 | 188 | 139 | 119 | 141 | 155 | 110 | 113 | 120 |
| Tuberculosis of meninges and C.N.S. (010) | M | 39 | 37 | 26 | 8 | 12 | 11 | 6 | 7 | 7 | 8 | 4 |
| | F | 24 | 34 | 18 | 10 | 8 | 7 | 9 | 5 | 6 | 5 | 2 |
| Tuberculosis, other forms (011-019) | M | 142 | 132 | 116 | 45 | 29 | 22 | 36 | 27 | 31 | 31 | 27 |
| | F | 109 | 148 | 115 | 30 | 35 | 39 | 44 | 30 | 32 | 34 | 19 |
| Syphilis and its sequelae (020-029) | M | 509 | 485 | 496 | 158 | 102 | 111 | 114 | 131 | 116 | 105 | 144 |
| | F | 313 | 335 | 295 | 97 | 83 | 69 | 86 | 81 | 51 | 72 | 91 |
| Typhoid fever (040) | M | 2 | 3 | 1 | 2 | — | 1 | — | — | — | 1 | — |
| | F | 2 | 1 | 1 | — | — | — | 1 | 1 | — | — | — |
| Paratyphoid fever (041) | M | 3 | — | 1 | — | — | — | — | — | — | — | 1 |
| | F | — | 1 | — | — | — | 1 | — | — | — | — | — |
| Cholera (043) | M | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — |
| Dysentery, all forms (045-048) | M | 21 | 21 | 7 | 6 | 9 | 4 | 2 | 1 | 1 | 2 | 3 |
| | F | 7 | 14 | 10 | 3 | 3 | 6 | 2 | 4 | 4 | 1 | 1 |
| Scarlet fever (050) | M | — | 1 | 2 | — | — | 1 | — | 2 | — | — | — |
| | F | 2 | 1 | — | — | — | 1 | — | — | — | — | — |
| Streptococcal sore throat (051) | M | 2 | 6 | 6 | 3 | 1 | 1 | 1 | 2 | 3 | 1 | — |
| | F | 6 | 2 | 2 | 1 | — | — | 1 | — | 1 | 1 | — |
| Diphtheria (055) | M | 2 | 1 | — | — | — | — | 1 | — | — | — | — |
| | F | — | 1 | — | — | — | — | 1 | — | — | — | — |
| Whooping cough (056) | M | 15 | 15 | 22 | 1 | 1 | 6 | 7 | 7 | 4 | 8 | 3 |
| | F | 9 | 21 | 22 | 5 | — | 4 | 12 | 7 | 4 | 3 | 8 |
| Meningococcal infections (057) | M | 88 | 88 | 53 | 41 | 15 | 14 | 18 | 20 | 16 | 5 | 12 |
| | F | 50 | 58 | 45 | 24 | 13 | 9 | 12 | 13 | 10 | 6 | 16 |
| Plague (058) | M | 1 | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — |
| Acute poliomyelitis (080) | M | 12 | 2 | 2 | 1 | — | 1 | — | 1 | — | — | 1 |
| | F | 6 | 1 | 2 | — | — | 1 | — | 1 | 1 | — | — |
| Acute infectious encephalitis (082) | M | 60 | 52 | 55 | 14 | 8 | 14 | 16 | 15 | 13 | 11 | 16 |
| | F | 57 | 35 | 43 | 14 | 8 | 7 | 6 | 10 | 9 | 13 | 11 |
| Smallpox (084) | M | 7 | — | — | — | — | — | — | — | — | — | — |
| | F | 19 | — | — | — | — | — | — | — | — | — | — |
| Measles (085) | M | 20 | 62 | 30 | 26 | 22 | 8 | 6 | 7 | 8 | 3 | 12 |
| | F | 19 | 65 | 43 | 37 | 16 | 9 | 3 | 9 | 7 | 10 | 17 |
| Typhus and other rickettsial diseases (100-108) | M | — | 1 | — | 1 | — | — | — | — | — | — | — |
| | F | — | 1 | — | — | — | 1 | — | — | — | — | — |
| Malaria (110-117) | M | 4 | 4 | 2 | — | — | 1 | 3 | 1 | — | 1 | — |
| | F | 1 | 2 | — | — | — | 2 | — | — | — | — | — |
| Other diseases classified as infective or parasitic (Rem. of 001-138) | M | 427 | 396 | 374 | 131 | 87 | 91 | 87 | 105 | 89 | 76 | 104 |
| | F | 419 | 391 | 401 | 122 | 88 | 88 | 93 | 116 | 96 | 83 | 106 |

† Provisional.

TABLE VI (continued)

| Causes of Death | | 1962 | 1963 | 1964† | 1963 | | | | 1964† | | | |
|--|---|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | | | | March | June | Sept. | Dec. | March | June | Sept. | Dec. |
| Deaths from non-violent causes—cont. | | | | | | | | | | | | |
| Malignant neoplasm of stomach (151) ... | M | 7,722 | 7,744 | 7,500 | 1,928 | 1,955 | 1,900 | 1,961 | 1,897 | 1,878 | 1,844 | 1,897 |
| | F | 5,874 | 5,937 | 5,569 | 1,522 | 1,413 | 1,480 | 1,522 | 1,425 | 1,329 | 1,402 | 1,425 |
| Malignant neoplasm of intestines and rectum (152-154) ... | M | 6,767 | 6,593 | 6,701 | 1,618 | 1,579 | 1,696 | 1,700 | 1,672 | 1,675 | 1,660 | 1,672 |
| | F | 8,019 | 8,036 | 8,186 | 2,028 | 1,987 | 2,033 | 1,988 | 2,013 | 1,978 | 2,121 | 2,013 |
| Malignant neoplasm of other digestive organs (Rem. of 150-159) ... | M | 4,572 | 4,730 | 4,849 | 1,134 | 1,159 | 1,203 | 1,234 | 1,169 | 1,171 | 1,216 | 1,169 |
| | F | 4,519 | 4,470 | 4,636 | 1,173 | 1,053 | 1,152 | 1,092 | 1,151 | 1,101 | 1,174 | 1,151 |
| Malignant neoplasm of trachea, bronchus, lung (162-163) ... | M | 20,278 | 20,757 | 21,476 | 5,183 | 4,974 | 5,030 | 5,570 | 5,469 | 5,109 | 5,266 | 5,469 |
| | F | 3,501 | 3,677 | 3,895 | 926 | 838 | 929 | 984 | 926 | 934 | 1,026 | 926 |
| Malignant neoplasm of other respiratory organs (Rem. of 160-165) ... | M | 786 | 806 | 760 | 203 | 214 | 192 | 197 | 202 | 178 | 180 | 202 |
| | F | 305 | 271 | 286 | 68 | 54 | 77 | 72 | 71 | 72 | 83 | 71 |
| Malignant neoplasm of breast (170) ... | M | 79 | 70 | 84 | 18 | 23 | 13 | 16 | 24 | 19 | 13 | 24 |
| | F | 9,351 | 9,442 | 9,860 | 2,418 | 2,357 | 2,256 | 2,411 | 2,508 | 2,395 | 2,407 | 2,508 |
| Malignant neoplasm of uterus (171-174) ... | F | 4,015 | 3,969 | 3,989 | 969 | 995 | 998 | 1,007 | 1,008 | 992 | 981 | 1,008 |
| Leukaemia and aleukaemia (204) ... | M | 1,392 | 1,511 | 1,564 | 404 | 346 | 366 | 395 | 412 | 351 | 373 | 412 |
| | F | 1,315 | 1,319 | 1,303 | 318 | 329 | 338 | 334 | 336 | 290 | 321 | 336 |
| Malignant neoplasm of other sites (Rem. of 140-205) ... | M | 13,139 | 12,981 | 13,313 | 3,237 | 3,085 | 3,291 | 3,368 | 3,276 | 3,238 | 3,274 | 3,276 |
| | F | 9,974 | 10,103 | 10,727 | 2,494 | 2,480 | 2,496 | 2,633 | 2,636 | 2,578 | 2,683 | 2,633 |
| Benign and unspecified neoplasms (210-239) ... | M | 557 | 654 | 712 | 179 | 146 | 168 | 161 | 187 | 169 | 156 | 187 |
| | F | 687 | 740 | 784 | 207 | 171 | 171 | 191 | 182 | 205 | 198 | 182 |
| Thyrototoxicosis with or without goitre (252) ... | M | 64 | 31 | 39 | 8 | 11 | 7 | 5 | 12 | 10 | 7 | 12 |
| | F | 277 | 264 | 207 | 93 | 66 | 55 | 50 | 62 | 57 | 44 | 62 |
| Diabetes mellitus (260) ... | M | 1,330 | 1,371 | 1,409 | 508 | 288 | 252 | 323 | 430 | 317 | 307 | 430 |
| | F | 2,481 | 2,433 | 2,522 | 814 | 543 | 519 | 557 | 740 | 604 | 511 | 740 |
| Pernicious and other hyperchromic anaemias (290) ... | M | 205 | 214 | 186 | 59 | 58 | 51 | 46 | 48 | 40 | 51 | 48 |
| | F | 514 | 487 | 449 | 122 | 132 | 125 | 108 | 107 | 104 | 124 | 107 |
| Anaemias, other (291-293) ... | M | 374 | 344 | 379 | 114 | 73 | 82 | 75 | 96 | 87 | 98 | 96 |
| | F | 587 | 700 | 629 | 212 | 191 | 161 | 136 | 141 | 146 | 172 | 141 |
| Vascular lesions affecting the central nervous system (330-334) ... | M | 31,673 | 32,264 | 29,818 | 11,138 | 7,375 | 6,352 | 7,399 | 8,600 | 7,127 | 6,287 | 8,600 |
| | F | 46,624 | 48,076 | 44,147 | 16,457 | 10,903 | 9,616 | 11,100 | 12,688 | 10,752 | 9,353 | 12,688 |
| Non-meningococcal meningitis (340) ... | M | 234 | 212 | 251 | 70 | 63 | 37 | 42 | 64 | 72 | 53 | 64 |
| | F | 186 | 183 | 204 | 59 | 42 | 32 | 50 | 60 | 52 | 39 | 60 |
| Rheumatic fever (400-402) ... | M | 62 | 52 | 30 | 15 | 15 | 10 | 12 | 5 | 8 | 10 | 12 |
| | F | 44 | 45 | 31 | 20 | 10 | 11 | 4 | 8 | 9 | 5 | 11 |
| Chronic rheumatic heart disease (410-416) ... | M | 2,529 | 2,382 | 2,126 | 801 | 525 | 507 | 549 | 598 | 515 | 439 | 598 |
| | F | 4,783 | 4,542 | 4,045 | 1,593 | 1,044 | 832 | 1,073 | 1,194 | 926 | 869 | 1,073 |
| Coronary and arteriosclerotic heart disease (420) ... | M | 62,686 | 65,840 | 65,082 | 20,538 | 15,175 | 13,927 | 16,200 | 17,730 | 15,613 | 14,123 | 17,730 |
| | F | 39,792 | 42,016 | 41,208 | 13,584 | 9,440 | 8,528 | 10,464 | 11,626 | 9,745 | 8,807 | 11,626 |
| Chronic endocarditis and other myocardial degeneration (421, 422) ... | M | 18,377 | 17,719 | 14,617 | 6,922 | 3,912 | 3,166 | 3,719 | 4,735 | 3,527 | 2,742 | 4,735 |
| | F | 29,756 | 29,240 | 24,519 | 11,371 | 6,569 | 5,154 | 6,146 | 7,833 | 5,842 | 4,916 | 7,833 |
| Other diseases of heart (430-434) ... | M | 6,389 | 6,602 | 6,031 | 2,530 | 1,520 | 1,133 | 1,419 | 1,868 | 1,404 | 1,234 | 1,868 |
| | F | 8,213 | 8,399 | 7,671 | 3,173 | 1,884 | 1,550 | 1,792 | 2,368 | 1,869 | 1,520 | 2,368 |
| Hypertension with heart disease (440-443) ... | M | 4,266 | 4,082 | 3,427 | 1,479 | 977 | 701 | 925 | 1,100 | 806 | 660 | 1,100 |
| | F | 6,265 | 6,201 | 5,232 | 2,303 | 1,413 | 1,130 | 1,355 | 1,607 | 1,259 | 1,021 | 1,607 |
| Hypertension without mention of heart (444-447) ... | M | 2,599 | 2,574 | 2,171 | 962 | 574 | 511 | 527 | 657 | 506 | 438 | 657 |
| | F | 3,022 | 2,901 | 2,365 | 1,071 | 653 | 545 | 632 | 695 | 572 | 529 | 695 |
| Other diseases of circulatory system (Rem. of 400-468) ... | M | 8,558 | 9,262 | 8,472 | 3,176 | 2,088 | 1,814 | 2,184 | 2,429 | 2,067 | 1,725 | 2,429 |
| | F | 10,982 | 11,762 | 11,226 | 3,997 | 2,773 | 2,314 | 2,678 | 3,155 | 2,756 | 2,291 | 3,155 |
| Influenza (480-483) ... | M | 1,511 | 1,442 | 494 | 1,134 | 183 | 21 | 104 | 329 | 69 | 11 | 329 |
| | F | 1,797 | 1,772 | 549 | 1,428 | 232 | 18 | 94 | 382 | 78 | 15 | 382 |
| Pneumonia (except of newborn) (490-493) ... | M | 14,472 | 16,945 | 13,830 | 7,999 | 3,369 | 2,261 | 3,316 | 5,010 | 3,145 | 2,182 | 5,010 |
| | F | 16,437 | 19,118 | 15,679 | 9,214 | 3,708 | 2,431 | 3,765 | 5,822 | 3,475 | 2,506 | 5,822 |
| Pneumonia of newborn (763) ... | M | 470 | 401 | 354 | 124 | 105 | 82 | 90 | 114 | 84 | 83 | 114 |
| | F | 293 | 278 | 229 | 101 | 48 | 63 | 66 | 65 | 56 | 45 | 66 |
| Bronchitis (500-502) ... | M | 23,351 | 24,832 | 20,773 | 12,547 | 4,338 | 2,861 | 5,086 | 8,312 | 4,155 | 2,891 | 8,312 |
| | F | 9,942 | 10,500 | 7,967 | 5,771 | 1,853 | 949 | 1,927 | 3,498 | 1,625 | 930 | 3,498 |
| Other respiratory diseases (Rem. 470-527) ... | M | 3,589 | 3,651 | 3,413 | 1,536 | 755 | 614 | 746 | 1,204 | 740 | 565 | 1,204 |
| | F | 1,695 | 1,805 | 1,672 | 725 | 378 | 315 | 387 | 578 | 364 | 295 | 578 |
| Ulcer of stomach and duodenum (540, 541) ... | M | 3,095 | 2,799 | 2,568 | 1,119 | 562 | 509 | 609 | 834 | 618 | 479 | 834 |
| | F | 1,597 | 1,542 | 1,376 | 589 | 337 | 300 | 316 | 435 | 331 | 277 | 435 |
| Appendicitis (550-553) ... | M | 347 | 299 | 274 | 99 | 69 | 57 | 74 | 61 | 70 | 66 | 61 |
| | F | 259 | 257 | 224 | 68 | 65 | 61 | 63 | 49 | 48 | 59 | 63 |
| Intestinal obstruction and hernia (560, 561, 570) ... | M | 1,445 | 1,472 | 1,401 | 450 | 349 | 339 | 334 | 378 | 335 | 329 | 378 |
| | F | 1,696 | 1,661 | 1,638 | 506 | 388 | 366 | 401 | 468 | 378 | 383 | 401 |
| Gastritis, duodenitis, enteritis and colitis, except diarrhoea of the newborn (543, 571, 572) ... | M | 1,078 | 1,031 | 1,046 | 324 | 231 | 224 | 252 | 303 | 240 | 211 | 303 |
| | F | 1,486 | 1,566 | 1,611 | 435 | 378 | 377 | 376 | 410 | 392 | 396 | 410 |
| Gastro-enteritis and colitis, except ulcerative, aged 4 wks.-2 yrs., and diarrhoea of newborn (571.0, 764) ... | M | 305 | 272 | 295 | 106 | 53 | 57 | 56 | 124 | 62 | 41 | 124 |
| | F | 234 | 185 | 207 | 73 | 32 | 36 | 44 | 78 | 51 | 28 | 78 |

† Provisional.

TABLE VI (continued)

| Causes of Death | 1962 | 1963 | 1964† | 1963 | | | | 1964† | | | |
|---|--------|--------|--------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | | | March | June | Sept. | Dec. | March | June | Sept. | Dec. |
| Deaths from non-violent causes—cont. | | | | | | | | | | | |
| Cirrhosis of liver (581) ... { M | 697 | 701 | 657 | 200 | 176 | 154 | 171 | 174 | 145 | 135 | 203 |
| ... { F | 605 | 621 | 652 | 173 | 143 | 140 | 165 | 142 | 169 | 162 | 179 |
| Other diseases of digestive system (Rem. of 530-587) ... { M | 1,356 | 1,412 | 1,467 | 388 | 339 | 319 | 366 | 386 | 376 | 348 | 357 |
| ... { F | 1,897 | 2,020 | 1,994 | 554 | 516 | 445 | 505 | 543 | 465 | 497 | 489 |
| Nephritis and nephrosis (590-594) ... { M | 1,769 | 1,695 | 1,518 | 504 | 401 | 391 | 399 | 422 | 381 | 348 | 367 |
| ... { F | 1,654 | 1,484 | 1,404 | 475 | 371 | 299 | 339 | 384 | 379 | 321 | 320 |
| Hyperplasia of prostate (610) ... M | 2,901 | 2,479 | 2,338 | 778 | 583 | 516 | 602 | 664 | 558 | 531 | 585 |
| Other diseases of genitourinary system (Rem. of 590-637) ... { M | 1,630 | 1,772 | 1,794 | 502 | 425 | 406 | 439 | 458 | 446 | 427 | 463 |
| ... { F | 2,249 | 2,542 | 2,610 | 689 | 632 | 576 | 645 | 641 | 662 | 619 | 688 |
| Sepsis of pregnancy, childbirth and puerperium; abortion with sepsis (640, 641, 651, 681, 682, 684) ... F | 74 | 60 | 61 | 17 | 10 | 16 | 17 | 21 | 12 | 9 | 19 |
| Other complications of pregnancy, childbirth and puerperium including abortion (Rem. 640-689) ... F | 225 | 183 | 166 | 40 | 48 | 45 | 50 | 43 | 48 | 41 | 34 |
| Congenital malformations (750-759) ... { M | 2,836 | 2,783 | 2,741 | 741 | 668 | 664 | 710 | 710 | 714 | 667 | 650 |
| ... { F | 2,590 | 2,466 | 2,417 | 698 | 621 | 553 | 594 | 626 | 595 | 574 | 622 |
| Birth injuries, postnatal asphyxia and atelectasis (760-762) ... { M | 2,798 | 2,705 | 2,765 | 733 | 698 | 643 | 631 | 710 | 737 | 641 | 677 |
| ... { F | 1,739 | 1,753 | 1,816 | 456 | 452 | 412 | 433 | 473 | 462 | 458 | 423 |
| Infections of the newborn (763-768) ... { M | 531 | 489 | 431 | 148 | 124 | 106 | 111 | 139 | 101 | 104 | 87 |
| ... { F | 346 | 335 | 283 | 117 | 56 | 82 | 80 | 85 | 72 | 56 | 70 |
| Other diseases peculiar to early infancy, and immaturity unqualified (769-776) ... { M | 2,533 | 2,406 | 2,199 | 627 | 609 | 584 | 586 | 536 | 562 | 540 | 561 |
| ... { F | 1,748 | 1,727 | 1,656 | 461 | 448 | 407 | 411 | 409 | 456 | 394 | 397 |
| Enlity without mention of psychosis, ill-defined and unknown causes (780-795) ... { M | 2,281 | 2,173 | 1,725 | 887 | 490 | 340 | 456 | 549 | 401 | 342 | 433 |
| ... { F | 4,476 | 4,092 | 3,444 | 1,541 | 910 | 802 | 839 | 1,077 | 843 | 728 | 796 |
| All other natural causes (Rem. 001-795) ... { M | 5,029 | 5,127 | 5,194 | 1,595 | 1,156 | 1,209 | 1,167 | 1,436 | 1,224 | 1,203 | 1,331 |
| ... { F | 7,083 | 7,494 | 7,244 | 2,469 | 1,749 | 1,581 | 1,695 | 2,100 | 1,675 | 1,632 | 1,837 |
| Deaths by violence ... { M | 13,812 | 14,074 | 14,244 | 3,821 | 3,270 | 3,382 | 3,601 | 3,722 | 3,518 | 3,336 | 3,668 |
| ... { F | 10,085 | 10,549 | 10,316 | 3,433 | 2,304 | 2,179 | 2,633 | 3,029 | 2,450 | 2,165 | 2,672 |
| Motor vehicle accidents (E810-E835) ... { M | 4,522 | 4,589 | 5,238 | 997 | 996 | 1,153 | 1,443 | 1,245 | 1,173 | 1,221 | 1,599 |
| ... { F | 1,784 | 1,762 | 2,033 | 424 | 370 | 415 | 553 | 555 | 419 | 448 | 611 |
| Other transport accidents (E800 - E802, E840 - E866) ... { M | 540 | 489 | 471 | 128 | 114 | 134 | 113 | 103 | 129 | 112 | 127 |
| ... { F | 82 | 66 | 81 | 15 | 13 | 19 | 19 | 19 | 21 | 14 | 27 |
| Accidental poisoning (E870-E895) ... { M | 822 | 928 | 780 | 401 | 186 | 142 | 199 | 284 | 184 | 124 | 188 |
| ... { F | 1,009 | 1,144 | 982 | 491 | 201 | 181 | 271 | 344 | 231 | 149 | 258 |
| Accidental falls (E900-E904) ... { M | 2,006 | 2,073 | 1,873 | 675 | 494 | 444 | 460 | 538 | 446 | 434 | 455 |
| ... { F | 3,490 | 3,613 | 3,441 | 1,282 | 796 | 735 | 800 | 1,013 | 813 | 724 | 891 |
| Accidents caused by fire or hot substance (E916, E917) ... { M | 361 | 374 | 358 | 166 | 89 | 62 | 57 | 134 | 89 | 42 | 93 |
| ... { F | 546 | 612 | 505 | 335 | 97 | 64 | 116 | 227 | 107 | 49 | 122 |
| All other accidents (Rem. E800-E962) ... { M | 2,126 | 2,126 | 2,193 | 557 | 516 | 576 | 477 | 515 | 603 | 623 | 452 |
| ... { F | 711 | 818 | 747 | 290 | 177 | 167 | 184 | 201 | 180 | 176 | 190 |
| Homicide and self-inflicted injury (E963, E970-E979) ... { M | 3,264 | 3,308 | 3,175 | 839 | 831 | 841 | 797 | 860 | 862 | 744 | 709 |
| ... { F | 2,325 | 2,407 | 2,391 | 558 | 623 | 574 | 652 | 626 | 644 | 577 | 544 |
| Execution and operations of war (E964, E965, E980-E999) ... { M | 171 | 187 | 156 | 58 | 44 | 30 | 55 | 43 | 32 | 36 | 45 |
| ... { F | 138 | 127 | 136 | 38 | 27 | 24 | 38 | 44 | 35 | 28 | 29 |

Provisional.

TABLE VII
Accidental deaths registered in the quarter ended 31st March 1965
analysed by sex and age, with totals for the corresponding quarter of the previous year
England and Wales
(Classified according to the International Classification of Diseases (7th Revision 1955))

| | | | All ages March quarter | | 0— | 1— | 5— | 10—14 | Total under 15 | 15— | 25— | 45— | 65 & over |
|---|----|-------|------------------------------|------|----|----|----|-------|----------------------|-----|-----|-------|--------------|
| | | | 1964 | 1965 | | | | | | | | | |
| Home accidents*: | | | | | | | | | | | | | |
| Coal gas poisoning (E890) | {M | 160 | 129 | — | 1 | 1 | — | 2 | 9 | 17 | 26 | 75 | |
| | {F | 230 | 185 | — | 2 | — | 1 | 3 | 4 | 7 | 22 | 149 | |
| Other poisoning (E870-E888, E891-E895) ... | {M | 79 | 80 | — | 6 | — | 1 | 7 | 4 | 19 | 32 | 18 | |
| | {F | 82 | 79 | — | 5 | 2 | — | 7 | 5 | 15 | 28 | 24 | |
| Falls (E900-E904) | {M | 369 | 332 | 3 | 3 | 3 | — | 9 | 2 | 8 | 43 | 270 | |
| | {F | 804 | 815 | — | 3 | — | — | 3 | 1 | 1 | 32 | 778 | |
| Burns and scalds (E916-E917)... .. | {M | 113 | 111 | 7 | 21 | 6 | 1 | 35 | 3 | 15 | 14 | 44 | |
| | {F | 224 | 209 | 8 | 25 | 14 | 3 | 50 | 4 | 8 | 25 | 122 | |
| Choking and suffocation (E921, E922, E924, E925)... | {M | 93 | 70 | 43 | 6 | — | — | 49 | — | 6 | 6 | 9 | |
| | {F | 58 | 69 | 42 | 4 | 2 | — | 48 | 1 | 4 | 5 | 11 | |
| Other (Remainder of E870-E936) | {M | 54 | 58 | 11 | 4 | 2 | 4 | 21 | 10 | 6 | 9 | 12 | |
| | {F | 42 | 50 | 5 | 3 | — | — | 8 | 1 | 3 | 9 | 29 | |
| Total home accidents (E870-E936) | {M | 868 | 780 | 64 | 41 | 12 | 6 | 123 | 28 | 71 | 130 | 428 | |
| | {F | 1,440 | 1,407 | 55 | 42 | 18 | 4 | 119 | 16 | 38 | 121 | 113 | |
| Transport accidents: | | | | | | | | | | | | | |
| Motor vehicle road accidents involving injury to: | | | | | | | | | | | | | |
| Motor cyclist† (E814, E815, E821) ... | {M | 211 | 210 | — | 1 | — | 1 | 2 | 126 | 37 | 38 | 7 | |
| | {F | 16 | 12 | — | — | — | 1 | 1 | 6 | 2 | 3 | — | |
| Pedal cyclist (E813) | {M | 111 | 106 | — | 1 | 2 | 9 | 12 | 16 | 12 | 45 | 21 | |
| | {F | 18 | 21 | — | — | — | 1 | 1 | 3 | 3 | 11 | 3 | |
| Pedestrian (E812) | {M | 470 | 463 | — | 24 | 36 | 11 | 71 | 27 | 53 | 114 | 198 | |
| | {F | 370 | 387 | — | 9 | 11 | 9 | 29 | 11 | 19 | 83 | 245 | |
| Occupant of motor vehicle‡ (Remainder of E810- E825) | {M | 418 | 518 | 2 | 3 | 7 | 3 | 15 | 154 | 197 | 122 | 30 | |
| | {F | 136 | 169 | 1 | 3 | — | 1 | 5 | 48 | 45 | 42 | 29 | |
| Other road accidents involving injury to: | | | | | | | | | | | | | |
| Pedal cyclist (E843) | {M | 13 | 5 | — | — | — | — | — | — | 2 | 1 | 2 | |
| | {F | 2 | 1 | — | — | — | — | — | — | — | 1 | — | |
| Pedestrian (E840-E842, E844) ... | {M | 4 | — | — | — | — | — | — | — | — | — | — | |
| | {F | 5 | — | — | — | — | — | — | — | — | — | — | |
| All other transport accidents including rail, air, water (Remainder of E800-E866) | {M | 100 | 84 | — | 1 | — | 1 | 2 | 18 | 27 | 32 | 5 | |
| | {F | 14 | 16 | — | — | — | 1 | 1 | 2 | 2 | 5 | 6 | |
| Total transport accidents (E800-E866)... | {M | 1,327 | 1,386 | 2 | 30 | 45 | 25 | 102 | 341 | 328 | 352 | 263 | |
| | {F | 561 | 606 | 1 | 12 | 11 | 13 | 37 | 70 | 71 | 145 | 283 | |
| Other accidents: | | | | | | | | | | | | | |
| Poisonings (E870-E895)... | {M | 49 | 35 | — | — | — | — | — | 7 | 12 | 12 | 4 | |
| | {F | 34 | 20 | — | — | — | — | — | 1 | 5 | 7 | 7 | |
| Falls (E900-E904)... | {M | 147 | 158 | — | 1 | 2 | 1 | 4 | 13 | 40 | 53 | 48 | |
| | {F | 77 | 64 | — | — | — | — | — | 2 | 1 | 7 | 54 | |
| Burns (E916-E917)... | {M | 21 | 14 | — | 1 | — | 1 | 2 | — | 3 | 8 | 1 | |
| | {F | 4 | 2 | — | — | — | — | — | — | 1 | 1 | — | |
| Drowning (E929) | {M | 118 | 94 | — | 6 | 14 | 2 | 22 | 13 | 14 | 24 | 21 | |
| | {F | 31 | 29 | — | 3 | 3 | 1 | 7 | — | 3 | 11 | 8 | |
| Other (Remainder of E870-E936) | {M | 205 | 198 | 6 | 4 | 1 | 6 | 17 | 38 | 66 | 57 | 20 | |
| | {F | 25 | 21 | 2 | 3 | — | — | 5 | 3 | 5 | 3 | 5 | |
| Total other accidents (E870-E936) | {M | 540 | 499 | 6 | 12 | 17 | 10 | 45 | 71 | 135 | 154 | 94 | |
| | {F | 171 | 136 | 2 | 6 | 3 | 1 | 12 | 6 | 15 | 29 | 74 | |
| §Total, all accidents March quarter 1965 (E800- E936) | {M | — | 2,665 | 72 | 83 | 74 | 41 | 270 | 440 | 534 | 636 | 785 | |
| | {F | — | 2,149 | 58 | 60 | 32 | 18 | 168 | 92 | 124 | 295 | 1,470 | |
| §Total, all accidents March quarter 1964 (E800- E936) | {M | 2,735 | — | 88 | 95 | 66 | 54 | 303 | 395 | 477 | 665 | 895 | |
| | {F | 2,172 | — | 57 | 70 | 29 | 25 | 181 | 101 | 114 | 305 | 1,471 | |

* Including deaths in residential institutions. † Including passengers. ‡ Including a few deaths of other and unspecified persons.
§ Excluding deaths from therapeutic misadventure, etc., (E940-E959), and late effects of injury and poisoning (E960-E962).

TABLE VIII

Numbers of insured persons absent from work owing to certified sickness or industrial injury (or prescribed disease)

England and Wales; standard regions*

(Supplied by the Ministry of Pensions and National Insurance)

(Figures to nearest hundred)

| Area | 19th January 1965 | | 16th February 1965 | | 16th March 1965 | |
|------------------------------|-------------------|--------|--------------------|--------|-----------------|--------|
| | Sickness | Injury | Sickness | Injury | Sickness | Injury |
| England and Wales | 960,000 | 59,300 | 953,500 | 64,100 | 989,100 | 67,900 |
| Northern | 82,300 | 8,400 | 81,600 | 9,300 | 85,400 | 10,100 |
| East and West Ridings | 101,000 | 9,100 | 101,400 | 10,500 | 104,200 | 11,600 |
| North Western... .. | 184,900 | 9,000 | 183,500 | 9,500 | 185,500 | 9,700 |
| North Midland | 67,500 | 5,300 | 67,300 | 5,800 | 69,300 | 6,100 |
| Midland | 95,300 | 5,000 | 96,400 | 5,300 | 98,200 | 5,400 |
| Eastern | 55,400 | 2,600 | 56,100 | 2,700 | 62,200 | 2,600 |
| London and South Eastern: | | | | | | |
| London and Middlesex | 99,900 | 3,400 | 98,000 | 3,500 | 105,900 | 3,500 |
| Remainder | 86,600 | 3,500 | 85,200 | 3,600 | 90,600 | 3,800 |
| Southern | 43,000 | 1,800 | 41,700 | 1,800 | 42,600 | 1,900 |
| South Western... .. | 62,000 | 2,600 | 60,700 | 2,700 | 62,500 | 2,800 |
| Wales | 82,100 | 8,600 | 81,500 | 9,500 | 82,600 | 10,400 |

Notes: (1) Periodical checks of the proportion of males included in the total figures of persons absent from work have shown a fairly constant level of about 70 or 71 per cent for absence caused by sickness and about 87 per cent for absence caused by industrial injury.

(2) Broadly, the whole of the civilian *working* population aged 15 and over can now qualify under the National Insurance Act for sickness benefit without limit of income, including not only those employed under contract of service but also the self-employed. There are, however, about 3½ million employed persons who do not qualify including about 3 million married women who elect not to be insured in their own right.

(3) The National Insurance (Industrial Injuries) Act applies, generally speaking, to all civilians working for an employer under contract of service or apprenticeship, corresponding closely with the class of "employed persons" under the main scheme.

(4) It is not practicable to make a straightforward count of the number of persons who are absent from work on a given day owing to sickness or industrial injury. The method followed has accordingly been to take the number of long-term certificates then current, and to add to it the number of first and intermediate certificates of incapacity received during the week ended on the given day. (The figure so obtained includes a small proportion of persons whose incapacity in fact ended before that day, and excludes a small proportion of persons whose incapacity in fact began on or before that day. Sample enquiries indicate that these factors do not produce on balance any significant effect on the national and regional totals.)

*The constitution of the standard regions of England and Wales in this Table is as follows:

| | | | |
|---|---|--|---|
| Northern Cumberland Durham Northumberland Westmorland Yorkshire, North Riding | Midland Herefordshire Shropshire Staffordshire Warwickshire Worcestershire | Southern Berkshire Buckinghamshire Dorset, Part of ⁷ Hampshire Oxfordshire Wight, Isle of | Wales II (remainder) Anglesey Caernarvonshire Cardiganshire Denbighshire Flintshire Merionethshire Montgomeryshire Pembrokeshire Radnorshire |
| East and West Ridings Yorkshire, East Riding Yorkshire, West Riding | Eastern Bedfordshire Cambridgeshire Ely, Isle of Essex, Part of ³ Hertfordshire, Part of ⁴ Huntingdonshire Norfolk Suffolk, East Suffolk, West | South Western Cornwall Devon Dorset, Part of ⁸ Gloucestershire Somerset Wiltshire | |
| North Western Cheshire Derbyshire, Part of ¹ Lancashire | | Wales I (South East) Breconshire Carmarthenshire Glamorgan Monmouthshire | |
| North Midland Derbyshire, Part of ² Leicestershire Lincolnshire Parts of Holland Parts of Kesteven Parts of Lindsey Northamptonshire Nottinghamshire Peterborough, Soke of Rutland | London and South Eastern Essex, Part of ⁵ Hertfordshire, Part of ⁶ Kent London A.C. Middlesex Surrey Sussex, East Sussex, West | | |

¹ Buxton M.B., Glossop M.B., New Mills U.D., Whaley Bridge U.D. and Chapel en le Frith R.D.

² All except the areas stated in ¹ above.

³ All except East Ham C.B., West Ham C.B., Chingford M.B., Wanstead and Woodford M.B., Leyton M.B., Walthamstow M.B., Ilford M.B., Barking M.B., Dagenham M.B., Waltham Holy Cross U.D. and Chigwell U.D.

⁴ All except Barnet U.D., Bushey U.D., Cheshunt U.D., East Barnet U.D. and Elstree R.D.

⁵ All areas stated in ³ above.

⁶ All areas stated in ⁴ above.

⁷ Poole M.B. only.

⁸ All areas except Poole M.B.

TABLE IX

Populations, births (distinguishing stillbirths) and deaths (distinguishing deaths from certain causes) in the fourth quarter 1964 and, where available, first quarter 1965

London A.C. and certain cities abroad

| CITIES | POPULATION (enumerated or estimated) | LIVE BIRTHS | STILLBIRTHS | DEATHS (excluding Stillbirths) | Rate per 1,000 living | | Deaths from | | | | | | | |
|---------------------|--|-------------|-------------|--------------------------------------|--------------------------|--|--------------------------------------|----------|-------------------|------------|--|-----------|------------------------|--|
| | | | | | Live Births | Deaths (exclud- ing Still- births) | Typhoid and paratyphoid fevers | Smallpox | Whooping cough | Diphtheria | Tuberculosis ^s (all forms) | Influenza | Acute poliomyelitis | Enteritis and diarrhoea (under 2 yrs.) |
| Fourth Quarter 1964 | | | | | | | | | | | | | | |
| LONDON A.C. ... | 3,184,600 | 17,410 | 279 | 10,687 | 21.7 | 13.4 | — | — | — | — | 31 | 6 | 1 | 3 |
| *AUCKLAND ... | 499,700 | 3,149 | 36 | 959 | 25.2 | 7.7 | † | † | † | † | † | † | † | † |
| BOMBAY ... | 4,538,000 | 41,297 | 1,260 | 11,469 | 36.4 | 10.1 | 5 | 89 | 2 | 30 | 1,101 | 6 | 16 | † |
| BRISBANE ... | 666,500 | 3,194 | 33 | 1,509 | 19.2 | 9.1 | — | — | — | — | 8 | — | — | † |
| CALCUTTA... .. | 2,973,000 | 19,850 | 656 | 8,973 | 26.7 | 12.1 | 35 | — | 1 | 101 | 462 | 13 | 7 | 223 |
| *CHRISTCHURCH | 237,600 | 1,337 | 10 | 620 | 22.5 | 10.4 | † | † | † | † | † | † | † | † |
| COPENHAGEN ... | 717,000 | 3,052 | 32 | 2,232 | 16.9 | 12.3 | — | — | 1 | — | 19 | 1 | — | † |
| GOTHENBURG ... | 414,862 | † | † | 1,024 | † | 9.1 | — | — | — | — | 4 | — | — | — |
| HELSINKI | 494,300 | 2,090 | 23 | 1,207 | 16.9 | 9.8 | — | — | — | — | — | — | — | — |
| OSLO | 485,000 | 1,662 | 15 | 1,329 | 13.7 | 10.9 | — | — | 1 | — | 8 | — | — | † |
| ROME | 2,450,000 | 12,857 | 235 | 5,120 | 20.9 | 8.3 | — | — | 1 | 1 | 99 | 5 | 4 | 19 |
| STOCKHOLM ... | 798,443 | 2,444 | 29 | 2,155 | 12.2 | 10.8 | — | — | — | — | 17 | — | — | — |
| *WELLINGTON | 267,400 | 1,730 | 18 | 502 | 25.9 | 7.5 | † | † | † | † | † | † | † | † |
| ZURICH | 442,440 | 1,333 | 19 | 1,310 | 12.0 | 10.2 | — | — | — | — | 8 | 5 | — | — |
| First Quarter 1965 | | | | | | | | | | | | | | |
| LONDON A.C. ... | 3,184,600 | 18,460 | 274 | 11,955 | 23.5 | 15.2 | — | — | — | — | 60 | 16 | — | 11 |
| *AUCKLAND ... | 499,700 | 2,909 | 28 | 983 | 23.3 | 7.9 | † | † | † | † | † | † | † | † |
| *CHRISTCHURCH | 237,600 | 1,189 | 17 | 474 | 20.0 | 8.0 | † | † | † | † | † | † | † | † |
| COPENHAGEN ... | 717,000 | 3,021 | 35 | 2,407 | 17.1 | 13.6 | — | — | — | — | 9 | 9 | — | † |
| GOTHENBURG ... | 418,600 | † | † | 1,078 | † | 10.4 | † | † | — | — | 6 | 2 | — | — |
| OSLO | 485,000 | 1,628 | 25 | 1,284 | 13.6 | 10.7 | — | — | — | — | 3 | 2 | — | † |
| ROME | 2,466,501 | 13,654 | 207 | 6,111 | 22.4 | 10.0 | 2 | — | 1 | 1 | 100 | 38 | 6 | 20 |
| STOCKHOLM ... | 791,500 | 2,641 | 27 | 2,322 | 13.4 | 11.7 | — | — | — | — | 19 | 1 | — | — |
| *WELLINGTON | 267,400 | 1,648 | 18 | 476 | 24.6 | 7.1 | † | † | † | † | † | † | † | † |

* As a result of recent registration legislation as from 1st January, 1962, no distinction is made between Maori and non-Maori births and deaths; therefore figures are not comparable with those of earlier years.

† Figures not available.

TABLE X

Meteorology: values of air temperature, rainfall and sunshine for the first quarter 1965 expressed as differences from, or percentages of, the average values†

Districts of England and Wales

(Supplied by the Director-General of the Meteorological Office)

| District | Air Temperature | | | Rainfall | | Sunshine |
|-----------------------------------|-----------------|--------|------------------------------------|-----------------------|--|-----------------------|
| | Highest | Lowest | Difference from average daily mean | Percentage of average | Number of days difference from average | Percentage of average |
| | °F. | °F. | °F. | % | | % |
| | | | | | | |
| JANUARY 1965 | | | | | | |
| England N.E. | 54 | 7 | 0.0 | 97 | + 2 | 130 |
| England E. | 55 | 21 | +0.4 | 83 | + 1 | 131 |
| Midland Counties | 55 | 15 | 0.0 | 101 | + 1 | 151 |
| England S.E. | 58 | 18 | +0.2 | 99 | + 1 | 134 |
| England N.W., and N. Wales | 55 | 13 | —0.4 | 113 | — 2 | 125 |
| England S.W., and S. Wales | 55 | 16 | —0.9 | 117 | + 1 | 127 |
| Mean | — | — | —0.1 | 102 | + 1 | 133 |
| FEBRUARY 1965 | | | | | | |
| England N.E. | 53 | 18 | +0.2 | 51 | — 1 | 46 |
| England E. | 52 | 18 | —1.3 | 56 | + 1 | 51 |
| Midland Counties | 52 | 16 | —1.3 | 19 | — 6 | 40 |
| England S.E. | 53 | 12 | —1.4 | 16 | — 5 | 62 |
| England N.W., and N. Wales | 52 | 10 | —0.9 | 18 | — 7 | 58 |
| England S.W., and S. Wales | 52 | 17 | —2.7 | 4 | —11 | 59 |
| Mean | — | — | —1.2 | 27 | — 5 | 53 |
| MARCH 1965 | | | | | | |
| England N.E. | 77 | — 4 | —2.0 | 122 | + 1 | 107 |
| England E. | 76 | 5 | —0.9 | 127 | + 2 | 100 |
| Midland Counties | 77 | 7 | —1.1 | 138 | + 2 | 127 |
| England S.E. | 75 | 12 | —0.5 | 142 | + 4 | 108 |
| England N.W., and N. Wales | 75 | — 7 | —1.3 | 97 | — 1 | 124 |
| England S.W., and S. Wales | 73 | 7 | —1.4 | 121 | + 2 | 107 |
| Mean | — | — | —1.2 | 125 | + 2 | 112 |
| 1st QUARTER 1965 | | | | | | |
| England N.E. | 77 | — 4 | —0.6 | 90 | + 2 | 94 |
| England E. | 76 | 5 | —0.6 | 89 | + 4 | 94 |
| Midland Counties | 77 | 7 | —0.8 | 86 | — 3 | 106 |
| England S.E. | 75 | 12 | —0.6 | 86 | 0 | 101 |
| England N.W., and N. Wales | 75 | — 7 | —0.9 | 76 | —10 | 102 |
| England S.W., and S. Wales | 73 | 7 | —1.7 | 81 | — 8 | 98 |
| Mean | — | — | —0.9 | 85 | — 3 | 99 |

† The averages used for rainfall and raindays are for the period 1916-50, while those for sunshine and temperatures are for 1931-60.

APPENDIX A

Estimated home population as at 30th June 1964, marriages, births (distinguishing stillbirths), and deaths (distinguishing deaths of infants under 1 year of age) registered in the year 1964*

England and Wales and administrative counties with associated county boroughs

(See General Notes on page 3)

| ADMINISTRATIVE COUNTIES with associated COUNTY BOROUGHS | Home population (thousands) | Marriages | Live births | Stillbirths | Deaths (excluding stillbirths) | Deaths of infants under 1 year | ADMINISTRATIVE COUNTIES with associated COUNTY BOROUGHS | Home population (thousands) | Marriages | Live births | Stillbirths | Deaths (excluding stillbirths) |
|---|-----------------------------------|-----------|-------------|-------------|--------------------------------------|-----------------------------------|---|-----------------------------------|-----------|-------------|-------------|--------------------------------------|
| ENGLAND & WALES ... | 47,401 | 358,548 | 874,178 | 14,545 | 534,737 | 17,445 | ENGLAND— <i>continued</i> | | | | | |
| ENGLAND† ... | 44,725 | 338,692 | 826,723 | 13,685 | 501,991 | 16,291 | PETERBORO', SOKE OF ... | 80 | 577 | 1,610 | 34 | |
| County of— | | | | | | | RUTLAND ... | 26 | 155 | 520 | 7 | |
| BEDFORD ... | 410 | 2,978 | 9,314 | 123 | 3,651 | 137 | SHROPSHIRE ... | 312 | 2,299 | 5,796 | 105 | 3, |
| BERKSHIRE ... | 556 | 3,707 | 11,443 | 160 | 5,121 | 198 | SOMERSET ... | 626 | 4,269 | 10,422 | 167 | 7, |
| BUCKINGHAM | 528 | 3,540 | 10,636 | 172 | 4,617 | 178 | STAFFORD ... | 1,799 | 13,842 | 34,596 | 643 | 18, |
| CAMBRIDGE ... | 200 | 1,379 | 3,541 | 47 | 2,006 | 36 | SUFFOLK, E.... | 361 | 2,475 | 6,324 | 82 | 4, |
| CHESHIRE ... | 1,430 | 9,817 | 26,967 | 440 | 16,383 | 527 | SUFFOLK, W.... | 139 | 963 | 2,643 | 44 | 1, |
| CORNWALL ... | 347 | 2,524 | 5,418 | 112 | 4,765 | 112 | SURREY ... | 1,775 | 12,568 | 29,190 | 373 | 19, |
| CUMBERLAND | 297 | 2,087 | 5,472 | 109 | 3,600 | 104 | SUSSEX, E. ... | 693 | 4,655 | 9,724 | 142 | 11, |
| DERBY ... | 901 | 6,737 | 15,837 | 272 | 10,041 | 295 | SUSSEX, W. ... | 437 | 2,703 | 6,567 | 91 | 5, |
| DEVON ... | 851 | 6,080 | 13,572 | 233 | 11,287 | 202 | WARWICK ... | 2,082 | 17,218 | 41,631 | 675 | 20, |
| DORSET ... | 327 | 2,172 | 5,197 | 90 | 3,982 | 85 | WESTMORLAND | 67 | 484 | 1,096 | 22 | |
| DURHAM ... | 1,533 | 11,324 | 28,410 | 590 | 16,879 | 653 | WIGHT, ISLE OF ... | 95 | 673 | 1,393 | 27 | 1, |
| ELY, ISLE OF ... | 90 | 641 | 1,584 | 25 | 1,024 | 29 | WILTSHIRE ... | 457 | 3,128 | 9,245 | 172 | 4, |
| ESSEX ... | 2,369 | 17,300 | 42,363 | 642 | 24,554 | 726 | WORCESTER ... | 597 | 4,392 | 10,746 | 179 | 6, |
| GLOUCESTER... | 1,034 | 7,917 | 19,392 | 239 | 11,335 | 353 | YORKS., E.R. | 538 | 4,025 | 9,954 | 172 | 6, |
| HAMPSHIRE ... | 1,436 | 10,385 | 26,962 | 399 | 15,919 | 498 | YORKS., N.R. | 577 | 3,936 | 11,073 | 205 | 6, |
| HEREFORD ... | 136 | 949 | 2,402 | 51 | 1,545 | 55 | YORKS., W.R. (including YORK C.B.) | 3,704 | 28,031 | 68,235 | 1,242 | 44, |
| HERTFORD ... | 892 | 5,709 | 16,328 | 229 | 7,930 | 236 | WALES† ... | 2,676 | 19,856 | 47,455 | 860 | 32, |
| HUNTINGDON | 90 | 589 | 1,947 | 18 | 812 | 35 | County of— | | | | | |
| KENT ... | 1,783 | 12,312 | 31,814 | 514 | 20,533 | 618 | ANGLESEY ... | 54 | 391 | 1,032 | 18 | |
| LANCASHIRE ... | 5,165 | 39,078 | 98,728 | 1,900 | 63,949 | 2,315 | BRECON ... | 54 | 378 | 861 | 17 | |
| LEICESTER ... | 702 | 5,170 | 13,269 | 227 | 7,573 | 219 | CAERNARVON | 120 | 864 | 1,859 | 32 | 1, |
| LINCOLN: HOLLAND ... | 105 | 867 | 1,728 | 35 | 1,597 | 34 | CARDIGAN ... | 53 | 385 | 766 | 9 | |
| KESTEVEN ... | 144 | 992 | 2,584 | 40 | 1,137 | 55 | CARMARTHEN | 167 | 1,105 | 2,468 | 44 | 2, |
| LINDSEY ... | 521 | 3,868 | 10,168 | 185 | 5,670 | 198 | DENBIGH ... | 177 | 1,218 | 2,911 | 38 | 2, |
| LONDON ... | 3,185 | 32,903 | 63,758 | 964 | 35,056 | 1,354 | FLINT ... | 155 | 1,116 | 3,007 | 48 | 1, |
| MIDDLESEX ... | 2,245 | 18,258 | 40,875 | 574 | 23,133 | 702 | GLAMORGAN... | 1,244 | 9,555 | 22,529 | 418 | 14, |
| NORFOLK ... | 572 | 4,196 | 9,490 | 154 | 6,898 | 155 | MERIONETH ... | 39 | 211 | 620 | 9 | |
| NORTHAMPTON | 417 | 3,084 | 7,957 | 107 | 4,593 | 147 | MONMOUTH ... | 456 | 3,530 | 8,638 | 183 | 5, |
| NORTHUMBER- LAND ... | 827 | 5,933 | 14,237 | 247 | 9,750 | 320 | MONTGOMERY | 44 | 251 | 700 | 13 | |
| NOTTINGHAM | 935 | 7,320 | 18,087 | 325 | 9,938 | 379 | PEMBROKE ... | 95 | 722 | 1,756 | 27 | 1, |
| OXFORD... .. | 332 | 2,483 | 6,478 | 80 | 3,138 | 110 | RADNOR ... | 18 | 130 | 308 | 4 | |

*The births and deaths are corrected for inward and outward transfers to place of residence.

†The County of Monmouth is included in Wales and not in England.

APPENDIX B

Estimated home population as at 30th June, 1964, births (distinguishing stillbirths), deaths (distinguishing deaths of infants under 1 year of age) and deaths from certain causes registered in the year 1964*.

England and Wales, municipal boroughs and urban districts with an estimated resident population of 25,000 and over at the Census, 1961, county boroughs, Greater London, City of London and metropolitan boroughs and four Scottish and Irish towns.

| Area | Home population | Live births | Stillbirths | Deaths (excluding stillbirths) | Deaths of infants under 1 year of age | Deaths from | | | | | | | |
|------------------------------|-----------------|-------------|-------------|--------------------------------|---------------------------------------|-----------------------------------|----------------|------------|--------------------------|-----------|---------------------|------------|---|
| | | | | | | Malignant neoplasm lung, bronchus | Whooping cough | Diphtheria | Tuberculosis (all forms) | Influenza | Acute poliomyelitis | Pneumonia† | Coronary and arteriosclerotic heart disease |
| LAND and WALES— | 47,401,300 | 874,178 | 14,545 | 534,737 | 17,445 | 25,371 | 44 | — | 2,484 | 1,043 | 4 | 30,092 | 106,290 |
| Birth rates— | | | | | | | | | | | | | |
| England and Wales — — | | 18.4 | 16.4 | 11.3 | 20.0 | 0.54 | 0.00 | — | 0.05 | 0.02 | 0.00 | 0.63 | 2.24 |
| London — — — — | | 20.0 | 14.9 | 11.0 | 21.2 | 0.74 | — | — | 0.06 | 0.01 | 0.00 | 0.71 | 2.13 |
| Northern | | | | | | | | | | | | | |
| Doncaster U.D. — — | 26,600 | 437 | 8 | 289 | 14 | 7 | — | — | 1 | — | — | 10 | 62 |
| Leeds U.D. — — — | 30,670 | 586 | 10 | 334 | 11 | 17 | — | — | 2 | — | — | 11 | 77 |
| Sheffield U.D. — — | 33,490 | 730 | 12 | 279 | 21 | 21 | — | — | 3 | — | — | 11 | 62 |
| South Ayrshire U.D. — | 34,960 | 665 | 7 | 421 | 20 | 14 | — | — | 3 | 1 | — | 10 | 104 |
| South Shields U.D. — | 30,970 | 586 | 10 | 330 | 5 | 21 | — | — | 5 | 1 | — | 7 | 73 |
| South Tyneside M.B. — | 36,320 | 633 | 15 | 384 | 14 | 29 | — | — | 2 | 1 | — | 11 | 78 |
| St. Helens C.B. — — — | 71,290 | 1,325 | 32 | 930 | 28 | 44 | — | — | 4 | 1 | — | 34 | 224 |
| St. James U.D. — — — | 38,000 | 618 | 11 | 397 | 14 | 18 | — | — | 4 | — | — | 13 | 79 |
| St. John and Willington U.D. | 24,450 | 398 | 7 | 314 | 10 | 7 | — | — | 3 | 2 | — | 3 | 64 |
| St. James C.B. — — — | 84,320 | 1,463 | 27 | 1,086 | 32 | 63 | — | — | 8 | — | — | 50 | 212 |
| St. James U.D. — — — | 38,390 | 876 | 25 | 346 | 17 | 18 | — | — | 2 | 1 | — | 24 | 61 |
| St. James U.D. — — — | 38,660 | 722 | 12 | 379 | 15 | 22 | — | — | 3 | 2 | — | 14 | 75 |
| St. James C.B. — — — | 101,760 | 1,964 | 46 | 1,127 | 42 | 69 | — | — | 6 | 1 | — | 48 | 239 |
| St. James U.D. — — — | 27,410 | 429 | 8 | 374 | 8 | 14 | — | — | 1 | — | — | 25 | 85 |
| St. James U.D. — — — | 25,110 | 536 | 12 | 265 | 15 | 15 | — | — | 1 | 2 | — | 12 | 44 |
| St. James-le-Spring U.D. | 31,080 | 575 | 8 | 338 | 9 | 16 | — | — | 1 | — | — | 27 | 86 |
| St. James M.B. — — — | 26,770 | 450 | 20 | 301 | 10 | 15 | — | — | 3 | 3 | — | 8 | 59 |
| St. James U.D. — — — | 47,770 | 782 | 10 | 373 | 16 | 24 | — | — | 1 | — | — | 22 | 80 |
| St. James C.B. — — — | 157,740 | 3,249 | 70 | 1,647 | 92 | 92 | — | — | 18 | — | — | 89 | 363 |
| St. James U.D. — — — | 30,730 | 581 | 9 | 309 | 13 | 11 | — | — | — | — | — | 20 | 81 |
| St. James-upon-Tyne C.B. | 260,750 | 4,516 | 83 | 3,176 | 113 | 213 | 1 | — | 15 | — | — | 199 | 677 |
| St. James M.B. — — — | 34,340 | 738 | 14 | 373 | 14 | 16 | — | — | 4 | — | — | 16 | 99 |
| St. James M.B. — — — | 42,190 | 656 | 9 | 742 | 12 | 19 | — | — | 1 | — | — | 17 | 157 |
| St. James U.D. — — — | 25,470 | 461 | 9 | 254 | 7 | 8 | — | — | — | 1 | — | 13 | 57 |
| St. James Valley U.D. — | 26,280 | 395 | 8 | 281 | 8 | 14 | — | — | — | — | — | 11 | 65 |
| St. James Shields C.B. — | 108,770 | 1,983 | 45 | 1,200 | 44 | 73 | — | — | 9 | 1 | — | 45 | 222 |
| St. James U.D. (Durham) — | 45,610 | 708 | 16 | 513 | 16 | 28 | 1 | — | 1 | 2 | — | 13 | 100 |
| St. James-on-Tees M.B. — | 83,330 | 1,713 | 38 | 809 | 43 | 51 | — | — | 4 | 1 | — | 51 | 166 |
| St. James C.B. — — — | 189,630 | 3,667 | 82 | 2,076 | 90 | 118 | — | — | 8 | 3 | — | 218 | 490 |
| St. James C.B. — — — | 71,890 | 1,415 | 29 | 758 | 40 | 43 | — | — | 2 | — | — | 50 | 166 |
| St. James M.B. — — — | 49,320 | 910 | 14 | 544 | 21 | 44 | — | — | 6 | — | — | 23 | 114 |
| St. James Hartlepool C.B. — | 78,360 | 1,607 | 29 | 827 | 39 | 40 | — | — | 5 | 1 | — | 63 | 170 |
| St. James M.B. — — — | 27,500 | 556 | 15 | 270 | 11 | 10 | — | — | — | — | — | 9 | 48 |
| St. James Bay M.B. — — | 38,140 | 582 | 8 | 510 | 7 | 15 | — | — | 1 | 1 | — | 17 | 126 |
| St. James M.B. — — — | 29,770 | 552 | 10 | 336 | 13 | 20 | — | — | — | 1 | — | 15 | 68 |
| East and West | | | | | | | | | | | | | |
| Ridings | | | | | | | | | | | | | |
| St. James U.D. — — — | 28,430 | 455 | 4 | 415 | 4 | 10 | — | — | — | — | — | 24 | 89 |
| St. James C.B. — — — | 75,260 | 1,434 | 36 | 845 | 43 | 28 | — | — | 4 | 5 | — | 55 | 135 |
| St. James M.B. — — — | 40,270 | 776 | 16 | 499 | 16 | 11 | — | — | 1 | 1 | — | 19 | 108 |
| St. James C.B. — — — | 298,220 | 5,812 | 106 | 3,873 | 157 | 151 | — | — | 27 | 2 | — | 244 | 897 |
| St. James M.B. — — — | 26,250 | 373 | 6 | 496 | 13 | 20 | — | — | 3 | — | — | 11 | 99 |
| St. James M.B. — — — | 31,830 | 629 | 15 | 390 | 9 | 13 | — | — | 2 | — | — | 15 | 99 |
| St. James M.B. — — — | 39,930 | 676 | 20 | 459 | 25 | 12 | — | — | 1 | — | — | 19 | 73 |
| St. James U.D. — — — | 26,810 | 565 | 11 | 285 | 10 | 9 | — | — | 3 | — | — | 18 | 56 |
| St. James C.B. — — — | 53,490 | 996 | 27 | 736 | 24 | 26 | — | — | 3 | — | — | 21 | 144 |
| St. James C.B. — — — | 87,100 | 1,577 | 28 | 962 | 49 | 42 | — | — | 4 | 7 | — | 66 | 192 |
| St. James C.B. — — — | 95,450 | 1,752 | 20 | 1,379 | 58 | 51 | — | — | 8 | — | — | 89 | 394 |
| St. James U.D. — — — | 47,180 | 784 | 13 | 495 | 14 | 21 | — | — | — | 1 | — | 28 | 81 |
| St. James M.B. — — — | 58,230 | 927 | 6 | 773 | 17 | 26 | — | — | 2 | — | — | 35 | 158 |
| St. James C.B. — — — | 132,270 | 2,498 | 72 | 1,751 | 64 | 80 | — | — | 9 | — | — | 69 | 395 |
| St. James M.B. — — — | 56,190 | 1,007 | 16 | 795 | 27 | 23 | — | — | 3 | — | — | 36 | 163 |
| St. James upon Hull C.B. | 300,320 | 5,998 | 103 | 3,166 | 129 | 183 | — | — | 17 | 7 | — | 203 | 637 |
| St. James C.B. — — — | 508,790 | 9,604 | 168 | 5,831 | 237 | 335 | 1 | — | 40 | 5 | — | 399 | 1,340 |
| St. James M.B. — — — | 42,590 | 859 | 13 | 477 | 17 | 26 | — | — | 3 | 1 | — | 19 | 111 |
| St. James M.B. — — — | 28,320 | 628 | 14 | 303 | 17 | 7 | — | — | 2 | — | — | 28 | 43 |

*Corrected for inward and outward transfers to place of residence.
†Live birth and death rates per 1,000 population, stillbirth rates per 1,000 total (live and still) births and infant mortality rates per 1,000 live births.
‡Including pneumonia of newborn.

APPENDIX B (continued)

| Area | Home population | Live births | Stillbirths | Deaths (excluding stillbirths) | Deaths of infants under 1 year of age | Deaths from | | | | | | | |
|---------------------------------------|-----------------|-------------|-------------|--------------------------------|---------------------------------------|-----------------------------------|----------------|------------|--------------------------|-----------|---------------------|------------|--|
| | | | | | | Malignant neoplasm lung, bronchus | Whooping cough | Diphtheria | Tuberculosis (all forms) | Influenza | Acute poliomyelitis | Pneumonia† | |
| Pudsey M.B. - - - - | 36,950 | 694 | 14 | 397 | 18 | 18 | — | — | 3 | — | — | 16 | |
| Rotherham C.B. - - - - | 86,510 | 1,711 | 29 | 928 | 37 | 40 | — | — | 1 | 2 | — | 44 | |
| Rothwell U.D. - - - - | 26,320 | 485 | 10 | 371 | 7 | 10 | — | — | 1 | — | — | 31 | |
| Sheffield C.B. - - - - | 490,930 | 8,400 | 135 | 6,015 | 147 | 313 | — | — | 42 | 13 | — | 268 | |
| Shipley U.D. - - - - | 29,800 | 513 | 14 | 364 | 4 | 19 | — | — | 2 | — | — | 11 | |
| Spenborough M.B. - - - - | 37,520 | 682 | 11 | 471 | 17 | 24 | — | — | 3 | 1 | — | 17 | |
| Wakefield C.B. - - - - | 60,130 | 977 | 18 | 802 | 16 | 32 | — | — | 3 | — | — | 48 | |
| York C.B. - - - - | 105,230 | 1,825 | 37 | 1,245 | 48 | 62 | — | — | 4 | — | — | 159 | |
| North Western | | | | | | | | | | | | | |
| Accrington M.B. - - - - | 38,510 | 631 | 13 | 568 | 9 | 24 | — | — | 1 | 4 | — | 32 | |
| Altrincham M.B. - - - - | 41,250 | 744 | 9 | 438 | 14 | 22 | — | — | 1 | — | — | 11 | |
| Ashton-under-Lyne M.B. - - - - | 49,380 | 891 | 16 | 725 | 28 | 31 | — | — | 4 | 2 | — | 34 | |
| Barrow-in-Furness C.B. - - - - | 65,180 | 1,215 | 25 | 822 | 20 | 52 | — | — | 1 | — | — | 43 | |
| Bebington M.B. - - - - | 54,070 | 954 | 18 | 632 | 15 | 33 | — | — | 2 | 1 | — | 71 | |
| Birkenhead C.B. - - - - | 143,470 | 2,953 | 64 | 1,579 | 61 | 101 | — | — | 4 | — | — | 121 | |
| Blackburn C.B. - - - - | 103,610 | 1,798 | 40 | 1,609 | 51 | 65 | — | — | 13 | 5 | — | 99 | |
| Blackpool C.B. - - - - | 150,030 | 2,068 | 39 | 2,620 | 48 | 134 | — | — | 10 | 3 | — | 82 | |
| Bolton C.B. - - - - | 159,190 | 2,775 | 43 | 2,072 | 53 | 109 | — | — | 14 | 4 | — | 90 | |
| Bootle C.B. - - - - | 83,040 | 1,904 | 48 | 767 | 52 | 52 | 1 | — | 6 | 1 | — | 49 | |
| Burnley C.B. - - - - | 79,250 | 1,380 | 33 | 1,184 | 28 | 54 | — | — | 4 | 2 | — | 45 | |
| Bury C.B. - - - - | 62,080 | 1,245 | 25 | 816 | 28 | 29 | — | — | 1 | — | — | 37 | |
| Chadderton U.D. - - - - | 32,580 | 545 | 6 | 409 | 8 | 13 | — | — | 2 | — | — | 13 | |
| Cheadle and Gatley U.D. - - - - | 51,630 | 1,109 | 18 | 466 | 22 | 15 | 1 | — | 3 | — | — | 17 | |
| Chester C.B. - - - - | 59,800 | 1,160 | 18 | 678 | 37 | 39 | — | — | 8 | 1 | — | 35 | |
| Chorley M.B. - - - - | 31,060 | 510 | 9 | 363 | 18 | 16 | — | — | 1 | — | — | 7 | |
| Crewe M.B. - - - - | 52,950 | 1,023 | 24 | 616 | 24 | 25 | — | — | 2 | — | — | 23 | |
| Crosby M.B. - - - - | 59,930 | 1,126 | 22 | 692 | 28 | 25 | — | — | 5 | 3 | — | 31 | |
| Darwen M.B. - - - - | 29,110 | 507 | 10 | 377 | 12 | 14 | — | — | 2 | 1 | — | 17 | |
| Denton U.D. - - - - | 32,800 | 695 | 14 | 330 | 11 | 15 | — | — | 2 | — | — | 14 | |
| Droylsden U.D. - - - - | 25,540 | 453 | 9 | 303 | 13 | 17 | — | — | 2 | 1 | — | 16 | |
| Eccles M.B. - - - - | 42,530 | 717 | 20 | 552 | 19 | 28 | — | — | 2 | — | — | 15 | |
| Ellesmere Port M.B. - - - - | 48,200 | 1,125 | 25 | 380 | 23 | 27 | — | — | 3 | — | — | 29 | |
| Farnworth M.B. - - - - | 26,850 | 481 | 8 | 400 | 9 | 22 | — | — | 4 | — | — | 15 | |
| Fleetwood M.B. - - - - | 28,440 | 534 | 7 | 363 | 19 | 19 | — | — | 2 | 1 | — | 7 | |
| Hazel Grove and Bramhall U.D. - - - - | 32,310 | 637 | 7 | 312 | 8 | 11 | — | — | — | — | — | 10 | |
| Hoylake U.D. - - - - | 32,630 | 516 | 6 | 418 | 10 | 13 | — | — | 1 | — | — | 24 | |
| Huyton-with-Roby U.D. - - - - | 67,730 | 1,454 | 25 | 477 | 25 | 30 | — | — | 3 | — | — | 39 | |
| Hyde M.B. - - - - | 35,380 | 674 | 5 | 517 | 19 | 22 | — | — | 1 | 2 | — | 15 | |
| Kirkby U.D. - - - - | 57,360 | 1,240 | 27 | 247 | 37 | 21 | — | — | 4 | — | — | 20 | |
| Lancaster M.B. - - - - | 47,860 | 841 | 16 | 748 | 18 | 20 | — | — | 3 | — | — | 76 | |
| Leigh M.B. - - - - | 46,360 | 849 | 19 | 571 | 14 | 19 | — | — | 3 | — | — | 17 | |
| Litherland U.D. - - - - | 25,170 | 526 | 11 | 225 | 10 | 14 | — | — | — | 1 | — | 6 | |
| Liverpool C.B. - - - - | 729,140 | 15,625 | 283 | 8,181 | 342 | 532 | — | — | 47 | 11 | — | 766 | |
| Lytham St. Annes M.B. - - - - | 36,510 | 460 | 7 | 632 | 4 | 22 | — | — | 3 | — | — | 24 | |
| Macclesfield M.B. - - - - | 38,540 | 677 | 9 | 568 | 8 | 36 | — | — | 2 | 2 | — | 47 | |
| Manchester C.B. - - - - | 644,500 | 13,283 | 272 | 7,715 | 382 | 457 | 1 | — | 58 | 12 | — | 351 | |
| Middleton M.B. - - - - | 58,360 | 1,074 | 20 | 532 | 27 | 28 | — | — | 4 | — | — | 23 | |
| Morecambe and Heysham M.B. - - - - | 40,570 | 537 | 9 | 715 | 10 | 22 | — | — | 2 | 1 | — | 19 | |
| Nelson M.B. - - - - | 31,540 | 518 | 4 | 464 | 11 | 15 | — | — | 1 | — | — | 15 | |
| Oldham C.B. - - - - | 112,670 | 2,169 | 35 | 1,599 | 76 | 65 | — | — | 11 | 1 | — | 80 | |
| Preston C.B. - - - - | 110,390 | 2,152 | 38 | 1,370 | 53 | 59 | — | — | 9 | 1 | — | 58 | |
| Prestwich M.B. - - - - | 34,010 | 479 | 13 | 492 | 9 | 24 | — | — | 1 | — | — | 18 | |
| Radcliffe M.B. - - - - | 26,920 | 516 | 7 | 384 | 19 | 17 | — | — | 1 | 2 | — | 19 | |
| Rochdale C.B. - - - - | 86,180 | 1,592 | 34 | 1,218 | 36 | 52 | — | — | 6 | — | — | 89 | |
| Runcorn U.D. - - - - | 27,170 | 534 | 8 | 278 | 10 | 10 | — | — | 1 | — | — | 10 | |
| St. Helen's C.B. - - - - | 105,310 | 1,792 | 51 | 1,086 | 38 | 55 | — | — | 12 | 5 | — | 74 | |
| Sale M.B. - - - - | 53,400 | 1,064 | 17 | 492 | 17 | 25 | — | — | 2 | 1 | — | 10 | |
| Salford C.B. - - - - | 150,350 | 3,053 | 79 | 1,844 | 93 | 122 | — | — | 12 | 3 | — | 106 | |
| Southport C.B. - - - - | 80,080 | 1,105 | 24 | 1,460 | 21 | 45 | — | — | 8 | 1 | — | 47 | |
| Stockport C.B. - - - - | 142,500 | 2,633 | 49 | 1,745 | 59 | 93 | — | — | 5 | — | — | 67 | |
| Stretford M.B. - - - - | 60,270 | 1,267 | 20 | 654 | 33 | 33 | — | — | 2 | 1 | — | 31 | |
| Swinton and Pendlebury M.B. - - - - | 41,140 | 712 | 7 | 475 | 14 | 26 | — | — | 1 | 2 | — | 18 | |
| Urmston U.D. - - - - | 43,050 | 848 | 20 | 452 | 16 | 24 | — | — | 3 | — | — | 19 | |
| Wallasey C.B. - - - - | 103,320 | 2,010 | 31 | 1,320 | 40 | 67 | — | — | 8 | 5 | — | 77 | |
| Warrington C.B. - - - - | 75,110 | 1,498 | 28 | 914 | 48 | 51 | — | — | 4 | 1 | — | 57 | |
| Widnes M.B. - - - - | 53,670 | 1,261 | 24 | 542 | 32 | 33 | — | — | 3 | — | — | 45 | |
| Wigan C.B. - - - - | 77,250 | 1,274 | 29 | 964 | 30 | 39 | — | — | 5 | — | — | 38 | |
| Worsley U.D. - - - - | 44,060 | 744 | 15 | 435 | 16 | 12 | — | — | 5 | 1 | — | 16 | |

†Including pneumonia of newborn.

APPENDIX B (continued)

| Area | Home population | Live births | Stillbirths | Deaths (excluding stillbirths) | Deaths of infants under 1 year of age | Deaths from | | | | | | | |
|-------------------------------|-----------------|-------------|-------------|--------------------------------|---------------------------------------|-----------------------------------|----------------|------------|--------------------------|-----------|---------------------|-------------|---|
| | | | | | | Malignant neoplasm lung, bronchus | Whooping cough | Diphtheria | Tuberculosis (all forms) | Influenza | Acute poliomyelitis | Pneumonia † | Coronary and arteriosclerotic heart disease |
| North Midland | | | | | | | | | | | | | |
| Don U.D. — — — — | 29,380 | 548 | 5 | 236 | 6 | 7 | — | — | 1 | — | — | 9 | 39 |
| Don and Stapleford U.D. | 58,410 | 1,074 | 11 | 519 | 15 | 20 | — | — | 2 | — | — | 21 | 91 |
| Don U.D. — — — — | 40,240 | 759 | 10 | 418 | 17 | 18 | — | — | — | 1 | — | 24 | 71 |
| Donfield M.B. — — — — | 69,590 | 1,156 | 16 | 845 | 18 | 43 | — | — | 4 | 1 | — | 73 | 135 |
| Donhorpes M.B. — — — — | 33,430 | 649 | 14 | 377 | 16 | 22 | — | — | 2 | — | — | 15 | 80 |
| Donville U.D. — — — — | 27,070 | 411 | 3 | 236 | 7 | 9 | — | — | — | 1 | — | 11 | 45 |
| Donby U.D. — — — — | 42,770 | 1,130 | 19 | 214 | 26 | 12 | — | — | 1 | 1 | — | 12 | 30 |
| Donby C.B.— — — — — | 130,030 | 2,363 | 41 | 1,742 | 56 | 87 | — | — | 6 | 2 | — | 136 | 389 |
| Dontham M.B. — — — — | 25,670 | 440 | 10 | 301 | 9 | 14 | — | — | 1 | 1 | — | 17 | 44 |
| Donby C.B. — — — — | 95,300 | 1,960 | 30 | 1,099 | 30 | 51 | — | — | 7 | — | 1 | 50 | 254 |
| Donkley U.D. — — — — | 42,270 | 748 | 8 | 382 | 6 | 15 | — | — | 2 | — | — | 16 | 75 |
| Donon M.B. — — — — | 34,990 | 582 | 8 | 340 | 8 | 24 | — | — | 2 | — | — | 15 | 62 |
| Donring M.B. — — — — | 38,840 | 704 | 7 | 530 | 16 | 24 | — | — | 4 | 2 | — | 18 | 100 |
| Donster C.B. — — — — | 267,050 | 5,087 | 97 | 3,338 | 116 | 140 | — | — | 23 | 10 | — | 137 | 521 |
| Donn C.B. — — — — | 77,180 | 1,414 | 34 | 857 | 23 | 39 | — | — | 4 | 1 | — | 66 | 194 |
| Don Eaton U.D. — — — — | 31,440 | 577 | 18 | 348 | 13 | 15 | — | — | — | 1 | — | 10 | 68 |
| Donhborough M.B. — — — — | 39,270 | 702 | 7 | 407 | 10 | 17 | — | — | 1 | 2 | — | 15 | 83 |
| Donfield M.B. — — — — | 54,670 | 1,040 | 19 | 642 | 30 | 22 | — | — | 3 | — | — | 34 | 136 |
| Donhampton C.B. — — — — | 106,120 | 2,020 | 26 | 1,311 | 38 | 59 | 1 | — | 6 | 2 | — | 59 | 258 |
| Dongham C.B. — — — — | 311,850 | 6,221 | 129 | 3,604 | 144 | 201 | — | — | 17 | 19 | — | 219 | 553 |
| Donorough M.B. — — — — | 64,770 | 1,311 | 24 | 663 | 36 | 26 | — | — | 1 | — | — | 31 | 149 |
| Donorpe M.B. — — — — | 69,600 | 1,463 | 23 | 572 | 33 | 21 | — | — | 1 | 1 | — | 28 | 105 |
| Donn in Ashfield U.D. — — — — | 40,500 | 701 | 13 | 453 | 10 | 17 | — | — | 2 | 2 | — | 20 | 93 |
| Donngborough U.D. — — — — | 31,910 | 602 | 10 | 401 | 14 | 15 | — | — | 1 | 1 | — | 16 | 71 |
| Don Bridgford U.D. — — — — | 27,670 | 509 | 7 | 352 | 5 | 12 | — | — | — | 2 | — | 11 | 67 |
| Don sop M.B. — — — — | 35,400 | 693 | 6 | 372 | 16 | 12 | — | — | 2 | — | — | 15 | 77 |
| Midland | | | | | | | | | | | | | |
| Donlge U.D. — — — — | 58,890 | 1,434 | 23 | 343 | 22 | 9 | 2 | — | — | 3 | — | 19 | 59 |
| Donorth U.D. — — — — | 34,890 | 710 | 7 | 401 | 15 | 12 | — | — | 1 | 1 | — | 32 | 70 |
| Donn M.B. — — — — | 32,690 | 543 | 16 | 305 | 13 | 15 | — | — | 3 | 6 | — | 23 | 44 |
| Doningham C.B. — — — — | 1,106,040 | 22,545 | 390 | 11,823 | 479 | 602 | 5 | — | 74 | 28 | — | 799 | 2,130 |
| Donney Hill U.D. — — — — | 59,510 | 1,201 | 17 | 540 | 24 | 28 | — | — | 4 | 1 | — | 24 | 81 |
| Donsgrove U.D. — — — — | 36,790 | 719 | 13 | 432 | 8 | 20 | — | — | 1 | — | — | 46 | 71 |
| Donnhills U.D. — — — — | 28,700 | 708 | 15 | 251 | 17 | 12 | — | — | — | 1 | — | 16 | 34 |
| Donn upon Trent C.B. — — — — | 50,540 | 1,048 | 15 | 604 | 20 | 29 | — | — | 6 | 4 | — | 39 | 91 |
| Donock U.D. — — — — | 45,060 | 843 | 15 | 475 | 17 | 9 | — | — | — | 2 | — | 10 | 80 |
| Donney U.D. — — — — | 41,320 | 785 | 19 | 294 | 5 | 19 | — | — | 2 | 6 | — | 10 | 51 |
| Donntry C.B. — — — — | 315,670 | 6,362 | 110 | 2,829 | 134 | 125 | — | — | 26 | 6 | — | 154 | 598 |
| Donney C.B. — — — — | 63,890 | 1,153 | 29 | 687 | 21 | 30 | — | — | 2 | 1 | — | 24 | 142 |
| Donn M.B. — — — — | 45,190 | 725 | 11 | 494 | 14 | 16 | — | — | 1 | 1 | — | 20 | 111 |
| Donord M.B.— — — — | 43,950 | 896 | 22 | 441 | 16 | 21 | — | — | 2 | 2 | — | 20 | 93 |
| Donrminster M.B. — — — — | 43,450 | 834 | 13 | 532 | 20 | 19 | — | — | 5 | 1 | — | 22 | 89 |
| Doncastle-under-Lyme M.B. | 77,000 | 1,394 | 20 | 786 | 26 | 38 | — | — | 3 | 2 | — | 50 | 147 |
| Donaton M.B. — — — — | 60,010 | 1,207 | 23 | 598 | 16 | 25 | — | — | 6 | — | — | 32 | 98 |
| Donary M.B. — — — — | 54,180 | 895 | 17 | 483 | 11 | 34 | — | — | 3 | — | — | 51 | 95 |
| Donatch U.D.— — — — | 35,960 | 761 | 15 | 364 | 16 | 19 | — | — | — | 1 | — | 18 | 55 |
| Donney Regis M.B. — — — — | 49,130 | 762 | 11 | 518 | 15 | 27 | — | — | 1 | — | — | 23 | 105 |
| Leamington Spa | | | | | | | | | | | | | |
| Don M.B. | 44,300 | 926 | 13 | 571 | 21 | 27 | — | — | — | 2 | — | 29 | 109 |
| Donv M.B. — — — — | 54,950 | 1,021 | 21 | 583 | 20 | 30 | — | — | 1 | 2 | — | 43 | 124 |
| Donney U.D. — — — — | 31,600 | 642 | 10 | 380 | 13 | 11 | — | — | 2 | 1 | — | 18 | 83 |
| Donsbury M.B. — — — — | 51,130 | 962 | 12 | 579 | 17 | 22 | — | — | 2 | 2 | — | 47 | 123 |
| Donswick C.B. — — — — | 67,750 | 1,383 | 33 | 750 | 37 | 33 | — | — | 7 | 6 | — | 50 | 140 |
| Donll C.B. — — — — | 99,300 | 1,746 | 21 | 791 | 30 | 31 | — | — | 1 | 2 | — | 28 | 163 |
| Donrd M.B. — — — — | 49,480 | 995 | 16 | 577 | 21 | 15 | — | — | — | — | — | 41 | 97 |
| Donon-Trent C.B. — — — — | 263,910 | 4,480 | 92 | 2,950 | 74 | 146 | — | — | 31 | 7 | — | 152 | 503 |
| Donbridge M.B. — — — — | 45,910 | 784 | 17 | 486 | 20 | 27 | — | — | — | 3 | — | 17 | 91 |
| Don Coldfield M.B. — — — — | 77,980 | 1,472 | 15 | 597 | 16 | 28 | — | — | — | 3 | — | 29 | 141 |
| Donn M.B. — — — — | 37,990 | 712 | 14 | 385 | 18 | 18 | — | — | 2 | — | — | 14 | 67 |
| Donil C.B. — — — — | 119,910 | 2,336 | 65 | 1,258 | 56 | 68 | — | — | 5 | 5 | — | 88 | 205 |
| Donesbury M.B. — — — — | 34,760 | 602 | 12 | 327 | 12 | 25 | — | — | 1 | — | — | 14 | 55 |
| Donesfield U.D. — — — — | 35,070 | 743 | 10 | 241 | 18 | 15 | 1 | — | — | 1 | — | 14 | 40 |
| Don Bromwich C.B. — — — — | 97,600 | 1,855 | 37 | 1,001 | 36 | 56 | 1 | — | 8 | 5 | — | 98 | 145 |
| Donhall U.D. — — — — | 35,160 | 728 | 13 | 348 | 18 | 18 | — | — | — | 2 | — | 25 | 51 |
| Donrhampton C.B. — — — — | 150,200 | 3,298 | 57 | 1,764 | 81 | 68 | 1 | — | 10 | 25 | — | 172 | 265 |
| Donster C.B. — — — — | 67,580 | 1,190 | 17 | 768 | 20 | 44 | — | — | 5 | — | — | 29 | 131 |
| Eastern | | | | | | | | | | | | | |
| Donon U.D. — — — — | 103,110 | 2,387 | 30 | 740 | 55 | 35 | — | — | 3 | — | — | 55 | 170 |
| Donrd M.B. — — — — | 66,430 | 1,480 | 25 | 659 | 37 | 34 | — | — | 2 | — | — | 31 | 141 |
| Donet U.D. — — — — | 38,740 | 903 | 11 | 391 | 10 | 18 | 1 | — | 1 | 1 | — | 21 | 78 |
| Donwood U.D. — — — — | 54,230 | 1,005 | 14 | 553 | 25 | 26 | — | — | 3 | — | — | 40 | 107 |
| Donridge M.B. — — — — | 98,390 | 1,588 | 17 | 950 | 18 | 43 | — | — | 6 | — | — | 64 | 194 |

New Town.
including pneumonia of newborn.

APPENDIX B (continued)

| Area | Home population | Live births | Stillbirths | Deaths (excluding stillbirths) | Deaths of infants under 1 year of age | Deaths from | | | | | | |
|------------------------------------|-----------------|-------------|-------------|--------------------------------|---------------------------------------|-----------------------------------|----------------|------------|--------------------------|-----------|---------------------|-------------|
| | | | | | | Malignant neoplasm lung, bronchus | Whooping cough | Diphtheria | Tuberculosis (all forms) | Influenza | Acute poliomyelitis | Pneumonia † |
| Chelmsford M.B. - - - | 52,920 | 1,031 | 13 | 475 | 6 | 30 | — | — | 2 | — | — | 21 |
| Clacton U.D. - - - | 30,780 | 427 | 6 | 548 | 7 | 24 | — | — | 1 | 1 | — | 14 |
| Colchester M.B. - - - | 68,290 | 1,283 | 24 | 818 | 29 | 28 | 1 | — | 1 | 1 | — | 56 |
| Dunstable M.B. - - - | 27,270 | 727 | 13 | 223 | 6 | 14 | — | — | — | 1 | — | 20 |
| Great Yarmouth C.B. - - | 52,720 | 789 | 15 | 698 | 18 | 27 | — | — | 3 | — | — | 29 |
| †Harlow U.D. - - - | 63,540 | 1,551 | 19 | 251 | 21 | 12 | — | — | 1 | — | — | 15 |
| †Hemel Hempstead M.B. - | 61,890 | 1,258 | 23 | 447 | 13 | 24 | — | — | 1 | — | — | 31 |
| Hornchurch U.D. - - - | 134,140 | 2,483 | 43 | 1,172 | 38 | 79 | — | — | 5 | 1 | — | 48 |
| Ipswich C.B. - - - | 120,120 | 2,316 | 27 | 1,253 | 46 | 67 | 1 | — | 6 | 1 | — | 98 |
| Kings Lynn M.D. - - - | 27,830 | 538 | 10 | 329 | 17 | 19 | — | — | — | — | — | 30 |
| Letchworth U.D. - - - | 26,560 | 442 | 10 | 248 | 7 | 13 | — | — | 2 | — | — | 16 |
| Lowestoft M.B. - - - | 47,540 | 830 | 12 | 570 | 17 | 19 | — | — | 1 | — | — | 25 |
| Luton C.B. - - - | 147,770 | 3,557 | 46 | 1,171 | 51 | 55 | — | — | 9 | — | — | 70 |
| Norwich C.B. - - - | 119,150 | 1,897 | 30 | 1,393 | 31 | 68 | 1 | — | 6 | — | — | 80 |
| Rickmansworth U.D. - - | 30,130 | 460 | 6 | 251 | 9 | 14 | — | — | — | — | — | 10 |
| Romford M.B. - - - | 115,610 | 1,886 | 35 | 866 | 30 | 61 | — | — | 5 | 1 | — | 41 |
| St. Albans M.B. - - - | 51,520 | 897 | 19 | 525 | 15 | 19 | — | — | — | — | — | 32 |
| †Stevenage U.D. - - - | 52,440 | 1,327 | 15 | 228 | 13 | 16 | — | — | — | — | — | 9 |
| Southend-on-Sea C.B. - - | 165,780 | 2,451 | 34 | 2,393 | 53 | 118 | — | — | 10 | 3 | — | 88 |
| Thurrock U.D. - - - | 118,390 | 2,091 | 40 | 902 | 29 | 47 | — | — | 4 | 1 | — | 56 |
| Watford M.B. - - - | 76,340 | 1,474 | 20 | 845 | 29 | 38 | — | — | 3 | 1 | — | 57 |
| †Welwyn Garden City U.D. | 39,560 | 756 | 6 | 234 | 8 | 19 | — | — | — | — | — | 12 |
| London and South Eastern | | | | | | | | | | | | |
| Greater London - - - | 8,186,830 | 149,948 | 2,147 | 87,819 | 2,802 | 5,678 | 1 | — | 429 | 78 | 2 | 5,649 |
| London - - - | 3,184,600 | 63,758 | 964 | 35,056 | 1,354 | 2,346 | — | — | 198 | 28 | 1 | 2,256 |
| City of London - - - | 4,580 | 32 | — | 38 | — | 2 | — | — | — | — | — | 3 |
| Metropolitan Boroughs | | | | | | | | | | | | |
| Battersea - - - | 102,820 | 2,258 | 40 | 1,152 | 51 | 63 | — | — | 6 | — | — | 53 |
| Bermondsey - - - | 50,340 | 928 | 19 | 551 | 21 | 41 | — | — | 7 | — | — | 35 |
| Bethnal Green - - - | 46,420 | 825 | 17 | 487 | 14 | 34 | — | — | 2 | — | — | 44 |
| Camberwell - - - | 175,740 | 3,669 | 54 | 1,818 | 73 | 112 | — | — | 21 | — | — | 165 |
| Chelsea - - - | 46,200 | 621 | 11 | 704 | 16 | 49 | — | — | 2 | 1 | — | 55 |
| Deptford - - - | 68,500 | 1,669 | 25 | 754 | 48 | 53 | — | — | 2 | 1 | — | 63 |
| Finbury - - - | 32,070 | 566 | 9 | 302 | 13 | 13 | — | — | 6 | — | — | 31 |
| Fulham - - - | 109,410 | 2,069 | 33 | 1,215 | 39 | 97 | — | — | 6 | 3 | 1 | 78 |
| Greenwich - - - | 83,630 | 1,457 | 29 | 902 | 28 | 61 | — | — | 4 | — | — | 50 |
| Hackney - - - | 164,350 | 4,041 | 59 | 1,822 | 69 | 127 | — | — | 7 | — | — | 76 |
| Hammersmith - - - | 107,530 | 2,398 | 34 | 1,152 | 63 | 91 | — | — | 5 | — | — | 74 |
| Hampstead - - - | 101,060 | 1,819 | 17 | 922 | 29 | 53 | — | — | 1 | 1 | — | 53 |
| Holborn - - - | 20,430 | 169 | 3 | 214 | 9 | 19 | — | — | 1 | — | — | 9 |
| Islington - - - | 227,090 | 5,795 | 91 | 2,438 | 113 | 174 | — | — | 10 | 2 | — | 159 |
| Kensington - - - | 172,990 | 3,240 | 49 | 1,492 | 79 | 86 | — | — | 7 | 1 | — | 69 |
| Lambeth - - - | 223,140 | 5,604 | 83 | 2,417 | 120 | 150 | — | — | 18 | 3 | — | 148 |
| Lewisham - - - | 223,170 | 4,142 | 44 | 2,563 | 85 | 182 | — | — | 7 | 1 | — | 180 |
| Paddington - - - | 117,050 | 2,489 | 30 | 1,090 | 35 | 65 | — | — | 9 | 1 | — | 49 |
| Poplar - - - | 68,530 | 1,374 | 20 | 714 | 33 | 65 | — | — | 2 | 1 | — | 53 |
| St. Marylebone - - - | 67,250 | 735 | 10 | 889 | 17 | 49 | — | — | 4 | 2 | — | 40 |
| St. Pancras - - - | 121,870 | 2,271 | 45 | 1,247 | 58 | 98 | — | — | 9 | — | — | 93 |
| Shoreditch - - - | 37,040 | 566 | 10 | 462 | 13 | 42 | — | — | 5 | — | — | 45 |
| Southwark - - - | 84,830 | 1,565 | 27 | 1,095 | 33 | 94 | — | — | 8 | 1 | — | 70 |
| Stepney - - - | 91,130 | 1,827 | 34 | 1,055 | 45 | 80 | — | — | 8 | — | — | 79 |
| Stoke Newington - - - | 53,330 | 1,443 | 15 | 549 | 34 | 22 | — | — | 2 | — | — | 27 |
| Wandsworth - - - | 348,450 | 6,679 | 95 | 4,525 | 151 | 253 | — | — | 25 | 7 | — | 283 |
| Westminster - - - | 85,840 | 1,018 | 23 | 904 | 23 | 72 | — | — | 11 | 1 | — | 40 |
| Woolwich - - - | 149,810 | 2,489 | 38 | 1,583 | 42 | 99 | — | — | 3 | 2 | — | 132 |
| Acton M.B. - - - | 64,900 | 1,280 | 16 | 738 | 33 | 53 | — | — | 2 | 1 | — | 44 |
| Ashford U.D. - - - | 29,470 | 537 | 3 | 322 | 15 | 19 | — | — | 1 | 2 | — | 12 |
| Banstead U.D. - - - | 41,870 | 513 | 4 | 492 | 11 | 18 | — | — | 4 | 1 | — | 25 |
| Barking M.B. - - - | 71,510 | 1,056 | 17 | 741 | 20 | 68 | — | — | 7 | 2 | — | 43 |
| Barnes M.B. - - - | 38,820 | 559 | 7 | 470 | 7 | 26 | — | — | 2 | 1 | — | 23 |
| Barnet U.D. - - - | 27,800 | 445 | 7 | 306 | 3 | 21 | — | — | 1 | — | — | 25 |
| Beckenham M.B. - - - | 78,230 | 1,195 | 13 | 854 | 10 | 41 | — | — | 2 | 1 | — | 50 |
| Beddington and Wallington U.D. - - | 32,590 | 468 | 5 | 335 | 8 | 19 | — | — | 1 | — | — | 19 |
| Bexhill M.B. - - - | 31,300 | 263 | 3 | 591 | 4 | 21 | — | — | 3 | — | — | 47 |
| Bexley M.B. - - - | 90,160 | 1,481 | 26 | 889 | 19 | 56 | — | — | 2 | 1 | — | 65 |
| Bognor Regis U.D. - - | 29,620 | 388 | 8 | 489 | 2 | 23 | — | — | 2 | 1 | — | 24 |
| Brentford and Chiswick M.B. - | 54,850 | 1,008 | 13 | 594 | 12 | 29 | — | — | 2 | 1 | — | 39 |
| Brighton C.B. - - - | 162,650 | 2,498 | 35 | 2,470 | 44 | 120 | — | — | 17 | — | — | 132 |
| Bromley M.B. - - - | 69,910 | 1,085 | 14 | 823 | 21 | 43 | — | — | 5 | — | — | 63 |
| Canterbury C.B. - - - | 32,010 | 552 | 7 | 427 | 12 | 21 | 1 | — | — | — | — | 22 |

†New Town.

‡Including pneumonia of newborn.

APPENDIX B (continued)

| Area | Home population | Live births | Stillbirths | Deaths (excluding stillbirths) | Deaths of infants under 1 year of age | Deaths from | | | | | | | |
|---------------------------|-----------------|-------------|-------------|--------------------------------|---------------------------------------|-----------------------------------|----------------|------------|--------------------------|-----------|---------------------|-------------|---|
| | | | | | | Malignant neoplasm lung, bronchus | Whooping cough | Diphtheria | Tuberculosis (all forms) | Influenza | Acute poliomyelitis | Pneumonia † | Coronary and arteriosclerotic heart disease |
| halton U.D. - - - | 55,730 | 768 | 11 | 560 | 11 | 41 | — | — | 4 | — | — | 28 | 119 |
| rhams and Warlingham U.D. | 36,350 | 527 | 7 | 351 | 15 | 17 | — | — | 3 | — | — | 12 | 64 |
| ham M.B. - - - | 51,220 | 1,165 | 21 | 516 | 20 | 17 | — | — | 3 | 3 | — | 29 | 97 |
| tsey U.D. - - - | 42,870 | 868 | 12 | 369 | 15 | 23 | — | — | 2 | — | — | 22 | 65 |
| hant U.D. - - - | 39,040 | 837 | 15 | 254 | 7 | 22 | — | — | — | — | — | 11 | 52 |
| well U.D. - - - | 62,650 | 809 | 19 | 470 | 12 | 35 | — | — | 1 | 1 | — | 31 | 82 |
| gford M.B. - - - | 46,320 | 604 | 9 | 422 | 12 | 29 | — | — | 2 | 1 | — | 15 | 110 |
| lehurst and Sidcup U.D. | 89,290 | 1,440 | 21 | 889 | 28 | 73 | — | — | 6 | 1 | — | 56 | 192 |
| sdon and Purley U.D. | 75,460 | 1,123 | 14 | 866 | 16 | 45 | — | — | 4 | 1 | — | 81 | 162 |
| wley U.D. - - - | 59,000 | 1,232 | 10 | 301 | 19 | 14 | — | — | 1 | — | — | 18 | 63 |
| ford U.D. - - - | 33,600 | 707 | 13 | 269 | 12 | 14 | — | — | — | — | — | 14 | 65 |
| rdon C.B. - - - | 253,430 | 4,724 | 58 | 2,871 | 72 | 191 | — | — | 11 | 2 | — | 168 | 533 |
| enham M.B. - - - | 107,060 | 1,500 | 26 | 935 | 34 | 88 | — | — | 9 | 2 | — | 40 | 195 |
| ford - - - | 46,420 | 865 | 13 | 588 | 15 | 31 | — | — | — | — | — | 66 | 128 |
| er M.B. - - - | 36,080 | 582 | 11 | 399 | 15 | 19 | — | — | 1 | — | — | 22 | 78 |
| ng M.B. - - - | 182,620 | 3,084 | 43 | 2,009 | 54 | 100 | — | — | 4 | 1 | — | 144 | 429 |
| Barnet U.D. - - - | 41,090 | 606 | 8 | 378 | 15 | 27 | — | — | — | 1 | — | 27 | 66 |
| bourne C.B. - - - | 63,530 | 699 | 12 | 1,134 | 10 | 52 | — | — | 7 | — | — | 31 | 207 |
| Ham C.B. - - - | 104,070 | 1,845 | 36 | 1,135 | 29 | 73 | — | — | 4 | — | — | 66 | 241 |
| onton M.B. - - - | 89,500 | 1,384 | 25 | 958 | 29 | 71 | — | — | 7 | 2 | — | 64 | 207 |
| im U.D. - - - | 31,470 | 468 | 10 | 347 | 4 | 20 | — | — | — | — | — | 24 | 77 |
| eld M.B. - - - | 109,060 | 1,818 | 24 | 1,093 | 26 | 60 | — | — | 6 | — | — | 38 | 229 |
| im and Ewell M.B. - | 71,700 | 921 | 7 | 1,054 | 17 | 45 | — | — | 3 | — | — | 135 | 162 |
| h M.B. - - - | 45,970 | 791 | 19 | 454 | 17 | 31 | — | — | 3 | — | — | 33 | 87 |
| r U.D. - - - | 62,140 | 843 | 14 | 633 | 14 | 35 | — | — | 1 | — | — | 24 | 98 |
| ham U.D. - - - | 28,970 | 494 | 6 | 369 | 11 | 12 | — | — | 1 | — | — | 18 | 70 |
| ham U.D. - - - | 52,410 | 1,066 | 13 | 385 | 16 | 26 | — | — | 1 | — | — | 15 | 84 |
| hley M.B. - - - | 70,390 | 1,139 | 10 | 813 | 9 | 55 | — | — | 3 | — | — | 46 | 180 |
| estone M.B. - - - | 43,470 | 694 | 12 | 627 | 13 | 24 | — | — | — | — | — | 18 | 132 |
| n Barnet U.D. - - - | 28,280 | 424 | 4 | 464 | 5 | 20 | — | — | 1 | — | — | 49 | 87 |
| ley and Camberley U.D. | 36,140 | 943 | 10 | 242 | 19 | 10 | — | — | — | 1 | — | 9 | 61 |
| ingham M.B. - - - | 77,070 | 1,476 | 19 | 815 | 26 | 29 | — | — | 1 | — | — | 39 | 170 |
| esend M.B. - - - | 53,590 | 1,153 | 13 | 531 | 27 | 18 | — | — | 5 | — | — | 19 | 94 |
| ford M.B. - - - | 54,090 | 850 | 17 | 618 | 14 | 26 | — | — | 1 | — | — | 38 | 120 |
| ow M.B. - - - | 210,250 | 3,351 | 41 | 1,946 | 41 | 132 | — | — | 12 | 2 | — | 83 | 401 |
| ings C.B. - - - | 66,690 | 900 | 13 | 1,339 | 13 | 37 | — | — | 4 | — | — | 105 | 282 |
| s and Harlington U.D. | 68,870 | 1,365 | 16 | 545 | 25 | 38 | — | — | 3 | — | — | 41 | 129 |
| on M.B. - - - | 150,350 | 2,365 | 26 | 1,581 | 42 | 90 | — | — | 6 | 1 | — | 92 | 337 |
| on and Isleworth M.B. | 100,910 | 1,477 | 13 | 1,110 | 28 | 58 | — | — | 3 | — | — | 65 | 241 |
| usey M.B. - - - | 99,970 | 2,511 | 35 | 1,102 | 52 | 69 | — | — | 7 | — | — | 67 | 241 |
| e M.B. - - - | 72,780 | 856 | 15 | 1,406 | 12 | 50 | — | — | 6 | 4 | — | 62 | 280 |
| l M.B. - - - | 175,490 | 2,994 | 29 | 1,937 | 37 | 95 | — | — | 6 | 3 | — | 134 | 392 |
| ston-upon-Thames M.B. | 36,230 | 711 | 7 | 443 | 12 | 33 | — | — | 3 | 2 | — | 18 | 87 |
| erhead U.D. - - - | 37,270 | 550 | 11 | 370 | 10 | 17 | — | — | 2 | — | — | 20 | 78 |
| on M.B. - - - | 91,420 | 1,576 | 15 | 1,347 | 29 | 76 | — | — | 7 | — | — | 106 | 211 |
| stone M.B. - - - | 62,300 | 1,146 | 20 | 672 | 22 | 24 | — | — | 3 | 1 | — | 40 | 103 |
| en and Coombe M.B. | 46,460 | 615 | 4 | 516 | 6 | 31 | — | — | 1 | — | — | 21 | 119 |
| gate M.B. - - - | 47,260 | 635 | 7 | 826 | 17 | 40 | — | — | 2 | 3 | — | 41 | 151 |
| on and Morden U.D. | 66,700 | 906 | 12 | 767 | 14 | 52 | — | — | 1 | 3 | — | 44 | 172 |
| ham M.B. - - - | 62,580 | 985 | 16 | 622 | 18 | 45 | — | — | 3 | — | — | 27 | 148 |
| ington U.D. - - - | 82,520 | 1,378 | 21 | 677 | 19 | 47 | — | — | 4 | 1 | — | 69 | 147 |
| e U.D. - - - | 26,230 | 677 | 4 | 319 | 12 | 27 | — | — | 2 | 1 | — | 28 | 63 |
| sgate M.B. - - - | 38,200 | 609 | 14 | 542 | 22 | 29 | — | — | 1 | — | — | 31 | 92 |
| ate M.B. - - - | 55,150 | 863 | 7 | 643 | 24 | 30 | — | — | 1 | 1 | — | 34 | 120 |
| mond M.B. - - - | 41,290 | 692 | 9 | 572 | 13 | 32 | — | — | 2 | 2 | — | 37 | 116 |
| ester M.B. - - - | 52,360 | 1,013 | 18 | 529 | 17 | 25 | — | — | 1 | — | — | 31 | 108 |
| l Tunbridge Wells M.B. | 41,280 | 650 | 9 | 666 | 14 | 36 | — | — | 2 | 2 | — | 30 | 133 |
| ip-Northwood U.D. - | 74,480 | 1,044 | 15 | 631 | 15 | 36 | — | — | 4 | — | — | 35 | 140 |
| hall M.B. - - - | 57,220 | 1,183 | 23 | 696 | 23 | 37 | — | — | 4 | 2 | — | 73 | 105 |
| gate M.B. - - - | 71,580 | 963 | 12 | 859 | 15 | 50 | — | — | 1 | 2 | — | 64 | 187 |
| es U.D. - - - | 53,240 | 1,031 | 19 | 444 | 19 | 35 | — | — | — | 1 | — | 21 | 89 |
| ury-on-Thames U.D. | 37,040 | 790 | 4 | 281 | 7 | 16 | — | — | 1 | — | — | 19 | 56 |
| on M.B. - - - | 63,760 | 1,088 | 12 | 657 | 14 | 45 | — | — | 2 | — | — | 39 | 145 |
| n and Cheam M.B. - | 79,500 | 1,263 | 13 | 937 | 21 | 54 | — | — | 4 | 2 | — | 56 | 169 |
| enham M.B. - - - | 111,150 | 2,360 | 39 | 1,247 | 42 | 80 | — | — | 5 | — | — | 96 | 275 |
| enham M.B. - - - | 101,970 | 1,713 | 31 | 1,136 | 24 | 79 | — | — | 3 | 1 | — | 51 | 239 |
| dge M.B. - - - | 64,620 | 1,097 | 14 | 585 | 18 | 43 | — | — | 2 | 1 | — | 37 | 119 |
| namstow M.B. - - - | 106,100 | 1,779 | 17 | 1,195 | 27 | 71 | — | — | 8 | — | — | 97 | 256 |
| on and Weybridge U.D. | 48,400 | 756 | 13 | 478 | 10 | 17 | — | — | — | — | — | 40 | 82 |
| thead and Woodford M.B. | 61,870 | 891 | 11 | 685 | 15 | 34 | 1 | — | 5 | — | — | 37 | 139 |

†New Town.

‡Including pneumonia of newborn.

APPENDIX B (continued)

| Area | Home population | Live births | Stillbirths | Deaths (excluding stillbirths) | Deaths of infants under 1 year of age | Deaths from | | | | | | |
|----------------------------------|-----------------|-------------|-------------|--------------------------------|---------------------------------------|-----------------------------------|----------------|------------|--------------------------|-----------|---------------------|-------------|
| | | | | | | Malignant neoplasm lung, bronchus | Whooping cough | Diphtheria | Tuberculosis (all forms) | Influenza | Acute poliomyelitis | Pneumonia † |
| Wembley M.B. - - - | 123,780 | 1,885 | 25 | 1,224 | 25 | 81 | — | — | 7 | 3 | — | 58 |
| West Ham C.B. - - - | 156,120 | 3,270 | 50 | 1,604 | 74 | 120 | — | — | 13 | 2 | 1 | 121 |
| Willesden M.B. - - - | 172,250 | 4,677 | 87 | 1,684 | 103 | 125 | — | — | 7 | — | — | 105 |
| Wimbledon M.B. - - - | 56,760 | 1,057 | 15 | 693 | 20 | 45 | — | — | 1 | — | — | 40 |
| Woking U.D. - - - | 74,230 | 1,380 | 17 | 776 | 25 | 40 | — | — | 3 | — | — | 41 |
| Wood Green M.B. - - - | 46,520 | 905 | 13 | 580 | 21 | 47 | — | — | 3 | — | — | 33 |
| Worthing M.B. - - - | 80,580 | 921 | 10 | 1,772 | 13 | 76 | — | — | 4 | 1 | — | 96 |
| Southern | | | | | | | | | | | | |
| Aldershot M.B. - - - | 33,690 | 914 | 14 | 273 | 13 | 20 | — | — | 2 | — | — | 16 |
| Aylesbury M.B. - - - | 32,510 | 787 | 15 | 247 | 9 | 4 | — | — | 1 | — | — | 22 |
| Basingstoke M.B. - - - | 30,360 | 755 | 10 | 263 | 10 | 12 | — | — | 2 | — | — | 11 |
| Bournemouth C.B. - - - | 151,090 | 1,971 | 23 | 2,438 | 29 | 103 | — | — | 14 | 1 | — | 179 |
| Christchurch M.B. - - - | 28,000 | 382 | 3 | 377 | 3 | 20 | — | — | — | — | — | 34 |
| Eastleigh M.B. - - - | 39,970 | 731 | 10 | 360 | 12 | 11 | — | — | 1 | 1 | — | 10 |
| Fareham U.D. - - - | 68,690 | 1,349 | 22 | 620 | 32 | 23 | — | — | — | — | — | 38 |
| Farnborough U.D. - - - | 37,190 | 866 | 11 | 292 | 15 | 12 | — | — | — | 1 | — | 5 |
| Gosport M.B. - - - | 72,240 | 1,596 | 22 | 665 | 44 | 27 | 1 | — | 1 | 1 | — | 28 |
| Havant and Waterloo U.D. | 86,040 | 2,005 | 33 | 758 | 39 | 29 | — | — | 8 | — | — | 33 |
| High Wycombe M.B. - - - | 54,060 | 1,218 | 23 | 442 | 21 | 30 | — | — | 3 | — | — | 45 |
| Lymington M.B. - - - | 30,610 | 458 | 6 | 475 | 10 | 23 | — | — | — | 1 | — | 21 |
| Maidenhead M.B. - - - | 39,560 | 822 | 6 | 407 | 15 | 27 | — | — | 2 | 1 | — | 17 |
| New Windsor M.B. - - - | 29,030 | 533 | 9 | 253 | 5 | 18 | — | — | — | 1 | — | 9 |
| Oxford C.B. - - - | 108,880 | 1,872 | 29 | 1,091 | 34 | 62 | — | — | 6 | 2 | — | 96 |
| Poole M.B. - - - | 94,770 | 1,503 | 27 | 1,186 | 21 | 48 | — | — | 4 | — | — | 67 |
| Portsmouth C.B. - - - | 221,470 | 3,816 | 68 | 2,733 | 79 | 128 | — | — | 11 | — | — | 146 |
| Reading C.B. - - - | 123,310 | 2,522 | 44 | 1,278 | 55 | 54 | — | — | 4 | 1 | — | 87 |
| Slough M.B. - - - | 84,900 | 1,828 | 22 | 645 | 35 | 51 | — | — | 4 | — | — | 33 |
| Southampton C.B. - - - | 208,710 | 3,933 | 73 | 2,058 | 63 | 99 | — | — | 13 | 1 | — | 82 |
| Winchester M.B. - - - | 30,310 | 465 | 6 | 333 | 9 | 12 | — | — | — | — | — | 9 |
| South Western | | | | | | | | | | | | |
| Bath C.B. - - - | 82,750 | 1,268 | 26 | 1,036 | 32 | 36 | — | — | — | 3 | — | 67 |
| Bridgwater M.B. - - - | 26,300 | 495 | 5 | 283 | 1 | 10 | — | — | 3 | 1 | — | 10 |
| Bristol C.B. - - - | 432,070 | 7,517 | 93 | 5,141 | 138 | 236 | 1 | — | 14 | 8 | — | 268 |
| Cambourne-Redruth U.D. | 36,700 | 651 | 18 | 529 | 15 | 13 | — | — | 3 | — | — | 35 |
| Cheltenham M.B. - - - | 74,910 | 1,394 | 26 | 880 | 27 | 40 | — | — | 2 | 3 | — | 58 |
| Exeter C.B. - - - | 81,810 | 1,275 | 21 | 1,008 | 16 | 47 | — | — | 9 | — | — | 53 |
| Gloucester C.B. - - - | 71,650 | 1,549 | 22 | 801 | 39 | 30 | — | — | 8 | — | — | 66 |
| Kingswood U.D. - - - | 27,640 | 687 | 5 | 223 | 8 | 7 | — | — | — | — | — | 12 |
| Paignton U.D. - - - | 31,000 | 435 | 4 | 510 | 6 | 20 | 1 | — | 2 | 2 | — | 22 |
| Plymouth C.B. - - - | 213,800 | 3,839 | 63 | 2,381 | 60 | 67 | — | — | 12 | 1 | — | 171 |
| St. Austell U.D. - - - | 25,500 | 400 | 7 | 395 | 5 | 8 | — | — | — | 3 | — | 16 |
| Salisbury M.B. - - - | 35,800 | 617 | 10 | 522 | 11 | 19 | — | — | 4 | — | — | 37 |
| Swindon M.B. - - - | 97,460 | 2,128 | 43 | 885 | 52 | 29 | — | — | 3 | — | — | 28 |
| Taunton M.B. - - - | 36,840 | 585 | 7 | 436 | 12 | 13 | — | — | 1 | 1 | — | 27 |
| Torquay M.B. - - - | 52,220 | 732 | 10 | 815 | 10 | 42 | — | — | 2 | 3 | — | 21 |
| Weston-super-Mare M.B. | 43,620 | 704 | 12 | 642 | 15 | 23 | — | — | — | 1 | — | 28 |
| Weymouth and Melcombe Regis M.B. | 42,130 | 714 | 13 | 472 | 15 | 18 | — | — | 2 | 2 | — | 39 |
| Wales | | | | | | | | | | | | |
| Aberdare U.D. - - - | 38,910 | 615 | 9 | 569 | 17 | 17 | — | — | 4 | 5 | — | 18 |
| Abertillery U.D. - - - | 24,760 | 448 | 12 | 290 | 22 | 13 | — | — | 3 | 2 | — | 11 |
| Barry M.B. - - - | 42,460 | 800 | 14 | 457 | 19 | 23 | — | — | — | — | — | 31 |
| Bedwellty - - - | 27,200 | 492 | 17 | 283 | 10 | 9 | 1 | — | 3 | — | — | 9 |
| Caerphilly U.D. - - - | 36,890 | 782 | 20 | 402 | 20 | 16 | — | — | 3 | — | — | 21 |
| Cardiff C.B. - - - | 260,340 | 5,076 | 90 | 2,800 | 110 | 124 | 1 | — | 12 | 4 | — | 218 |
| Ebbw Vale U.D. - - - | 28,100 | 486 | 15 | 317 | 14 | 15 | — | — | 1 | 6 | — | 11 |
| Gelligaer U.D. - - - | 35,000 | 676 | 10 | 398 | 23 | 12 | — | — | 1 | 4 | — | 15 |
| Llanelly M.B. - - - | 29,270 | 432 | 9 | 464 | 13 | 15 | — | — | 1 | — | — | 19 |
| Llchwyr U.D. - - - | 25,260 | 406 | 10 | 301 | 10 | 16 | — | — | 2 | — | — | 4 |
| Merthyr Tydfil C.B. - - - | 58,310 | 1,076 | 21 | 772 | 32 | 28 | — | — | 5 | 2 | — | 30 |
| Mountain Ash U.D. - - - | 29,510 | 534 | 13 | 343 | 9 | 14 | — | — | 6 | 2 | — | 15 |
| Neath M.B. - - - | 30,520 | 507 | 9 | 439 | 17 | 19 | — | — | 2 | — | — | 14 |
| Newport C.B. - - - | 107,590 | 2,097 | 41 | 1,194 | 35 | 62 | — | — | 3 | — | — | 48 |
| Pontypool U.D. - - - | 39,000 | 661 | 12 | 501 | 16 | 26 | — | — | 3 | 4 | — | 15 |
| Pontypridd U.D. - - - | 35,160 | 584 | 9 | 517 | 23 | 13 | — | — | 4 | 1 | — | 23 |
| Port Talbot M.B. - - - | 51,750 | 987 | 16 | 523 | 25 | 21 | — | — | 2 | — | — | 22 |
| Rhondda M.B. - - - | 99,130 | 1,617 | 34 | 1,345 | 49 | 46 | — | — | 14 | 8 | — | 52 |
| Swansea C.B. - - - | 170,160 | 2,909 | 59 | 2,108 | 69 | 100 | — | — | 17 | 1 | — | 83 |
| Wrexham M.B. - - - | 36,300 | 689 | 10 | 368 | 20 | 15 | — | — | 2 | 1 | — | 18 |
| *Edinburgh - - - - - | 473,300 | 8,774 | 143 | 5,859 | 181 | 362 | — | — | 8 | 7 | — | 206 |
| *Glasgow - - - - - | 1,018,600 | 22,405 | 447 | 12,277 | 641 | 828 | — | 1 | 148 | 16 | — | 439 |
| *Belfast - - - - - | 410,300 | 8,719 | 212 | 4,717 | 266 | 190 | 1 | — | 39 | 5 | — | 291 |
| *Dublin - - - - - | 537,448 | 13,575 | § | 5,364 | 387 | § | 1 | 5 | 89 | 18 | — | 288 |

* The births and deaths for Edinburgh, Glasgow, Belfast and Dublin are classified according to area of residence.

† Including pneumonia of newborn.

§ Figures not available.

APPENDIX C
Deaths registered in the year 1964, by cause and age*
London A.C.

| Causes of death | Ages at death | | | | | | | | | | | | |
|---|---------------|---------------|----------------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|--|
| | ALL AGES | Under 4 weeks | 4 weeks—under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75 years and over | |
| ALL CAUSES | 35,056 | 945 | 409 | 169 | 138 | 316 | 474 | 993 | 2,555 | 5,958 | 8,608 | 14,491 | |
| Tuberculosis of respiratory system .. | 178 | — | — | — | — | 2 | 2 | 20 | 19 | 47 | 50 | 38 | |
| Tuberculosis, other forms | 20 | — | — | 1 | — | — | — | 1 | 4 | 7 | 2 | 5 | |
| Syphilis and its sequelae | 70 | — | — | — | 1 | — | 1 | 3 | 5 | 12 | 26 | 22 | |
| Typhoid fever | — | — | — | — | — | — | — | — | — | — | — | — | |
| Dysentery, all forms | 1 | — | — | — | — | — | — | — | — | — | — | 1 | |
| Scarlet fever and streptococcal sore throat | — | — | — | — | — | — | — | — | — | — | — | — | |
| Diphtheria | — | — | — | — | — | — | — | — | — | — | — | — | |
| Whooping cough | — | — | — | — | — | — | — | — | — | — | — | — | |
| Meningococcal infections | 9 | — | 3 | 2 | 1 | 1 | 1 | — | — | 1 | — | — | |
| Acute poliomyelitis | 1 | — | — | — | 1 | — | — | — | — | — | — | — | |
| Measles | 2 | — | — | 2 | — | — | — | — | — | — | — | — | |
| Acute infectious encephalitis (082) .. | 5 | — | 1 | 1 | — | 1 | — | — | 1 | — | — | 1 | |
| Other infective and parasitic diseases .. | 48 | 1 | 2 | 6 | — | 3 | 4 | 2 | 6 | 12 | 6 | 6 | |
| Malignant neoplasm of stomach (151) .. | 856 | — | — | — | — | 1 | 4 | 31 | 94 | 189 | 270 | 267 | |
| Malignant neoplasm of lung (162, 163) .. | 2,346 | — | — | — | — | 1 | 10 | 60 | 296 | 801 | 745 | 433 | |
| Leukaemia, aleukaemia (204) | 207 | 1 | 1 | 7 | 6 | 5 | 11 | 14 | 23 | 37 | 53 | 49 | |
| Hodgkin's disease (201) | 45 | — | — | — | 2 | 3 | 5 | 6 | 9 | 12 | 5 | 3 | |
| Other malignant and lymphatic neoplasms | 4,492 | — | 2 | 9 | 17 | 25 | 64 | 190 | 512 | 1,056 | 1,256 | 1,361 | |
| Benign and unspecified neoplasms | 107 | — | 1 | 2 | 2 | 2 | 4 | 6 | 14 | 30 | 27 | 19 | |
| Diabetes mellitus | 255 | — | — | — | — | — | 5 | 6 | 14 | 45 | 64 | 121 | |
| Anaemias | 111 | — | 2 | 4 | — | 1 | — | 2 | 4 | 18 | 23 | 57 | |
| Vascular lesions of central nervous system | 3,672 | — | 1 | 1 | 3 | 10 | 23 | 49 | 161 | 439 | 961 | 2,024 | |
| Non-meningococcal meningitis | 32 | 4 | 8 | 4 | 1 | — | 2 | 2 | 1 | 1 | 4 | 5 | |
| Rheumatic fever | 2 | — | — | — | — | — | — | — | — | 1 | 1 | — | |
| Chronic rheumatic heart disease | 569 | — | — | — | 1 | 4 | 16 | 40 | 84 | 134 | 135 | 155 | |
| Other chronic endocarditis (421) | 187 | — | — | — | — | 1 | 2 | 7 | 11 | 28 | 47 | 91 | |
| Coronary and arteriosclerotic heart disease (420) | 6,799 | — | — | — | — | — | 16 | 149 | 555 | 1,443 | 2,043 | 2,593 | |
| Other myocardial degeneration (422) .. | 1,640 | — | 1 | 1 | — | 2 | 1 | 4 | 10 | 33 | 182 | 1,406 | |
| Hypertension with heart disease | 402 | — | — | — | — | — | — | 3 | 13 | 49 | 91 | 246 | |
| Other diseases of heart | 822 | — | 1 | — | — | 5 | 14 | 16 | 25 | 79 | 180 | 502 | |
| Hypertension without mention of heart | 444 | — | — | — | — | 4 | 8 | 9 | 41 | 66 | 94 | 222 | |
| Other diseases of circulatory system (450-468) | 1,534 | — | — | — | — | 4 | 9 | 13 | 65 | 145 | 336 | 962 | |
| Influenza | 28 | — | 2 | — | — | 1 | 1 | 2 | 2 | 4 | 2 | 14 | |
| †Pneumonia | 2,216 | — | 157 | 19 | 5 | 3 | 5 | 10 | 40 | 160 | 433 | 1,384 | |
| Bronchitis | 2,144 | 3 | 42 | 8 | 2 | 1 | 2 | 14 | 85 | 396 | 652 | 939 | |
| Other diseases of respiratory system (Rest of 470-527) | 319 | 1 | 5 | 1 | 1 | 3 | 1 | 12 | 27 | 76 | 66 | 126 | |
| Ulcer of stomach and duodenum | 330 | — | — | — | — | — | 4 | 13 | 22 | 49 | 109 | 133 | |
| Appendicitis | 31 | 1 | — | 1 | — | — | — | 1 | 2 | 5 | 10 | 11 | |
| Intestinal obstruction and hernia | 231 | 12 | 3 | 2 | — | 1 | 3 | 1 | 7 | 29 | 61 | 112 | |
| Gastritis and enteritis (except of newborn) | 181 | — | 25 | 2 | — | 1 | 1 | 4 | 12 | 23 | 44 | 69 | |
| Cirrhosis of liver | 91 | — | — | — | 1 | 3 | 1 | 6 | 16 | 23 | 20 | 21 | |
| Other diseases of digestive system (Rest of 530-587) | 213 | 4 | 2 | 2 | 3 | 1 | 2 | 8 | 16 | 41 | 57 | 77 | |
| Nephritis and nephrosis | 192 | — | 1 | 1 | 2 | 6 | 13 | 11 | 17 | 32 | 46 | 63 | |
| Hyperplasia of prostate | 130 | — | — | — | — | — | — | — | 1 | 9 | 27 | 93 | |
| Other diseases of genito-urinary system (Rest of 590-637) | 360 | 2 | 2 | 1 | 3 | 2 | 5 | 12 | 21 | 44 | 84 | 184 | |
| Abortion (650-652) | 9 | — | — | — | — | 3 | 5 | 1 | — | — | — | — | |
| Other complications of pregnancy, childbirth and puerperium | 14 | — | — | — | — | 4 | 8 | 2 | — | — | — | — | |
| Congenital malformations | 389 | 184 | 84 | 29 | 11 | 8 | 7 | 9 | 15 | 15 | 15 | 12 | |
| Birth injuries, asphyxia, atelectasis .. | 379 | 378 | 1 | — | — | — | — | — | — | — | — | — | |
| Diarrhoea of newborn (764) | 1 | 1 | — | — | — | — | — | — | — | — | — | — | |
| Other infections of newborn | 42 | 42 | — | — | — | — | — | — | — | — | — | — | |
| Prematurity (774-776) | 177 | 177 | — | — | — | — | — | — | — | — | — | — | |
| Other diseases of early infancy | 114 | 113 | 1 | — | — | — | — | — | — | — | — | — | |
| Senility without psychosis (794) | 133 | — | — | — | — | — | — | — | — | — | 1 | 132 | |
| Other diseases and ill-defined causes .. | 809 | 13 | 31 | 17 | 15 | 16 | 37 | 71 | 90 | 127 | 172 | 220 | |
| Motor vehicle accidents | 400 | — | 4 | 8 | 33 | 89 | 26 | 29 | 35 | 41 | 57 | 78 | |
| Other road traffic accidents (E840-845) .. | 2 | — | — | — | — | 1 | — | — | — | — | 1 | — | |
| Other accidents and homicide | 711 | 8 | 26 | 38 | 26 | 50 | 71 | 61 | 69 | 96 | 78 | 188 | |
| Suicide | 554 | — | — | — | 1 | 48 | 80 | 93 | 111 | 103 | 72 | 46 | |

corrected for inward and outward transfers to place of residence.

† Excluding pneumonia of newborn.

APPENDIX D
Infant mortality, 1962 to 1964
England and Wales, standard regions and certain large towns
(Deaths under 1 year per 1,000 live births)

| | 1962 | 1963 | 1964† | | 1962 | 1963 |
|---|-------------|-------------|-------------|---|------|------|
| ENGLAND AND WALES... | 21.6 | 21.1 | 20.0 | <i>Towns with population over 200,000—cont.</i> | | |
| <i>Regional summary:</i> | | | | Croydon C.B. ... | 16.9 | 19.7 |
| Northern ... | 24.6 | 22.7 | 22.2 | Harrow M.B.... | 22.5 | 16.5 |
| East and West Ridings ... | 23.2 | 24.2 | 22.8 | Kingston upon Hull C.B. ... | 28.3 | 26.0 |
| North Western ... | 25.8 | 25.0 | 22.6 | Leeds C.B. ... | 23.5 | 27.2 |
| North Midland ... | 21.2 | 19.8 | 19.1 | Leicester C.B. ... | 23.2 | 21.3 |
| Midland ... | 22.0 | 20.9 | 20.0 | Liverpool C.B. ... | 28.5 | 26.5 |
| Eastern ... | 17.6 | 16.7 | 15.9 | London Admin. County ... | 21.1 | 21.8 |
| London and South Eastern ... | 19.2 | 19.6 | 18.6 | Islington Met. B. ... | 19.1 | 19.4 |
| Southern ... | 19.5 | 19.2 | 17.5 | Lambeth Met. B. ... | 19.1 | 25.4 |
| South Western... .. | 19.6 | 18.6 | 17.6 | Lewisham Met. B. ... | 18.9 | 23.0 |
| Wales ... | 25.3 | 24.6 | 24.3 | Wandsworth Met. B. ... | 19.6 | 19.7 |
| <i>Towns with population over 200,000</i> | | | | Manchester C.B. ... | 30.4 | 29.5 |
| Birmingham C.B. ... | 22.4 | 23.5 | 21.2 | Newcastle on Tyne C.B. ... | 22.3 | 22.5 |
| Bradford C.B. ... | 26.9 | 27.0 | 27.0 | Nottingham C.B. ... | 24.7 | 25.7 |
| Bristol C.B. ... | 20.8 | 20.5 | 18.4 | Plymouth C.B. ... | 21.0 | 20.2 |
| Cardiff C.B. ... | 26.3 | 24.6 | 21.7 | Portsmouth C.B. ... | 21.6 | 25.6 |
| Coventry C.B. ... | 24.6 | 20.3 | 21.1 | Sheffield C.B.... | 20.2 | 22.2 |
| | | | | Southampton C.B. ... | 20.1 | 19.9 |
| | | | | Stoke-on-Trent C.B. ... | 22.7 | 19.6 |

†Provisional figures.

APPENDIX E
Populations, births (distinguishing stillbirths) and deaths (distinguishing deaths from certain causes) in the year 1964
London A.C. and certain cities abroad

| CITIES | POPULATION (enumerated or estimated) | LIVE BIRTHS | STILLBIRTHS | DEATHS (excluding Stillbirths) | Rate per 1,000 living | | Deaths from | | | | | | | | | |
|-------------------|--|-------------|-------------|--------------------------------------|--------------------------|--|--------------------------------------|----------|-------------------|------------|-----------------------------|-----------|------------------------|----------------------------|--|--|
| | | | | | Live Births | Deaths (exclud- ing Still- births) | Typhoid and paratyphoid fevers | Smallpox | Whooping cough | Diphtheria | Tuberculosis (all forms) | Influenza | Acute poliomyelitis | Enteritis and diarrhoea | | |
| LONDON A.C. ... | 3,184,600 | 63,758 | 964 | 35,056 | 20.0 | 11.0 | 7 | — | 36 | — | 2,518 | 982 | 7 | 357 | | |
| *AUCKLAND ... | 499,700 | 12,082 | 155 | 4,381 | 24.8 | 8.8 | † | † | † | † | † | † | † | † | | |
| BOMBAY ... | 4,538,000 | 132,592 | 4,334 | 45,161 | 29.2 | 10.0 | 42 | 212 | 17 | 115 | 3,936 | 18 | 59 | † | | |
| BRISBANE ... | 660,500 | 13,426 | 120 | 6,618 | 20.1 | 9.9 | — | — | — | — | 36 | 19 | — | — | | |
| CALCUTTA ... | 2,973,000 | 66,480 | 2,200 | 31,533 | 22.4 | 10.6 | 201 | 47 | 6 | 453 | 2,012 | 28 | 13 | 933 | | |
| *CHRISTCHURCH ... | 237,600 | 5,023 | 60 | 2,487 | 21.1 | 10.5 | † | † | † | † | † | † | † | † | | |
| COPENHAGEN ... | 717,000 | 12,210 | 108 | 8,652 | 17.0 | 12.1 | — | — | 1 | — | 62 | 14 | — | — | | |
| GOTHENBURG ... | 414,862 | † | † | 3,901 | † | 9.4 | † | † | — | — | 19 | — | — | — | | |
| HELSINKI ... | 494,300 | 8,800 | 86 | 4,743 | 17.8 | 9.6 | † | † | † | † | † | † | † | † | | |
| OSLO ... | 485,000 | 6,764 | 81 | 5,205 | 13.9 | 10.8 | — | — | 1 | — | 20 | 2 | — | † | | |
| ROME ... | 2,450,000 | 54,452 | 920 | 19,244 | 22.2 | 7.9 | 3 | — | 7 | 6 | 388 | 9 | 13 | 50 | | |
| STOCKHOLM ... | 798,000 | 10,652 | 120 | 8,684 | 13.3 | 10.9 | — | — | — | — | 75 | 2 | — | 1 | | |
| *WELLINGTON ... | 267,400 | 6,479 | 68 | 2,125 | 24.2 | 7.9 | † | † | † | † | † | † | † | † | | |
| ZURICH ... | 442,440 | 5,746 | 89 | 4,403 | 13.0 | 10.0 | — | — | — | — | 31 | 12 | — | 2 | | |

* See footnote to Table IX.

† Figures not available.

© Crown copyright 1965
 Printed in England by Stephenson Newspapers Limited
 and published by
 HER MAJESTY'S STATIONERY OFFICE

No. 466

2nd Quarter 1965

GENERAL REGISTER OFFICE

THE REGISTRAR GENERAL'S
QUARTERLY RETURN FOR
ENGLAND AND WALES

THE ROYAL SOCIETY
for the Promotion
OF HEALTH
LIBRARY

**BIRTHS, DEATHS AND
MARRIAGES
INFECTIOUS DISEASES
WEATHER
POPULATION ESTIMATES**

Quarter ended 30th June 1965



LONDON

HER MAJESTY'S STATIONERY OFFICE
1965

PRICE 2s. 6d. NET

TABLE OF CONTENTS

Pa

| | |
|-------------------------------|--|
| General Notes | |
| Special Notes | |
| Correction..... | |
| Non-Quarterly Statistics..... | |
| Notes on the Quarter..... | |

Births, Deaths, Marriages and Infectious Diseases

| | |
|------------|---|
| Table I | Live births and stillbirths—occurrences during the period. Marriages and deaths—total numbers registered. Years 1955 to 1965 and each quarter of those years. England and Wales |
| Table II | Persons marrying, live births—annual rates per 1,000 total population. Deaths—annual rates per 1,000 home population. Stillbirths and perinatal mortality—rates per 1,000 total live and still birth occurrences. Deaths under 1 year and deaths under 4 weeks—rates per 1,000 live birth occurrences. Years 1955 to 1965 and each quarter of those years. England and Wales..... |
| Table IIa | Seasonally adjusted quarterly live birth occurrences—numbers (in thousands) and annual rates per 1,000 population, 1951 to 1965. England and Wales..... |
| Table III | Live births, stillbirths and deaths—total numbers registered. Live births and deaths—annual rates per 1,000 population. Stillbirths and perinatal mortality—rates per 1,000 total live and still births. Infant mortality rates per 1,000 live births. Last five quarters. England and Wales, planning regions and hospital regions..... |
| Table IV | Notifications of certain infectious diseases in the quarter. England and Wales, counties, county boroughs, Greater London, City of London, London boroughs and port health districts..... |
| Table IVa | Corrected notifications of certain infectious diseases in the preceding quarter, analysed by sex and age. England and Wales |
| Table V | Infant mortality. Rates by quarters and each completed year, 1962 to 1965. England and Wales and various other countries |
| Table VI | Deaths by cause and sex, 1963 and 1964, and in each of the last nine available quarters, classified according to the International Abbreviated List with certain sub-divisions. England and Wales |
| Table VII | Accidental deaths registered in the quarter, analysed by sex and age, with totals for the corresponding quarter of the previous year. England and Wales..... |
| Table VIII | Numbers of insured persons absent from work owing to certified sickness or industrial injury (or prescribed disease). England and Wales and standard regions... |
| Table IX | Population, births (distinguishing stillbirths) and deaths (distinguishing deaths from certain causes) in the last two quarters. Greater London (London Administrative County for the first quarter of 1965) and certain cities abroad..... |

Meteorology

| | |
|---------|--|
| Table X | Values of air temperature, rainfall and sunshine for the quarter, expressed as differences from, or percentages of, the average values. Districts of England and Wales |
|---------|--|

Appendices

| | |
|---|---|
| A | Abridged life table, 1962-64. Home population. England and Wales |
| B | Causes of death by sex and age-groups, 1964, classified in accordance with the Abridged List. England and Wales..... |
| C | Final revision of home population estimates, by age and sex, as at 30th June, 1961, 1962, 1963 and 1964. England and Wales, standard regions and conurbations ... |

| | | |
|---|--|----|
| D | Estimated home population of regions of England and Wales and countries of the United Kingdom at mid-1964, with projections for 1971 and 1981..... | 34 |
| E | Years of life lost due to mortality from certain causes..... | 36 |
| F | Changes in boundaries, names, etc., of counties, boroughs, urban districts and rural districts during the six months ended 30th June 1965 | 37 |

GENERAL NOTES

1. The figures in this return are provisional until confirmed in the Statistical Reviews. Births and deaths are tabulated from returns furnished to the Registrar General by Registrars of Births and Deaths; marriages from returns furnished by the Clergy, Authorised Persons, Registrars of Marriages and others; and notifications of infectious diseases (Tables IV and IVa) from special quarterly statements furnished to the Registrar General by Medical Officers of Health. Owing to the time required to obtain complete marriage returns for a quarter, the latest marriage figures available for inclusion in this return relate to the *preceding* quarter.

2. Definitions of areas. "Counties"=administrative counties together with their associated county boroughs; "Greater London"=the Greater London administrative area as defined under the London Government Act, 1963, comprising 32 London boroughs, and the City of London including the Inner and Middle Temple; "Inner London"=the City of London and the twelve inner London boroughs so defined under the above Act (this area is comparable with the former London administrative county except for the exclusion of a small part of the former Woolwich Metropolitan Borough); "London A.C."=administrative county of London which consisted of the City of London (including the Inner and Middle Temple) and the Metropolitan Boroughs; "C.B."=county borough; "M.B."=municipal borough; "U.D."=urban district; "R.D."= rural district.

3. The **home** population comprises the population, of all types, actually in England and Wales, distributed by area according to residence. The **total** population comprises the **home** population plus members of H.M. Forces belonging to England and Wales and serving overseas but minus the forces of other countries temporarily in England and Wales.

4. Non-civilians are included in all figures except where otherwise stated.

5. The births recorded for England and Wales in Table I are those which **occurred** during the period. The numbers **registered** are shown in Table III. In some non-quarterly statistics (*see* page 4) births are assigned to the area of the mother's usual residence.

6. The deaths recorded for England and Wales are the numbers **registered** during the period. In some non-quarterly statistics (*see* page 4) they are assigned to the area of usual residence of the deceased.

7. The notifications of infectious diseases have been corrected for changes in diagnosis by the notifying medical practitioner or the medical superintendent of the infectious diseases hospital.

SPECIAL NOTES

Commencing with this Return changes have been made in the presentation of Tables I and II as follows:

Table I Numbers of live and still births now relate to those that occurred instead of those registered in the period.

Table II Rates for persons marrying and live birth occurrences are per 1,000 *total* instead of *home* population.

Rates for stillbirths and perinatal mortality are per 1,000 total live and still birth occurrences.

Rates for infant and neonatal mortality are per 1,000 live birth occurrences.

The estimated *total* populations (in thousands) are now included in this table.

CORRECTIONS

The Registrar General's Quarterly Return for England and Wales
Quarter ended 31st March 1965, No. 465

Page 16. Table IV. Measles. Totals *for* 257,370 and 257,290
read 249,598 and 249,411
London A.C. *for* 25,567 *read* 17,688

NON-QUARTERLY STATISTICS

Certain non-quarterly information is published in the Quarterly Return as stated below:

Half-Yearly

June and December Returns

Lists of the changes in boundaries, names, etc., of local authority areas during the six months ending 30th June and 31st December respectively.

Yearly

March Return

- (1) Estimated home population as at 30th June, marriages, births (distinguishing stillbirths) and deaths (distinguishing deaths of infants under 1 year of age) registered in England and Wales during the preceding year, showing those assigned to each administrative county (with associated county boroughs).
- (2) Estimated home population as at 30th June for the preceding year, births (distinguishing stillbirths), deaths (distinguishing deaths of infants under 1 year of age and deaths from certain causes) registered in England and Wales during the preceding year, showing those assigned to municipal boroughs and urban districts with a resident population of 25,000 and over at the Census, 1961, county boroughs, Greater London, City of London and London boroughs, with comparative figures for four Scottish and Irish towns.
- (3) Deaths registered during the preceding year and assigned to Greater London, analysed by cause and age.
- (4) Infant mortality in England and Wales, planning regions and certain large towns in the preceding three years.
- (5) Populations, births (distinguishing stillbirths) and deaths (distinguishing deaths from certain causes) for the preceding year in Greater London and certain cities abroad.
- (6) Births registered in the preceding year by sex and legitimacy and the illegitimacy rate.

June Return

- (1) A presentation of mortality from certain causes in the preceding year in terms of the resulting loss in expected years of life.
- (2) Deaths registered in the preceding year in England and Wales distinguishing 36 causes of death (Registrar General's Abridged List) by sex and age.
- (3) An abridged life table constructed from the estimated home population and deaths in England and Wales for the preceding three years.

September Return

- (1) Estimates of the sex and age distribution of the total, home and civilian populations of England and Wales as a whole as at 30th June.
- (2) Occupations of intending long-term migrants travelling by sea and air routes in the calendar year, United Kingdom.
- (3) Migration into and out of the total population, by sex, age and marital condition, England and Wales.

December Return

- (1) A textual summary of the vital statistics of England and Wales for the year then ended.
- (2) A table showing the home population of England and Wales and each planning region and conurbation by sex and age as at 30th June.
- (3) Projections of the total populations for England and Wales by sex and age as at 30th June.
- (4) Home populations of each hospital region in England and Wales by sex and age as at 30th June.
- (5) Movements of intending long-term migrants by sea and air routes between the United Kingdom and the rest of the world (excluding the Irish Republic).
- (6) Estimated population, as at 30th June, of children aged under 1 year, 1-4 years and 5-14 years, in England and Wales and in administrative counties, county boroughs, Greater London, City of London and London boroughs.

NOTES ON THE SECOND QUARTER OF 1965, ENGLAND AND WALES

Live Births

There were 220,000 live births during this quarter, representing a live birth rate based on the total population for mid-1964 of 18·6 per thousand. Table II(a) indicates that the number of seasonally adjusted births which was steady in the later part of 1964, fell in the first half of 1965.

Stillbirths

The 3,500 stillbirth occurrences represent 15·7 per 1,000 of the total live and still births. This rate is 0·7 lower than that for the second quarter of 1964.

Deaths

The number of deaths registered was 129,817, representing a death rate, based on the 1964 home population, of 11·0 per 1,000. The rate for the corresponding quarter of 1964 was 10·8 and the average death rate for the second quarters of the five years 1959-63 was 10·9.

The deaths of children under one year of age numbered 4,050, representing an infant mortality rate of 18·4 per 1,000 live births; this is the lowest recorded for the second quarter of any year and compares with a rate of 24·1 for the corresponding quarter of 1955.

The death rates from tuberculosis (all forms), pneumonia and acute poliomyelitis per million population, with comparative rates for the preceding five quarters, were as follows:—

| Quarter | Tuberculosis (all forms) | | Pneumonia | | Acute Poliomyelitis | |
|---------|-----------------------------|-------------------|--------------|-------------------|------------------------|-------------------|
| | Un-corrected | Corrected | Un-corrected | Corrected | Un-corrected | Corrected |
| 1964 | | | | | | |
| First | 68 | 65 | 1094 | 934 | 0·3 | 0·2 |
| Second | 51 | 52 | 668 | 574 | 0·1 | 0·1 |
| Third | 43 | 44 | 495 | 404 | — | — |
| Fourth | 50 | 49 | 745 | 630 | 0·3 | 0·1 |
| 1965 | | | | | | |
| First | 53 | 54 | 1033 | 919 | 0·1 | — |
| Second | 47 | Not yet available | 729 | Not yet available | — | Not yet available |

There were no cases of smallpox notified and no deaths from this cause registered during the quarter.

Natural Increase

The births exceeded the deaths by 90,183. Corresponding figures for the second quarters of 1964, 1963 and 1962 were 98,867, 92,041 and 88,233 respectively.

TABLE 1

Live births and stillbirths: occurrences during the period
Marriages, deaths: total numbers registered

Years 1955 to 1965 and each quarter of those years, England and Wales

| — | 1955 | 1956 | 1957 | 1958 | 1959 | 1960 | 1961 | 1962 | 1963 | 1964 (a) | 1965 (b) |
|---|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|
| MARRIAGES | | | | | | | | | | | |
| Year ... | 357,918 | 352,944 | 346,903 | 339,913 | 340,126 | 343,614 | 346,678 | 347,732 | 351,329 | 358,548 | |
| March Qtr. | 100,696 | 107,122 | 110,092 | 102,629 | 101,430 | 88,944 | 84,448 | 100,925 | 97,309 | 97,493 | 97,400 |
| June " | 74,763 | 68,821 | 65,804 | 66,211 | 63,281 | 72,895 | 76,169 | 63,072 | 63,564 | 68,380 | (b) |
| September " | 106,691 | 106,923 | 103,617 | 101,698 | 102,591 | 103,580 | 112,367 | 107,677 | 110,985 | 110,936 | |
| December " | 75,768 | 70,078 | 67,390 | 69,375 | 72,824 | 78,195 | 73,694 | 76,058 | 79,471 | 81,739 | |
| LIVE BIRTHS | | | | | | | | | | | |
| Year ... | 667,811 | 700,335 | 723,381 | 740,715 | 748,501 | 785,005 | 811,281 | 838,736 | 854,055 | 875,972 | |
| March Qtr. | 168,382 | 178,893 | 181,794 | 189,942 | 193,202 | 197,614 | 203,306 | 213,590 | 218,830 | 222,986 | 218,900 |
| June " | 172,483 | 181,375 | 187,797 | 189,019 | 194,103 | 200,374 | 207,540 | 216,914 | 221,054 | 225,880 | 220,000 |
| September " | 165,670 | 174,445 | 179,112 | 180,266 | 185,684 | 196,674 | 204,067 | 208,971 | 212,257 | 219,778 | |
| December " | 161,276 | 165,622 | 174,678 | 181,488 | 175,512 | 190,343 | 196,368 | 199,261 | 201,914 | 207,328 | |
| STILLBIRTHS | | | | | | | | | | | |
| Year ... | 15,829 | 16,405 | 16,615 | 16,288 | 15,901 | 15,819 | 15,727 | 15,464 | 14,989 | 14,546 | |
| March Qtr. | 4,058 | 4,340 | 4,289 | 4,195 | 4,226 | 4,017 | 4,004 | 4,106 | 4,039 | 3,794 | 3,590 |
| June " | 3,948 | 4,199 | 4,249 | 4,041 | 4,171 | 4,118 | 3,862 | 3,936 | 3,768 | 3,771 | 3,500 |
| September " | 3,909 | 3,969 | 4,046 | 3,992 | 3,876 | 3,869 | 3,846 | 3,767 | 3,542 | 3,564 | |
| December " | 3,914 | 3,897 | 4,031 | 4,060 | 3,628 | 3,815 | 4,015 | 3,655 | 3,640 | 3,417 | |
| DEATHS (excluding stillbirths): ALL AGES | | | | | | | | | | | |
| Year ... | 518,864 | 521,331 | 514,870 | 526,843 | 527,651 | 526,268 | 551,752 | 557,636 | 572,868 | 534,737 | |
| March Qtr. | 168,645 | 170,292 | 134,557 | 163,595 | 176,880 | 149,037 | 177,043 | 178,210 | 196,875 | 156,072 | 157,180 |
| June " | 124,230 | 120,059 | 118,122 | 124,169 | 120,172 | 124,338 | 125,194 | 128,681 | 129,013 | 127,013 | 129,817 |
| September " | 101,677 | 104,131 | 110,037 | 105,629 | 103,397 | 112,477 | 110,747 | 110,688 | 113,918 | 113,551 | |
| December " | 124,312 | 126,849 | 152,154 | 133,450 | 127,202 | 140,416 | 138,768 | 140,057 | 133,062 | 138,101 | |
| INFANT MORTALITY (deaths of infants under 1 year of age) | | | | | | | | | | | |
| Year ... | 16,613 | 16,554 | 16,720 | 16,685 | 16,629 | 17,118 | 17,393 | 18,187 | 18,042 | 17,445 | |
| March Qtr. | 4,852 | 4,939 | 4,467 | 4,851 | 4,810 | 4,598 | 4,908 | 5,397 | 5,330 | 4,803 | 4,601 |
| June " | 4,155 | 4,083 | 4,062 | 4,090 | 4,103 | 4,143 | 4,244 | 4,527 | 4,288 | 4,483 | 4,050 |
| September " | 3,605 | 3,525 | 3,873 | 3,651 | 3,631 | 3,850 | 3,851 | 3,854 | 3,946 | 3,871 | |
| December " | 4,001 | 4,007 | 4,318 | 4,093 | 4,085 | 4,527 | 4,390 | 4,409 | 4,478 | 4,288 | |
| NEONATAL MORTALITY (deaths of infants under 4 weeks of age) | | | | | | | | | | | |
| Year ... | 11,516 | 11,779 | 11,904 | 11,970 | 11,881 | 12,191 | 12,443 | 12,656 | 12,173 | 12,106 | |
| March Qtr. | 3,081 | 3,210 | 3,028 | 3,134 | 3,153 | 3,154 | 3,229 | 3,433 | 3,260 | 3,105 | 2,864 |
| June " | 2,970 | 2,981 | 2,987 | 3,026 | 3,034 | 2,997 | 3,140 | 3,246 | 3,100 | 3,194 | (b) |
| September " | 2,760 | 2,706 | 2,902 | 2,853 | 2,792 | 2,959 | 2,971 | 2,917 | 2,910 | 2,922 | |
| December " | 2,705 | 2,882 | 2,987 | 2,957 | 2,902 | 3,081 | 3,103 | 3,060 | 2,903 | 2,885 | |
| PERINATAL MORTALITY (stillbirths and deaths of infants under 1 week of age) | | | | | | | | | | | |
| Year ... | 25,579 | 26,334 | 26,792 | 26,502 | 26,070 | 26,292 | 26,495 | 26,352 | 25,487 | 25,083 | |
| March Qtr. | 6,563 | 6,976 | 6,822 | 6,793 | 6,851 | 6,676 | 6,766 | 7,021 | 6,792 | 6,454 | 6,053 |
| June " | 6,461 | 6,737 | 6,836 | 6,616 | 6,803 | 6,693 | 6,611 | 6,737 | 6,456 | 6,555 | 5,998 |
| September " | 6,350 | 6,297 | 6,553 | 6,468 | 6,280 | 6,451 | 6,423 | 6,323 | 6,097 | 6,135 | |
| December " | 6,205 | 6,324 | 6,581 | 6,625 | 6,136 | 6,472 | 6,695 | 6,271 | 6,142 | 5,939 | |

(a) Provisional.

(b) Not yet available.

(c) The number of infant deaths in provisional returns has recently tended to be understated; the figure has been adjusted by an estimated amount of the deficiency.

TABLE II

Persons marrying, live births: annual rates per 1,000 total population

Deaths: annual rates per 1,000 home population

Stillbirths, perinatal mortality: rates per 1,000 total live and stillbirth occurrences

Infant mortality, neonatal mortality: rates per 1,000 live birth occurrences*

Years 1955 to 1965 and each quarter of those years. England and Wales

| Estimated populations in thousands | 1955 | 1956 | 1957 | 1958 | 1959 | 1960 | 1961 | 1962 | 1963 | 1964 (a) | 1965 (a) |
|--|--------|--------|--------|--------|--------|--------|--------|--------|--------|----------|----------|
| Total ... | 44,623 | 44,821 | 45,043 | 45,244 | 45,504 | 45,862 | 46,308 | 46,807 | 47,129 | 47,511 | (d) |
| Home ... | 44,441 | 44,667 | 44,907 | 45,109 | 45,386 | 45,755 | 46,205 | 46,709 | 47,028 | 47,401 | |
| Year ... | 1955 | 1956 | 1957 | 1958 | 1959 | 1960 | 1961 | 1962 | 1963 | 1964 (a) | 1965 (a) |
| PERSONS MARRYING | | | | | | | | | | | |
| Year ... | 16.0 | 15.7 | 15.4 | 15.0 | 14.9 | 15.0 | 15.0 | 14.9 | 14.9 | 15.1 | |
| March Qtr. | 18.3 | 19.2 | 19.8 | 18.4 | 18.1 | 15.6 | 14.8 | 17.5 | 16.7 | 16.5 | 16.6 |
| June " | 13.4 | 12.4 | 11.7 | 11.7 | 11.2 | 12.8 | 13.2 | 10.8 | 10.8 | 11.6 | (b) |
| September " | 19.0 | 19.0 | 18.3 | 17.8 | 17.9 | 18.0 | 19.3 | 18.3 | 18.7 | 18.6 | |
| December " | 13.5 | 12.4 | 11.9 | 11.2 | 12.7 | 13.6 | 12.6 | 12.9 | 13.4 | 13.7 | |
| LIVE BIRTHS | | | | | | | | | | | |
| Year ... | 15.0 | 15.6 | 16.1 | 16.4 | 16.4 | 17.1 | 17.5 | 17.9 | 18.1 | 18.4 | |
| March Qtr. | 15.3 | 16.1 | 16.4 | 17.0 | 17.2 | 17.3 | 17.8 | 18.5 | 18.8 | 18.9 | 18.7 |
| June " | 15.5 | 16.3 | 16.7 | 16.8 | 17.1 | 17.6 | 18.0 | 18.6 | 18.8 | 19.1 | 18.6 |
| September " | 14.7 | 15.5 | 15.8 | 15.8 | 16.2 | 17.1 | 17.5 | 17.7 | 17.9 | 18.4 | |
| December " | 14.3 | 14.7 | 15.4 | 15.9 | 15.3 | 16.5 | 16.8 | 16.9 | 17.0 | 17.4 | |
| STILLBIRTHS | | | | | | | | | | | |
| Year ... | 23.2 | 22.9 | 22.5 | 21.5 | 20.8 | 19.8 | 19.0 | 18.1 | 17.2 | 16.3 | |
| March Qtr. | 23.5 | 23.7 | 23.0 | 21.6 | 21.4 | 19.9 | 19.3 | 18.9 | 18.1 | 16.7 | 16.1 |
| June " | 22.4 | 22.6 | 22.1 | 20.9 | 21.0 | 20.1 | 18.3 | 17.8 | 16.8 | 16.4 | 15.7 |
| September " | 23.1 | 22.2 | 22.1 | 21.7 | 20.4 | 19.3 | 18.5 | 17.7 | 16.4 | 16.0 | |
| December " | 23.7 | 23.0 | 22.6 | 21.9 | 20.3 | 19.6 | 20.0 | 18.0 | 17.7 | 16.2 | |
| DEATHS (excluding stillbirths): ALL AGES | | | | | | | | | | | |
| Year ... | 11.7 | 11.7 | 11.5 | 11.7 | 11.6 | 11.5 | 11.9 | 11.9 | 12.2 | 11.3 | |
| March Qtr. | 15.4 | 15.3 | 12.2 | 14.7 | 15.8 | 13.1 | 15.5 | 15.5 | 17.0 | 13.2 | 13.4 |
| June " | 11.2 | 10.8 | 10.6 | 11.0 | 10.6 | 10.9 | 10.9 | 11.1 | 11.0 | 10.8 | 11.0 |
| September " | 9.1 | 9.3 | 9.7 | 9.3 | 9.0 | 9.8 | 9.5 | 9.4 | 9.6 | 9.5 | |
| December " | 11.1 | 11.3 | 13.4 | 11.7 | 11.1 | 12.2 | 11.9 | 11.9 | 11.2 | 11.6 | |
| INFANT MORTALITY (deaths of infants under 1 year of age) | | | | | | | | | | | |
| Year ... | 24.9 | 23.8 | 23.1 | 22.5 | 22.2 | 21.8 | 21.4 | 21.7 | 21.1 | 19.9 | |
| March Qtr. | 28.8 | 27.6 | 24.6 | 25.5 | 24.9 | 23.3 | 24.1 | 25.3 | 24.4 | 21.5 | 21.0(c) |
| June " | 24.1 | 22.5 | 21.6 | 21.6 | 21.1 | 20.7 | 20.4 | 20.9 | 19.4 | 19.8 | 18.4(c) |
| September " | 21.8 | 20.2 | 21.6 | 20.3 | 19.6 | 19.6 | 18.9 | 18.4 | 18.6 | 17.6 | |
| December " | 24.8 | 24.2 | 24.7 | 22.6 | 23.3 | 23.8 | 22.4 | 22.1 | 22.2 | 20.7 | |
| NEONATAL MORTALITY (deaths of infants under 4 weeks of age) | | | | | | | | | | | |
| Year ... | 17.3 | 16.8 | 16.5 | 16.2 | 15.9 | 15.5 | 15.3 | 15.1 | 14.3 | 13.8 | |
| March Qtr. | 18.3 | 18.0 | 16.7 | 16.5 | 16.3 | 16.0 | 15.9 | 16.1 | 14.9 | 13.9 | 13.1 |
| June " | 17.2 | 16.4 | 15.9 | 16.0 | 15.6 | 15.0 | 15.1 | 15.0 | 14.0 | 14.1 | (b) |
| September " | 16.7 | 15.5 | 16.2 | 15.8 | 15.0 | 15.0 | 14.6 | 14.0 | 13.7 | 13.3 | |
| December " | 16.8 | 17.4 | 17.1 | 16.3 | 16.5 | 16.2 | 15.8 | 15.4 | 14.4 | 13.9 | |
| PERINATAL MORTALITY (stillbirths and deaths of infants under 1 week of age) | | | | | | | | | | | |
| Year ... | 37.4 | 36.7 | 36.2 | 35.0 | 34.1 | 32.8 | 32.0 | 30.8 | 29.3 | 28.2 | |
| March Qtr. | 38.1 | 38.1 | 36.7 | 35.0 | 34.7 | 33.1 | 32.6 | 32.3 | 30.5 | 28.5 | 27.2 |
| June " | 36.6 | 36.3 | 35.6 | 34.3 | 34.3 | 32.7 | 31.3 | 30.5 | 28.7 | 28.5 | 26.8 |
| September " | 37.4 | 35.3 | 35.8 | 35.1 | 33.1 | 32.2 | 30.9 | 29.7 | 28.3 | 27.5 | |
| December " | 37.6 | 37.3 | 36.8 | 35.7 | 34.3 | 33.3 | 33.4 | 30.9 | 29.9 | 28.2 | |

Based on related live births up to and including 1956. Rates for subsequent periods are based on the live births of the period.

a) Provisional.

b) Not yet available.

c) See footnote (c) to Table I.

d) Provisional rates based on 1964 population.

TABLE II (a)

Seasonally adjusted * quarterly live birth occurrences : numbers (in thousands) and annual rates per 1,000 population, 1951 to 1965

England and Wales

| Year | QUARTER | | | | | | | |
|-------|---------|-------|--------|-------|-------|------|--------|------|
| | First | | Second | | Third | | Fourth | |
| | No. | Rate | No. | Rate | No. | Rate | No. | Rate |
| 1951 | 169.1 | 15.7 | 171.2 | 15.7 | 170.2 | 15.4 | 167.0 | 15.1 |
| 1952 | 167.4 | 15.3 | 165.2 | 15.1 | 169.9 | 15.4 | 171.3 | 15.5 |
| 1953 | 166.7 | 15.3 | 172.4 | 15.7 | 174.6 | 15.7 | 170.7 | 15.4 |
| 1954 | 167.6 | 15.4 | 168.4 | 15.3 | 168.4 | 15.1 | 169.2 | 15.2 |
| 1955 | 163.1 | 14.9 | 164.6 | 14.9 | 168.0 | 15.0 | 172.0 | 15.4 |
| 1956 | 172.9 | 15.6 | 173.7 | 15.6 | 177.5 | 15.8 | 176.3 | 15.7 |
| 1957 | 175.5 | 15.8 | 180.1 | 16.1 | 182.4 | 16.1 | 185.4 | 16.4 |
| 1958 | 183.2 | 16.5 | 181.6 | 16.1 | 183.4 | 16.1 | 192.4 | 16.9 |
| 1959 | 186.6 | 16.7 | 187.1 | 16.5 | 188.6 | 16.5 | 186.3 | 16.3 |
| 1960 | 190.7 | 16.8 | 193.2 | 17.0 | 199.1 | 17.3 | 202.0 | 17.6 |
| 1961 | 196.1 | 17.2 | 200.1 | 17.4 | 206.4 | 17.7 | 208.8 | 17.9 |
| 1962 | 206.0 | 17.9 | 209.1 | 18.0 | 211.5 | 18.0 | 212.2 | 18.0 |
| 1963 | 211.1 | 18.2 | 213.0 | 18.2 | 214.8 | 18.1 | 215.2 | 18.2 |
| 1964 | 215.5 | 18.3 | 217.5 | 18.5 | 222.1 | 18.6 | 220.9 | 18.5 |
| 1965† | 212 | 18.1‡ | 212 | 17.9‡ | | | | |

* The original figures for occurrences have been adjusted by removing the estimated regular seasonal fluctuations so that the trend and any random variations are left. Some refinement of the method of seasonal adjustment has produced slight revisions in the figures shown throughout the table, when compared with the corresponding table in the Quarterly Return for the Quarter ended 31st December, 1964.

† The 1965 figures are only approximate, the number of registrations for this year, themselves provisional, have been roughly adjusted and the resulting figures are liable to considerable revision.

‡ Provisional rates based on mid-1964 population.

The rates shown above are illustrated in the following diagram—




TABLE III

Live births, stillbirths, deaths: total numbers registered

Live births, deaths: annual rates per 1,000 population

Stillbirths, perinatal mortality: rates per 1,000 total live and still births

Infant mortality: rates per 1,000 live births

Last five quarters. England and Wales, planning regions and hospital regions*

| | NUMBERS | | | | | RATES | | | | |
|------------------------------|---------|---------|---------|---------|---------|-------|-------|------|------|------|
| | 1964 | | | 1965 | | 1964 | | | 1965 | |
| | June | Sept. | Dec. | Mar. | June | June | Sept. | Dec. | Mar. | June |
| LIVE BIRTHS | | | | | | | | | | |
| ENGLAND AND WALES | 228,277 | 222,317 | 204,160 | 222,951 | 219,542 | 19.4 | 18.7 | 17.1 | 19.1 | 18.6 |
| Planning regions: | | | | | | | | | | |
| Northern | 15,228 | 15,466 | 14,494 | 15,281 | 14,674 | 18.6 | 18.6 | 17.5 | 18.8 | 17.8 |
| Yorkshire and Humberside ... | 22,895 | 22,161 | 20,300 | 22,167 | 21,588 | 19.7 | 18.8 | 17.2 | 19.2 | 18.5 |
| North Western | 33,048 | 32,173 | 29,982 | 32,026 | 31,178 | 19.9 | 19.2 | 17.9 | 19.5 | 18.8 |
| East Midlands | 15,896 | 15,131 | 13,889 | 15,602 | 15,284 | 19.8 | 18.6 | 17.1 | 19.6 | 18.9 |
| West Midlands | 24,924 | 24,416 | 22,108 | 24,893 | 23,953 | 20.4 | 19.7 | 17.9 | 20.5 | 19.5 |
| Eastern | 19,757 | 19,161 | 17,104 | 17,412 | 18,933 | 19.9 | 19.1 | 17.1 | 17.7 | 19.0 |
| London and South Eastern ... | 52,774 | 51,214 | 46,976 | 52,438 | 51,271 | 18.7 | 18.0 | 16.5 | 18.8 | 18.1 |
| Southern | 14,924 | 14,439 | 13,239 | 14,692 | 14,963 | 20.4 | 19.5 | 17.9 | 20.2 | 20.4 |
| South Western | 16,579 | 16,021 | 14,881 | 16,377 | 16,123 | 18.3 | 17.5 | 16.3 | 18.2 | 17.8 |
| Wales | 12,252 | 12,135 | 11,187 | 12,063 | 11,575 | 18.4 | 18.0 | 16.6 | 18.3 | 17.3 |
| Hospital regions: | | | | | | | | | | |
| Newcastle | 14,230 | 14,371 | 13,587 | 14,285 | 13,930 | 18.7 | 18.7 | 17.7 | 18.9 | 18.3 |
| Leeds | 15,225 | 14,763 | 13,448 | 14,563 | 14,034 | 19.4 | 18.6 | 16.9 | 18.7 | 17.8 |
| Sheffield | 22,124 | 21,246 | 19,532 | 21,818 | 20,923 | 19.8 | 18.8 | 17.3 | 19.7 | 18.6 |
| East Anglian | 7,446 | 7,331 | 6,617 | 7,345 | 7,200 | 18.7 | 18.2 | 16.4 | 18.6 | 18.0 |
| North West Metropolitan ... | 21,114 | 20,507 | 18,400 | 15,587 | 18,846 | 20.1 | 19.3 | 17.3 | 15.0 | 17.9 |
| North East Metropolitan ... | 15,900 | 15,456 | 14,188 | 18,961 | 15,992 | 19.4 | 18.7 | 17.1 | 23.3 | 19.5 |
| South East Metropolitan ... | 15,939 | 15,387 | 14,085 | 17,694 | 14,368 | 18.7 | 17.9 | 16.3 | 20.9 | 16.8 |
| South West Metropolitan ... | 14,574 | 14,016 | 12,830 | 12,624 | 16,295 | 18.1 | 17.2 | 15.8 | 15.8 | 20.2 |
| Oxford | 9,211 | 8,927 | 8,182 | 9,139 | 9,370 | 21.2 | 20.3 | 18.6 | 21.2 | 21.5 |
| South Western | 13,511 | 12,974 | 11,949 | 13,327 | 13,375 | 18.3 | 17.3 | 16.0 | 18.2 | 18.0 |
| Welsh | 12,252 | 12,135 | 11,187 | 12,063 | 11,575 | 18.4 | 18.0 | 16.6 | 18.3 | 17.3 |
| Birmingham | 24,924 | 24,416 | 22,108 | 24,893 | 23,953 | 20.4 | 19.7 | 17.9 | 20.5 | 19.5 |
| Manchester | 21,309 | 20,781 | 19,555 | 21,017 | 20,100 | 19.1 | 18.4 | 17.3 | 18.9 | 17.9 |
| Liverpool | 11,924 | 11,600 | 10,615 | 11,199 | 11,317 | 21.6 | 20.8 | 19.1 | 20.5 | 20.5 |
| Wessex | 8,594 | 8,407 | 7,877 | 8,436 | 8,264 | 18.7 | 18.1 | 16.9 | 18.5 | 17.9 |
| STILLBIRTHS | | | | | | | | | | |
| ENGLAND AND WALES | 3,801 | 3,562 | 3,400 | 3,618 | 3,523 | 16.4 | 15.8 | 16.4 | 16.0 | 15.8 |
| Planning regions: | | | | | | | | | | |
| Northern | 308 | 260 | 291 | 276 | 276 | 19.8 | 16.5 | 19.7 | 17.7 | 18.5 |
| Yorkshire & Humberside ... | 398 | 396 | 352 | 375 | 328 | 17.1 | 17.6 | 17.0 | 16.6 | 15.0 |
| North Western | 629 | 603 | 536 | 593 | 572 | 18.7 | 18.4 | 17.6 | 18.2 | 18.0 |
| East Midlands | 307 | 243 | 241 | 244 | 238 | 18.9 | 15.8 | 17.1 | 15.4 | 15.3 |
| West Midlands | 407 | 440 | 397 | 433 | 426 | 16.1 | 17.7 | 17.6 | 17.1 | 17.5 |
| Eastern | 298 | 251 | 251 | 245 | 254 | 14.9 | 12.9 | 14.5 | 13.9 | 13.2 |
| London and South Eastern ... | 752 | 718 | 697 | 748 | 752 | 14.0 | 13.8 | 14.6 | 14.1 | 14.5 |
| Southern | 216 | 212 | 177 | 178 | 195 | 14.3 | 14.5 | 13.2 | 12.0 | 12.9 |
| South Western | 264 | 248 | 239 | 276 | 270 | 15.7 | 15.2 | 15.8 | 16.6 | 16.5 |
| Wales | 222 | 191 | 219 | 250 | 212 | 17.8 | 15.5 | 19.2 | 20.3 | 18.0 |
| Hospital regions: | | | | | | | | | | |
| Newcastle | 291 | 251 | 273 | 264 | 264 | 20.0 | 17.2 | 19.7 | 18.1 | 18.6 |
| Leeds | 276 | 232 | 250 | 243 | 224 | 17.8 | 15.5 | 18.3 | 16.4 | 15.7 |
| Sheffield | 414 | 383 | 327 | 356 | 314 | 18.4 | 17.7 | 16.5 | 16.1 | 14.8 |
| East Anglian | 118 | 98 | 97 | 93 | 103 | 15.6 | 13.2 | 14.4 | 12.5 | 14.1 |
| North West Metropolitan ... | 291 | 257 | 260 | 210 | 261 | 13.6 | 12.4 | 13.9 | 13.3 | 13.7 |
| North East Metropolitan ... | 233 | 215 | 230 | 285 | 242 | 14.4 | 13.7 | 16.0 | 14.8 | 14.9 |
| South East Metropolitan ... | 245 | 234 | 215 | 254 | 221 | 15.1 | 15.0 | 15.0 | 14.2 | 15.1 |
| South West Metropolitan ... | 194 | 193 | 172 | 179 | 212 | 13.1 | 13.6 | 13.2 | 14.0 | 12.8 |
| Oxford | 124 | 133 | 117 | 113 | 117 | 13.3 | 14.7 | 14.1 | 12.2 | 12.3 |
| South Western | 207 | 192 | 194 | 226 | 228 | 15.1 | 14.6 | 16.0 | 16.7 | 16.8 |
| Welsh | 222 | 191 | 219 | 250 | 212 | 17.8 | 15.5 | 19.2 | 20.3 | 18.0 |
| Birmingham | 407 | 440 | 397 | 433 | 426 | 16.1 | 17.7 | 17.6 | 17.1 | 17.5 |
| Manchester | 416 | 384 | 347 | 378 | 364 | 19.1 | 18.1 | 17.4 | 17.7 | 17.8 |
| Liverpool | 217 | 223 | 193 | 217 | 210 | 17.9 | 18.9 | 17.9 | 19.0 | 18.2 |
| Wessex | 146 | 136 | 109 | 117 | 125 | 16.7 | 15.9 | 13.6 | 13.7 | 14.9 |

See page 11.

TABLE III (continued)

| | NUMBERS | | | | | RATES | | | | |
|---|---------|---------|---------|---------|---------|-------|-------|------|------|------|
| | 1964 | | | 1965 | | 1964 | | | 1965 | |
| | June | Sept. | Dec. | Mar. | June | June | Sept. | Dec. | Mar. | June |
| DEATHS (excluding stillbirths): ALL AGES | | | | | | | | | | |
| ENGLAND AND WALES | 127,013 | 113,551 | 138,101 | 157,184 | 129,817 | 10·8 | 9·5 | 11·6 | 13·4 | 11·6 |
| Planning regions: | | | | | | | | | | |
| Northern | 8,986 | 8,233 | 10,001 | 11,053 | 9,519 | 10·9 | 9·9 | 12·1 | 13·6 | 11·6 |
| Yorkshire & Humberside ... | 13,116 | 11,576 | 14,186 | 16,278 | 13,236 | 11·3 | 9·8 | 12·0 | 14·1 | 11·3 |
| North Western | 19,326 | 17,290 | 21,176 | 23,894 | 19,900 | 11·7 | 10·3 | 12·6 | 14·5 | 12·0 |
| East Midlands | 8,253 | 7,162 | 8,784 | 10,122 | 8,148 | 10·3 | 8·8 | 10·8 | 12·7 | 10·1 |
| West Midlands | 11,882 | 10,796 | 12,930 | 14,698 | 12,027 | 9·7 | 8·7 | 10·4 | 12·1 | 9·8 |
| Eastern | 9,757 | 8,758 | 10,420 | 12,009 | 9,840 | 9·8 | 8·7 | 10·4 | 12·2 | 9·9 |
| London and South Eastern... | 30,158 | 27,191 | 33,268 | 38,008 | 31,522 | 10·7 | 9·5 | 11·7 | 13·6 | 11·2 |
| Southern | 7,221 | 6,395 | 7,995 | 9,002 | 7,291 | 9·9 | 8·6 | 10·8 | 12·4 | 9·9 |
| South Western | 10,436 | 9,301 | 11,181 | 12,765 | 10,625 | 11·5 | 10·2 | 12·2 | 14·2 | 11·7 |
| Wales | 7,878 | 6,849 | 8,160 | 9,355 | 7,709 | 11·8 | 10·2 | 12·1 | 14·2 | 11·6 |
| Hospital regions: | | | | | | | | | | |
| Newcastle | 8,235 | 7,494 | 9,131 | 10,116 | 8,824 | 10·8 | 9·7 | 11·9 | 13·4 | 11·6 |
| Leeds | 9,245 | 8,243 | 10,085 | 11,541 | 9,230 | 11·8 | 10·4 | 12·7 | 14·8 | 11·7 |
| Sheffield | 11,550 | 10,079 | 12,340 | 14,121 | 11,456 | 10·3 | 8·9 | 10·9 | 12·7 | 10·2 |
| East Anglian | 4,328 | 3,888 | 4,628 | 5,599 | 4,423 | 10·8 | 9·6 | 11·5 | 14·2 | 11·1 |
| North West Metropolitan ... | 9,715 | 8,758 | 10,631 | 12,331 | 9,920 | 9·3 | 8·3 | 10·0 | 11·8 | 9·4 |
| North East Metropolitan ... | 8,139 | 7,231 | 8,878 | 9,883 | 8,368 | 9·9 | 8·7 | 10·7 | 12·2 | 10·2 |
| South East Metropolitan ... | 9,909 | 8,874 | 11,034 | 12,121 | 9,811 | 11·6 | 10·3 | 12·8 | 14·3 | 11·5 |
| South West Metropolitan ... | 8,725 | 7,960 | 9,554 | 11,203 | 9,715 | 10·8 | 9·8 | 11·7 | 14·0 | 12·0 |
| Oxford | 4,091 | 3,563 | 4,395 | 4,985 | 4,046 | 9·4 | 8·1 | 10·0 | 11·5 | 9·3 |
| South Western | 8,709 | 7,714 | 9,403 | 10,667 | 8,902 | 11·8 | 10·3 | 12·6 | 14·5 | 12·0 |
| Welsh | 7,878 | 6,849 | 8,160 | 9,355 | 7,709 | 11·8 | 10·2 | 12·1 | 14·2 | 11·6 |
| Birmingham | 11,882 | 10,796 | 12,930 | 14,698 | 12,027 | 9·7 | 8·7 | 10·4 | 12·1 | 9·8 |
| Manchester | 13,718 | 12,334 | 15,034 | 16,969 | 13,699 | 12·3 | 10·9 | 13·3 | 15·3 | 12·2 |
| Liverpool | 5,744 | 5,134 | 6,324 | 7,130 | 6,366 | 10·4 | 9·2 | 11·4 | 13·0 | 11·5 |
| Wessex | 5,145 | 4,634 | 5,574 | 6,465 | 5,321 | 11·2 | 10·0 | 12·0 | 14·2 | 11·5 |
| INFANT MORTALITY (deaths of infants under 1 year of age) | | | | | | | | | | |
| ENGLAND AND WALES | 4,483 | 3,871 | 4,288 | 4,601 | 4,050 | 19·6 | 17·4 | 21·0 | 20·6 | 18·4 |
| Planning regions: | | | | | | | | | | |
| Northern | 314 | 327 | 350 | 340 | 305 | 20·6 | 21·1 | 24·1 | 22·2 | 20·8 |
| Yorkshire and Humberside... | 501 | 439 | 482 | 515 | 477 | 21·9 | 19·8 | 23·7 | 23·2 | 22·1 |
| North Western | 736 | 655 | 698 | 762 | 655 | 22·3 | 20·4 | 23·3 | 23·8 | 21·0 |
| East Midlands | 296 | 247 | 255 | 292 | 258 | 18·6 | 16·3 | 18·4 | 18·7 | 16·9 |
| West Midlands | 486 | 414 | 472 | 514 | 417 | 19·5 | 17·0 | 21·3 | 20·6 | 17·4 |
| Eastern | 321 | 256 | 289 | 333 | 264 | 16·2 | 13·4 | 16·9 | 19·1 | 13·9 |
| London and South Eastern ... | 1,005 | 796 | 924 | 984 | 947 | 19·0 | 15·5 | 19·7 | 18·8 | 18·5 |
| Southern | 250 | 242 | 262 | 282 | 246 | 16·8 | 16·8 | 19·8 | 19·2 | 16·4 |
| South Western | 287 | 250 | 278 | 315 | 267 | 17·3 | 15·6 | 18·7 | 19·2 | 16·6 |
| Wales | 287 | 245 | 278 | 264 | 214 | 23·4 | 20·2 | 24·9 | 21·9 | 18·5 |
| Hospital regions: | | | | | | | | | | |
| Newcastle | 293 | 303 | 335 | 319 | 293 | 20·6 | 21·1 | 24·7 | 22·3 | 21·0 |
| Leeds | 344 | 305 | 330 | 347 | 313 | 22·6 | 20·7 | 24·5 | 23·8 | 22·3 |
| Sheffield | 428 | 373 | 379 | 437 | 397 | 19·3 | 17·6 | 19·4 | 20·0 | 19·0 |
| East Anglian | 143 | 94 | 123 | 120 | 116 | 19·2 | 12·8 | 18·6 | 16·3 | 16·1 |
| North West Metropolitan ... | 351 | 282 | 334 | 376 | 341 | 16·6 | 13·8 | 18·2 | 24·1 | 18·1 |
| North East Metropolitan ... | 298 | 226 | 245 | 299 | 295 | 18·7 | 14·6 | 17·3 | 15·8 | 18·4 |
| South East Metropolitan ... | 299 | 257 | 286 | 279 | 220 | 18·8 | 16·7 | 20·3 | 15·8 | 15·3 |
| South West Metropolitan ... | 283 | 214 | 268 | 294 | 273 | 19·4 | 15·3 | 20·9 | 23·3 | 16·8 |
| Oxford | 152 | 160 | 165 | 150 | 148 | 16·5 | 17·9 | 20·2 | 16·4 | 15·8 |
| South Western | 229 | 199 | 219 | 267 | 226 | 16·9 | 15·3 | 18·3 | 20·0 | 16·9 |
| Welsh | 287 | 245 | 278 | 264 | 214 | 23·4 | 20·2 | 24·9 | 21·9 | 18·5 |
| Birmingham | 486 | 414 | 472 | 514 | 417 | 19·5 | 17·0 | 21·3 | 20·6 | 17·4 |
| Manchester | 488 | 438 | 450 | 492 | 435 | 22·9 | 21·1 | 23·0 | 23·4 | 21·6 |
| Liverpool | 255 | 224 | 251 | 274 | 226 | 21·4 | 19·3 | 23·6 | 24·5 | 20·0 |
| Wessex | 147 | 137 | 153 | 169 | 136 | 17·1 | 16·3 | 19·4 | 20·0 | 16·5 |

TABLE III (continued)

| | Numbers | | | | | Rates | | | | |
|--|---------|-------|-------|-------|-------|-------|-------|------|------|------|
| | 1964 | | | 1965 | | 1964 | | | 1965 | |
| | June | Sept. | Dec. | Mar. | June | June | Sept. | Dec. | Mar. | June |
| PERINATAL MORTALITY (stillbirths and deaths of infants under 1 week of age) | | | | | | | | | | |
| ENGLAND AND WALES ... | 6,585 | 6,133 | 5,922 | 6,079 | 6,021 | 28.4 | 27.2 | 28.5 | 26.8 | 27.0 |
| Planning regions: | | | | | | | | | | |
| Northern ... | 491 | 477 | 482 | 459 | 445 | 31.6 | 30.3 | 32.6 | 29.5 | 29.8 |
| Yorkshire and Humberside ... | 691 | 668 | 609 | 623 | 629 | 29.7 | 29.6 | 29.5 | 27.6 | 28.7 |
| North Western ... | 1,066 | 1,031 | 950 | 1,005 | 976 | 31.7 | 31.5 | 31.1 | 30.8 | 30.7 |
| East Midlands ... | 500 | 414 | 378 | 398 | 396 | 30.9 | 26.9 | 26.8 | 25.1 | 25.5 |
| West Midlands ... | 690 | 712 | 691 | 715 | 683 | 27.2 | 28.6 | 30.7 | 28.2 | 28.0 |
| Eastern ... | 492 | 437 | 425 | 421 | 427 | 24.5 | 22.5 | 24.5 | 23.8 | 22.3 |
| London and South Eastern ... | 1,428 | 1,248 | 1,258 | 1,313 | 1,326 | 26.7 | 24.0 | 26.4 | 24.7 | 25.5 |
| Southern ... | 375 | 389 | 341 | 329 | 352 | 24.8 | 26.6 | 25.4 | 22.1 | 23.2 |
| South Western ... | 443 | 402 | 400 | 440 | 437 | 26.3 | 24.7 | 26.5 | 26.4 | 26.7 |
| Wales ... | 409 | 355 | 388 | 376 | 350 | 32.8 | 28.8 | 34.0 | 30.5 | 29.7 |
| Hospital regions: | | | | | | | | | | |
| Newcastle ... | 462 | 452 | 454 | 440 | 427 | 31.8 | 30.9 | 32.8 | 30.2 | 30.1 |
| Leeds ... | 474 | 422 | 425 | 397 | 431 | 30.6 | 28.1 | 31.0 | 26.8 | 30.2 |
| Sheffield ... | 682 | 627 | 528 | 592 | 547 | 30.3 | 29.0 | 26.6 | 26.7 | 25.8 |
| East Anglian ... | 214 | 166 | 170 | 159 | 178 | 28.3 | 22.3 | 25.3 | 21.4 | 24.4 |
| North West Metropolitan ... | 523 | 454 | 466 | 437 | 457 | 24.4 | 22.0 | 25.0 | 27.7 | 23.9 |
| North East Metropolitan ... | 427 | 371 | 374 | 450 | 440 | 26.5 | 23.7 | 25.9 | 23.4 | 27.1 |
| South East Metropolitan ... | 439 | 398 | 386 | 409 | 351 | 27.1 | 25.5 | 27.0 | 22.8 | 24.1 |
| South West Metropolitan ... | 384 | 343 | 344 | 337 | 385 | 26.0 | 24.1 | 26.5 | 26.3 | 23.3 |
| Oxford ... | 222 | 243 | 222 | 194 | 222 | 23.8 | 26.8 | 26.8 | 21.0 | 23.4 |
| South Western ... | 350 | 313 | 320 | 364 | 361 | 25.5 | 23.8 | 26.4 | 26.9 | 26.5 |
| Welsh ... | 409 | 355 | 388 | 376 | 350 | 32.8 | 28.8 | 34.0 | 30.5 | 29.7 |
| Birmingham ... | 690 | 712 | 691 | 715 | 683 | 27.2 | 28.6 | 30.7 | 28.2 | 28.0 |
| Manchester ... | 706 | 676 | 613 | 632 | 653 | 32.5 | 31.9 | 30.8 | 29.5 | 31.9 |
| Liverpool ... | 367 | 366 | 341 | 376 | 327 | 30.2 | 31.0 | 31.6 | 32.9 | 28.4 |
| Wessex ... | 236 | 235 | 200 | 201 | 209 | 27.0 | 27.5 | 25.0 | 23.5 | 24.9 |

In this Table the constitution of the Planning Regions of England and Wales is as follows:

| | | |
|--|---|--|
| Northern Cumberland Durham Northumberland Westmorland Yorkshire, North Riding | West Midlands Herefordshire Shropshire Staffordshire Warwickshire Worcestershire | Southern Berkshire Buckinghamshire Hampshire Oxfordshire Wight, Isle of |
| Yorkshire and Humberside Lincolnshire Parts of Lindsey, Part of ¹ Yorkshire, East Riding Yorkshire, West Riding | Eastern Bedfordshire Cambridgeshire and Isle of Ely Essex Hertfordshire Huntingdon and Peterborough Norfolk Suffolk, East Suffolk, West | South Western Cornwall Devon Dorset Gloucestershire Somerset Wiltshire |
| North Western Cheshire Derbyshire, Part of ² Lancashire | London and South Eastern City of London and London Boroughs Kent Surrey Sussex, East Sussex, West | Wales Anglesey Breconshire Caernarvonshire Cardiganshire Carmarthenshire Denbighshire Flintshire Glamorgan Merionethshire Monmouthshire Montgomeryshire Pembrokeshire Radnorshire |
| East Midlands Derbyshire, Part of ³ Leicestershire Lincolnshire Parts of Holland Parts of Kesteven Parts of Lindsey, Part of ⁴ Northamptonshire Nottinghamshire Rutland | | |

1 All except Lincoln C.B.

2 Buxton M.B., Glossop M.B., New Mills U.D., Whaley Bridge U.D. and Chapel en le Frith R.D.

3 All except the areas stated in 2 above.

4 Lincoln C.B. only.

Notifications of certain infectious diseases in the quarter ended 30th June 1965

England and Wales, counties (distinguishing aggregates of municipal boroughs and urban districts, and rural districts), county boroughs Greater London, City of London, London boroughs and port health districts

Note: Total original and corrected notifications are distinguished for England and Wales as a whole. Otherwise the figures refer to corrected notifications only.

(See General Notes on page 3)

[illegible]

[illegible]

TABLE IV (continued)

| | Scarlet fever | Diphtheria | Typhoid fever | Paratyphoid fever | Acute pneumonia (prim'y or influenzal) | Dysentery | Acute | | Food poisoning | Tuberculosis | | | |
|--|---|--|--|--|---|---|--|--|--|--|--|---|---------------------------------|
| | | | | | | | Paralytic | Non- paralytic | | Respiratory | Meninges and C.N.S. | Other | |
| Norfolk Total C.Bs. ... Great Yarmouth C.B. ... | 68 34 — | — — — | — — — | — — — | 151 140 1 | 16 — — | — — — | — — — | 24 12 2 | — — — | — — — | — — — | 5 1 1 |
| Norwich C.B. Total M.Bs. & U.Ds. Total R.Ds. ... | 34 3 31 | — — — | — — — | — — — | 139 1 10 | — 1 15 | — — — | — — — | 139 3 — | — — — | — — — | — — — | — — — |
| Northamptonshire Northampton C.B. Total M.Bs. & U.Ds. Total R.Ds. ... | 49 27 9 13 | — — — — | — — — — | — — — — | 9 — 8 1 | 43 21 22 — | — — — — | — — — — | 27 3 16 8 | — — — — | — — — — | — — — — | 4 1 1 2 |
| Northumberland Total C.Bs. ... Newcastle upon Tyne C.B. ... | 90 33 30 | — — — | — — — | — — — | 1 1 1 | 137 17 17 | — — — | — — — | 85 39 32 | — — — | — — — | — — — | 22 15 13 |
| Tynemouth C.B. Total M.Bs. & U.Ds. Total R.Ds. ... | 3 38 19 | — — — | — — — | — — — | — — — | 17 74 46 | — — — | — — — | 7 42 4 | — — — | — — — | — — — | 2 7 — |
| Nottinghamshire... Nottingham C.B. ... Total M.Bs. & U.Ds. Total R.Ds. ... | 155 27 95 33 | — — — — | 1 1 — — | 1 1 — — | 20 3 1 16 | 64 12 39 13 | — — — — | — — — — | 58 30 20 8 | — — — — | — — — — | — — — — | 9 5 2 2 |
| Oxfordshire Oxford C.B. ... Total M.Bs. & U.Ds. Total R.Ds. ... | 28 5 10 13 | — — — — | — — — — | — — — — | 57 56 — 1 | 17 8 — 9 | — — — — | — — — — | 29 15 7 7 | — — — — | — — — — | — — — — | 6 3 1 2 |
| Rutland Oakham U.D. ... Total R.Ds. ... | 2 — 2 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| Shropshire ... Total M.Bs. & U.Ds. Total R.Ds. ... | 142 74 68 | — — — | — — — | — — — | 2 2 — | 10 9 1 | — — — | — — — | 13 11 2 | — — — | — — — | — — — | 3 3 — |
| Somerset Bath C.B. ... Total M.Bs. & U.Ds. Total R.Ds. ... | 52 3 20 29 | — — — — | 1 — — 1 | — — — — | 45 40 4 1 | 25 20 3 2 | 1 — — 1 | — — — — | 27 5 12 10 | — — — — | — — — — | — — — — | 5 3 1 1 |
| Staffordshire Total C.Bs. ... Burton upon Trent C.B. Smethwick C.B. ... Stoke on Trent C.B. Walsall C.B. ... West Bromwich C.B. Wolverhampton C.B. Total M.Bs. & U.Ds. Total R.Ds. ... | 271 102 — 12 50 22 5 13 118 51 | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | 74 36 — 1 19 11 5 16 22 22 | 285 127 1 112 23 4 5 4 153 5 | — — — — — — — — — — | — — — — — — — — — — | 19 3 — 1 — — — 2 10 6 | 139 85 5 19 23 18 4 16 47 7 | 2 1 — 1 — — — 1 — — | 35 21 — 2 3 7 6 3 14 — | |
| Suffolk, East Ipswich C.B. ... Total M.Bs. & U.Ds. Total R.Ds. ... | 235 114 48 73 | — — — — | — — — — | — — — — | 16 6 6 4 | 1 — — 1 | — — — — | — — — — | — — — — | 15 8 4 3 | 1 — — — | — — — — | 2 1 1 — |
| Suffolk, West Total M.Bs. & U.Ds. Total R.Ds. ... | 67 9 58 | — — — | — — — | — — — | 7 4 3 | — — — | — — — | — — — | 1 1 — | 7 3 4 | — — — | — — — | — — — |
| Surrey Total M.Bs. & U.Ds. Total R.Ds. ... | 80 75 5 | — — — | — — — | — — — | 27 20 7 | 91 89 2 | — — — | — — — | 34 28 6 | 46 41 5 | 1 — 1 | — — — | 4 2 2 |
| Sussex, East Total C.Bs. ... Brighton C.B. ... Eastbourne C.B. ... Hastings C.B. ... Total M.Bs. & U.Ds. Total R.Ds. ... | 66 21 16 3 2 25 20 | — — — — — — — | — — — — — — — | — — — — — — — | 18 9 6 — 3 6 3 | 103 49 49 — 30 24 | — — — — — — — | — — — — — — — | 7 2 1 — 1 2 3 | 33 20 13 1 6 8 5 | — — — — — — — | — — — — — — — | 6 — — — — 2 4 |
| Sussex, West Total M.Bs. & U.Ds. Total R.Ds. ... | 28 8 20 | — — — | — — — | — — — | 5 1 4 | 19 10 9 | — — — | — — — | 49 — 49 | 12 8 4 | — — — | — — — | 3 2 1 |
| Warwickshire Total C.Bs. ... Birmingham C.B. Coventry C.B. Solihull C.B. ... Total M.Bs. & U.Ds. Total R.Ds. ... | 340 298 221 60 17 23 19 | — — — — — — — | — — — — — — — | — — — — — — — | 65 50 32 16 2 8 7 | 288 279 231 48 — 7 2 | — — — — — — — | — — — — — — — | 100 86 85 — 1 14 — | 217 183 159 20 4 19 15 | 1 1 1 — — — — | 37 31 27 3 1 4 2 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|-------|---|---|---|---|---|-------|-----|---|---|-----|----|---|---|---|---|---|---|-----|----|---|---|---|---|----|---|----|-----|-----|----|----|-----|---|----|---|---|---|---|---|---|----|-----|-----|---|----|---|----|
| Westmorland Total M.Bs. & U.Ds. Total R.Ds. | 6 | — | — | — | — | — | 2 | — | — | — | — | 2 | — | — | — | — | 1 | Caernarvonshire Total M.Bs. & U.Ds. Total R.Ds. | 4 | — | — | — | — | — | — | — | — | 11 | — | — | — | 18 | 5 | | | | | | | | | | | | | | |
| | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | 11 | — | — | — | 8 | 2 | | | | | | | | | | | | | | | |
| | 4 | — | — | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 10 | 3 | | | | | | | | | | | | | | | |
| Wight, Isle of Total M.Bs. & U.Ds. Isle of Wight R.D. | 8 | — | — | — | — | — | 174 | — | — | — | — | 5 | — | — | — | — | — | Cardiganshire Total M.Bs. & U.Ds. Total R.Ds. | 2 | — | — | — | — | — | — | — | — | — | — | — | — | 3 | 1 | 1 | | | | | | | | | | | | | |
| | 2 | — | — | — | — | — | 170 | — | — | — | — | 5 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 | 1 | 2 | | | | | | | | | | | | | | | |
| | 6 | — | — | — | — | — | 4 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | | | | | | | | | | | | |
| Wiltshire Total M.Bs. & U.Ds. Total R.Ds. | 45 | — | — | — | — | — | 27 | 2 | — | — | 2 | 28 | 2 | — | — | — | 2 | Carmarthenshire Total M.Bs. & U.Ds. Total R.Ds. | 2 | — | — | — | — | — | — | — | — | 19 | 1 | 7 | 3 | 4 | 2 | 2 | | | | | | | | | | | | | |
| | 19 | — | — | — | — | — | 2 | 2 | — | — | — | 18 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 14 | 5 | — | 4 | 3 | 4 | | | | | | | | | | | | | | | |
| | 26 | — | — | — | — | — | 25 | — | — | — | — | 10 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 5 | — | — | — | 10 | — | | | | | | | | | | | | | | | |
| Worcestershire Total C.Bs. Dudley C.B. Worcester C.B. Total M.Bs. & U.Ds. Total R.Ds. | 82 | — | — | — | — | — | 152 | 8 | — | — | 31 | 10 | — | — | — | — | — | Denbighshire Total M.Bs. & U.Ds. Total R.Ds. | 12 | — | — | — | — | — | — | — | — | 30 | 4 | 18 | 4 | 18 | 4 | 4 | | | | | | | | | | | | | |
| | 12 | — | — | — | — | — | 150 | 2 | — | — | 10 | 7 | — | — | — | — | — | — | — | 10 | — | — | — | — | — | — | 5 | — | — | 8 | 8 | — | | | | | | | | | | | | | | | |
| | 2 | — | — | — | — | — | 4 | 1 | — | — | 1 | 3 | — | — | — | — | — | — | — | 2 | — | — | — | — | — | — | 3 | — | — | 4 | 10 | — | | | | | | | | | | | | | | | |
| Yorkshire, East Riding Kingston-upon- Hull C.B. Total M.Bs. & U.Ds. Total R.Ds. | 10 | — | — | — | — | — | 150 | 1 | — | — | 3 | 19 | 2 | — | — | — | — | Flintshire Total M.B. & U.Ds. Total R.Ds. | 26 | — | — | — | — | — | — | — | 30 | 21 | 9 | 6 | 1 | 5 | 3 | 2 | | | | | | | | | | | | | |
| | 54 | — | — | — | — | — | 1 | 4 | — | — | 2 | 2 | — | — | — | — | — | — | — | 17 | — | — | — | — | — | — | 9 | — | — | — | — | — | | | | | | | | | | | | | | | |
| | 16 | — | — | — | — | — | 1 | — | — | — | — | 2 | — | — | — | — | — | — | — | 9 | — | — | — | — | — | — | 3 | — | — | — | — | — | | | | | | | | | | | | | | | |
| Yorkshire, North Riding Middlesborough C.B. Total M.Bs. & U.Ds. Total R.Ds. | 57 | — | — | — | — | — | 100 | 10 | — | — | 35 | 2 | — | — | — | — | — | Glamorgan Total C.Bs. Cardiff C.B. Merthyr Tydfil C.B. Swansea C.B. Total M.Bs. & U.Ds. Total R.Ds. | 132 | — | — | — | — | — | 30 | — | — | — | 40 | 1 | — | 545 | 1 | 16 | — | — | — | — | — | — | 23 | 268 | 134 | 8 | 14 | 6 | 14 |
| | 37 | — | — | — | — | — | 42 | 1 | — | — | 30 | 1 | — | — | — | — | — | — | — | 13 | — | — | — | — | — | — | 22 | — | — | 5 | 22 | 3 | 3 | | | | | | | | | | | | | | |
| | 6 | — | — | — | — | — | 58 | 9 | — | — | 4 | 1 | — | — | — | — | — | — | — | 6 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | | | | | | | | | | |
| Yorkshire, West Riding Total C.Bs. Barnsley C.B. Bradford C.B. Dewsbury C.B. Doncaster C.B. Halifax C.B. Huddersfield C.B. Leeds C.B. Rotherham C.B. Sheffield C.B. Wakefield C.B. York C.B. Total M.Bs. & U.Ds. Total R.Ds. | 14 | — | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | 11 | — | — | — | — | — | — | — | 1 | 134 | 247 | 45 | 18 | 3 | 5 | | | | | | | | | | | | | | |
| | 38 | — | — | — | — | — | 76 | 16 | — | — | 44 | 1 | — | — | — | — | — | — | — | 55 | — | — | — | — | — | — | — | 2 | 30 | 4 | 18 | 3 | 3 | | | | | | | | | | | | | | |
| | 7 | — | — | — | — | — | 57 | 2 | — | — | 25 | 1 | — | — | — | — | — | — | — | 47 | — | — | — | — | — | — | — | 2 | — | — | 4 | 2 | 2 | 2 | | | | | | | | | | | | | |
| Yorkshire, West Riding Total C.Bs. Barnsley C.B. Bradford C.B. Dewsbury C.B. Doncaster C.B. Halifax C.B. Huddersfield C.B. Leeds C.B. Rotherham C.B. Sheffield C.B. Wakefield C.B. York C.B. Total M.Bs. & U.Ds. Total R.Ds. | 15 | — | — | — | — | — | 10 | 172 | — | — | 44 | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | 2 | — | — | — | 4 | 2 | 2 | | | | | | | | | | | | | | |
| | 16 | — | — | — | — | — | 9 | 169 | — | — | 13 | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | | | | | | | | | | |
| | 16 | — | — | — | — | — | 9 | 1 | — | — | 6 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | | | | | | | | | | |
| Yorkshire, West Riding Total C.Bs. Barnsley C.B. Bradford C.B. Dewsbury C.B. Doncaster C.B. Halifax C.B. Huddersfield C.B. Leeds C.B. Rotherham C.B. Sheffield C.B. Wakefield C.B. York C.B. Total M.Bs. & U.Ds. Total R.Ds. | 1,011 | — | — | — | — | — | 1,663 | 75 | — | — | 306 | 67 | 1 | — | — | — | — | Monmouthshire Newport C.B. Total M.Bs. & U.Ds. Total R.Ds. | 35 | — | — | — | — | — | — | — | 4 | 13 | — | 49 | 40 | 1 | 3 | 2 | 3 | | | | | | | | | | | | |
| | 605 | — | — | — | — | — | 1,075 | 55 | — | — | 217 | 47 | — | — | — | — | — | — | — | 6 | — | — | — | — | — | — | — | 4 | 8 | 9 | 28 | 1 | 1 | | | | | | | | | | | | | | |
| | 18 | — | — | — | — | — | 79 | 5 | — | — | 4 | 2 | — | — | — | — | — | — | — | 29 | — | — | — | — | — | — | — | 4 | 5 | 3 | 3 | 2 | 2 | | | | | | | | | | | | | | |
| Yorkshire, West Riding Total C.Bs. Barnsley C.B. Bradford C.B. Dewsbury C.B. Doncaster C.B. Halifax C.B. Huddersfield C.B. Leeds C.B. Rotherham C.B. Sheffield C.B. Wakefield C.B. York C.B. Total M.Bs. & U.Ds. Total R.Ds. | 80 | — | — | — | — | — | 374 | — | — | — | 55 | 19 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | | | | | | | | | | | |
| | 6 | — | — | — | — | — | 8 | — | — | — | 9 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | | | | | | | | | | |
| | 22 | — | — | — | — | — | 22 | — | — | — | 12 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | | | | | | | | | | |
| Yorkshire, West Riding Total C.Bs. Barnsley C.B. Bradford C.B. Dewsbury C.B. Doncaster C.B. Halifax C.B. Huddersfield C.B. Leeds C.B. Rotherham C.B. Sheffield C.B. Wakefield C.B. York C.B. Total M.Bs. & U.Ds. Total R.Ds. | 22 | — | — | — | — | — | 2 | — | — | — | 18 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | | | | | | | | | | | |
| | 31 | — | — | — | — | — | 4 | — | — | — | 14 | 10 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | | | | | | | | | | |
| | 238 | — | — | — | — | — | 477 | 43 | — | — | 48 | 5 | — | — | — | — | — | — | — | 11 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | | | | | | | | | | |
| Yorkshire, West Riding Total C.Bs. Barnsley C.B. Bradford C.B. Dewsbury C.B. Doncaster C.B. Halifax C.B. Huddersfield C.B. Leeds C.B. Rotherham C.B. Sheffield C.B. Wakefield C.B. York C.B. Total M.Bs. & U.Ds. Total R.Ds. | 29 | — | — | — | — | — | 34 | 1 | — | — | 3 | 7 | — | — | — | — | — | — | 5 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | | | | | | | | | | | |
| | 117 | — | — | — | — | — | 67 | 1 | — | — | 6 | 1 | — | — | — | — | — | — | — | 6 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | | | | | | | | | | |
| | 41 | — | — | — | — | — | 2 | 3 | — | — | 6 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | | | | | | | | | | |
| Yorkshire, West Riding Total C.Bs. Barnsley C.B. Bradford C.B. Dewsbury C.B. Doncaster C.B. Halifax C.B. Huddersfield C.B. Leeds C.B. Rotherham C.B. Sheffield C.B. Wakefield C.B. York C.B. Total M.Bs. & U.Ds. Total R.Ds. | 292 | — | — | — | — | — | 460 | 17 | — | — | 78 | 12 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | | | | | | | | | | | |
| | 114 | — | — | — | — | — | 128 | 3 | — | — | 11 | 8 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | | | | | | | | | | |
| | 7 | — | — | — | — | — | 13 | 3 | — | — | 3 | 4 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | | | | | | | | | | |
| Anglesey Total M.B. & U.Ds. Total R.Ds. | 3 | — | — | — | — | — | — | — | — | — | 2 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | | | | | | | | | | | |
| | 4 | — | — | — | — | — | 13 | 3 | — | — | 1 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | | | | | | | | | | | |
| | 4 | — | — | — | — | — | — | — | — | — | 1 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | | | | | | | | | | | |
| Breconshire Total M.B. & U.Ds. Total R.Ds. | 7 | — | — | — | — | — | 1 | — | — | — | 6 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | | | | | | | | | | | |
| | 4 | — | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | | | | | | | | | | | |
| | 3 | — | — | — | — | — | — | — | — | — | 5 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | | | | | | | | | | | |

* Uncorrected figures for 13 weeks ended 2nd July 1965, not included in totals for England and Wales.

TABLE IV (continued)

Original notifications of *Meningococcal infection* numbered 137, *Whooping cough* 2,728, and *Measles* 148,273. Corrected notifications were *Meningococcal infection* 106, *Whooping cough* 2,735 and *Measles* 148,196, distributed by county as follows:—

| | Meningo- coccal infection | Whooping cough | Measles | | Meningo- coccal infection | Whooping cough | Measles | | Meningo- coccal infection | Whooping cough |
|---------------------|---------------------------------|-------------------|---------|-----------------------|---------------------------------|-------------------|---------|---------------------|---------------------------------|-------------------|
| Bedfordshire ... | — | 43 | 1,213 | Leicestershire ... | 4 | 81 | 2,635 | Wiltshire ... | — | 23 |
| Berkshire ... | — | 48 | 3,264 | Lincs. (Holland) ... | — | 14 | 695 | Worcestershire ... | 2 | 14 |
| Buckinghamshire ... | — | 28 | 2,998 | Lincs. (Kesteven) ... | — | 3 | 194 | Yorks, E. Riding | 1 | 7 |
| Cambridgeshire ... | — | — | — | Lincs. (Lindsey) ... | 3 | 44 | 916 | Yorks, N. Riding | 2 | 22 |
| Isle of Ely ... | — | 14 | 1,021 | Norfolk ... | — | 77 | 1,547 | Yorks, W. Riding | — | — |
| Cheshire ... | 5 | 190 | 2,162 | Northamptonshire ... | — | 51 | 1,628 | (including York | — | — |
| Cornwall ... | 1 | 115 | 591 | Northumberland ... | 1 | 8 | 2,803 | C.B.) ... | 13 | 191 |
| Cumberland ... | — | — | 1,797 | Nottinghamshire ... | — | 36 | 1,473 | Anglesey ... | — | — |
| Derbyshire ... | 1 | 23 | 2,731 | Oxfordshire ... | 1 | 30 | 2,764 | Breconshire ... | — | 4 |
| Devon ... | 1 | 24 | 4,880 | Rutland ... | — | 1 | 29 | Caernarvonshire ... | — | 1 |
| Dorset ... | — | 19 | 1,434 | Shropshire ... | — | 8 | 902 | Cardiganshire ... | — | — |
| Durham ... | 3 | 118 | 4,298 | Somerset ... | 3 | 45 | 2,008 | Carmarthenshire ... | — | 9 |
| Essex ... | 1 | 65 | 7,593 | Staffordshire ... | 3 | 71 | 7,178 | Denbighshire ... | 1 | 7 |
| Gloucestershire ... | 1 | 52 | 4,318 | Suffolk, East ... | 1 | 37 | 1,291 | Flintshire ... | — | 8 |
| Greater London ... | 16 | 341 | 21,179 | Suffolk, West ... | 1 | 14 | 572 | Glamorgan ... | 3 | 13 |
| Hampshire ... | 10 | 93 | 5,764 | Surrey ... | 2 | 61 | 3,435 | Merionethshire ... | — | — |
| Herefordshire ... | — | 12 | 182 | Sussex, East ... | 1 | 52 | 3,734 | Monmouthshire ... | 1 | 11 |
| Hertfordshire ... | — | 21 | 4,627 | Sussex, West ... | — | 13 | 1,640 | Montgomeryshire ... | — | 1 |
| Huntingdon and ... | — | — | — | Warwickshire ... | 9 | 141 | 7,983 | Pembrokeshire ... | — | — |
| Peterborough ... | — | 14 | 498 | Westmorland ... | — | 1 | 204 | Radnorshire ... | — | — |
| Kent ... | 4 | 102 | 4,435 | Wight, Isle of ... | — | 8 | 191 | Port Health Dists.* | — | — |
| Lancashire ... | 11 | 306 | 9,141 | | | | | | | |

Other diseases notified:—*Ophthalmia neonatorum*: Original 175, Corrected 171. *Acute encephalitis, Infective*: Original 15, Corrected 15. *Acute encephalitis Post infectious*: Original 32, Corrected 31. *Erysipelas*: Original 486, Corrected 483. *Puerperal pyrexia*: Original 1,242, Corrected 1,226. *Anthrax*: Original 2, Corrected 1. No cases of *Cholera*, *Plague*, *Smallpox* or *Typhoid fever* were notified.

*Uncorrected figures for 13 weeks ended 2nd July, 1965, not included in totals for England and Wales.

TABLE IV (a)
Corrected notifications of certain infectious diseases in the quarter ended 31st March 1965,
analysed by sex and age
England and Wales
(See General Notes on page 3)

| Age-group | Dysentery | | Scarlet fever | | Whooping cough | | Diphtheria | | Measles | | Meningo- coccal infection | | Acute poliomyelitis | | |
|-----------------|-----------|-------|---------------|-------|----------------|-------|------------|----|---------|---------|---------------------------------|----|---------------------|----|----|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. |
| All Ages ... | 3,303 | 3,333 | 4,960 | 4,787 | 1,455 | 1,581 | 5 | 13 | 127,821 | 121,590 | 69 | 57 | 2 | 2 | — |
| 0— ... | 181 | 162 | 25 | 19 | 185 | 168 | — | — | 4,493 | 4,408 | 25 | 15 | — | 1 | — |
| 1— ... | 299 | 215 | 88 | 65 | 179 | 168 | 1 | — | 13,505 | 12,518 | 12 | 7 | — | — | — |
| 2— ... | 278 | 229 | 243 | 250 | 194 | 228 | 1 | 1 | 16,935 | 16,233 | 4 | 6 | — | — | — |
| 3— ... | 250 | 206 | 449 | 396 | 211 | 195 | — | — | 18,207 | 17,518 | 2 | 1 | — | — | — |
| 4— ... | 211 | 200 | 592 | 541 | 169 | 202 | 1 | 1 | 19,159 | 18,060 | — | 2 | — | — | — |
| 5— ... | 943 | 796 | 2,578 | 2,610 | 426 | 493 | 1 | 2 | 51,717 | 48,697 | 7 | 9 | 1 | 1 | — |
| 10— ... | 327 | 225 | 726 | 654 | 71 | 70 | 1 | 3 | 2,425 | 2,531 | 6 | 3 | — | — | — |
| 15— ... | 207 | 318 | 182 | 176 | 11 | 21 | — | 5 | 650 | 783 | 4 | 9 | 1 | — | — |
| 25 and over ... | 536 | 906 | 45 | 60 | 6 | 26 | — | 1 | 292 | 402 | 9 | 5 | — | — | — |
| Unknown ... | 71 | 76 | 32 | 16 | 3 | 10 | — | — | 438 | 440 | — | — | — | — | — |

| Age-group | Typhoid fever | | Paratyphoid fever | | Erysipelas | | Acute encephalitis | | | | Acute pneumonia | | Food poisoning |
|-----------------|---------------|----|-------------------|----|------------|-----|--------------------|----|-----------------|---|-----------------|-------|----------------|
| | M. | F. | M. | F. | M. | F. | Infective | | Post-infectious | | M. | F. | |
| All Ages ... | 9 | 6 | 13 | 19 | 291 | 285 | 16 | 11 | 13 | 7 | 1,829 | 1,526 | 312 |
| 0— ... | 1 | 2 | 2 | 2 | 3 | 3 | 6 | 1 | 6 | 2 | 356 | 282 | 44 |
| 5— ... | 2 | 1 | 2 | 3 | 8 | 5 | 4 | 2 | 6 | 2 | 195 | 141 | 59 |
| 15— ... | 5 | 3 | 5 | 12 | 66 | 77 | 5 | 6 | 1 | 2 | 298 | 285 | 105 |
| 45— ... | — | — | 3 | 2 | 134 | 124 | 1 | 2 | — | 1 | 506 | 360 | 47 |
| 65 and over ... | 1 | — | 1 | — | 77 | 70 | — | — | — | — | 453 | 433 | 16 |
| Unknown ... | — | — | — | — | 3 | 6 | — | — | — | — | 21 | 25 | 41 |

Tuberculosis

| Age-group | Respiratory | | Meninges and C.N.S. | | Other | | Age-group | Respiratory | | Meninges and C.N.S. | | Other |
|--------------|-------------|-------|---------------------|----|-------|-----|-------------|-------------|-----|---------------------|----|-------|
| | M. | F. | M. | F. | M. | F. | | M. | F. | M. | F. | |
| All Ages ... | 2,415 | 1,138 | 22 | 17 | 262 | 310 | | | | | | |
| 0— ... | 15 | 7 | — | 1 | 1 | — | 25— ... | 368 | 224 | 1 | 4 | 77 |
| 1— ... | 14 | 16 | 1 | — | 1 | 2 | 35— ... | 390 | 214 | 2 | 2 | 53 |
| 2— ... | 48 | 50 | 5 | 1 | 7 | 6 | 45— ... | 422 | 127 | 1 | 4 | 16 |
| 5— ... | 58 | 45 | 5 | — | 13 | 13 | 55— ... | 499 | 87 | — | 2 | 18 |
| 10— ... | 41 | 55 | 3 | 1 | 11 | 7 | 65— ... | 219 | 66 | — | 1 | 11 |
| 15— ... | 107 | 87 | 4 | — | 23 | 17 | 75 and over | 75 | 38 | — | — | 10 |
| 20— ... | 149 | 117 | — | 1 | 19 | 37 | Unknown ... | 10 | 5 | — | — | 2 |

TABLE V

Infant mortality: rates by quarters and each completed year, 1962 to 1965

England and Wales and various other countries

(Deaths under 1 year per 1,000 live births)

| Country | 1962 | 1963 | 1964 | 1962 | | 1963 | | | | 1964 | | | | 1965 | |
|-----------------------|------|------|------|-------|------|------|------|-------|------|------|------|-------|------|------|------|
| | | | | Sept. | Dec. | Mar. | June | Sept. | Dec. | Mar. | June | Sept. | Dec. | Mar. | June |
| England and Wales ... | 22 | 21 | 20 | 18 | 22 | 24 | 19 | 19 | 22 | 22 | 20 | 18 | 21 | 21 | 18 |
| Wales ... | 23 | 23 | 24 | 19 | 23 | 25 | 21 | 21 | 23 | 29 | 23 | 20 | 25 | 22 | 18 |
| Scotland ... | 27 | 26 | 24 | 24 | 26 | 29 | 24 | 21 | 28 | 27 | 23 | 22 | 23 | 24 | 22 |
| Ireland ... | 27 | 27 | 26 | 23 | 25 | 30 | 26 | 25 | 27 | 26 | 27 | 26 | 27 | 26 | † |
| Irish Republic ... | 29 | 27 | 27 | 24 | 28 | 30 | 26 | 24 | 27 | 29 | 26 | 25 | 27 | 25 | † |
| Australia ... | 20 | 20 | 19 | 21 | 20 | 19 | 20 | 20 | 19 | 18 | 20 | 21 | 18 | 17 | † |
| Canada ... | 28 | 26 | † | 25 | 29 | 29 | 25 | 24 | 27 | † | † | † | † | † | † |
| Chile ... | 121 | 111 | † | 94 | 133 | 130 | 100 | 99 | 116 | † | † | † | † | † | † |
| Denmark ... | 20 | 19 | † | 18 | 21 | 20 | 20 | 18 | 19 | † | † | † | † | † | † |
| France ... | 26 | 26 | 23 | 21 | 24 | 31 | 25 | 22 | 24 | 26 | 24 | 21 | 23 | 25 | † |
| Italy ... | 41 | 40 | 36 | 40 | 42 | 46 | 39 | 36 | 38 | 38 | 37 | 32 | 36 | 39 | † |
| Netherlands ... | 15 | 14 | 15 | 14 | 17 | 17 | 14 | 13 | 15 | 17 | 14 | 14 | 15 | 14 | 14 |
| New Zealand ... | 20 | 20 | 19 | 20 | 20 | 18 | 21 | 23 | 17 | 18 | 19 | 22 | 18 | 19 | 17 |
| Sweden ... | 15 | 15 | 14 | 16 | 15 | 17 | 14 | 13 | 16 | 14 | 12 | 14 | 15 | 13 | † |
| U.S.A. ... | 26 | 25 | 24 | 24 | 26 | 27 | 25 | 23 | 26 | 25 | 24 | 23 | 25 | 27 | 25 |

† Figures not yet available.

TABLE VI

Deaths by cause and sex in 1963 and 1964 and in the last nine available quarters, classified according to the International Abbreviated List (7th Revision, 1955), with certain sub-divisions

England and Wales

| Causes of Death | | 1963 | 1964† | 1963 | | | | 1964† | | | | 1965 † |
|---|---|---------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | | | March | June | Sept. | Dec. | March | June | Sept. | Dec. | |
| ALL CAUSES ... | M | 292,410 | 274,773 | 99,493 | 65,681 | 58,699 | 68,537 | 79,885 | 65,136 | 58,096 | 71,656 | 80,344 |
| | F | 280,458 | 259,964 | 97,382 | 63,332 | 55,219 | 64,525 | 76,187 | 61,877 | 55,455 | 66,445 | 76,840 |
| Deaths from non-violent causes | M | 278,336 | 260,529 | 95,672 | 62,411 | 55,317 | 64,936 | 76,163 | 61,618 | 54,760 | 67,988 | 76,719 |
| | F | 269,909 | 249,648 | 93,949 | 61,028 | 53,040 | 61,892 | 73,158 | 59,427 | 53,290 | 63,773 | 73,955 |
| Tuberculosis of respiratory system (001-008) | M | 2,022 | 1,711 | 700 | 465 | 404 | 453 | 542 | 426 | 332 | 411 | 432 |
| | F | 587 | 498 | 188 | 139 | 119 | 141 | 155 | 110 | 113 | 120 | 122 |
| Tuberculosis of meninges and C.N.S. (010) | M | 37 | 26 | 8 | 12 | 11 | 6 | 7 | 7 | 8 | 4 | 6 |
| | F | 34 | 18 | 10 | 8 | 7 | 9 | 5 | 6 | 5 | 2 | 6 |
| Tuberculosis, other forms (011-019) | M | 132 | 116 | 45 | 29 | 22 | 36 | 27 | 31 | 31 | 27 | 32 |
| | F | 148 | 115 | 30 | 35 | 39 | 44 | 30 | 32 | 34 | 19 | 35 |
| Phylis and its sequelae (020-029) | M | 485 | 496 | 158 | 102 | 111 | 114 | 131 | 116 | 105 | 144 | 149 |
| | F | 335 | 295 | 97 | 83 | 69 | 86 | 81 | 51 | 72 | 91 | 111 |
| Typhoid fever (040) | M | 3 | 1 | 2 | — | 1 | — | — | — | 1 | — | — |
| | F | 1 | 1 | — | — | — | 1 | 1 | — | — | — | — |
| Paratyphoid fever (041) | M | — | 1 | — | — | — | — | — | — | — | 1 | — |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | — |
| Cholera (043) | M | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — |
| Dysentery, all forms (045-048) | M | 21 | 7 | 6 | 9 | 4 | 2 | 1 | 1 | 2 | 3 | 3 |
| | F | 14 | 10 | 3 | 3 | 6 | 2 | 4 | 4 | 1 | 1 | 5 |
| Scarlet fever (050) | M | 1 | 2 | — | — | 1 | — | 2 | — | — | — | 1 |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | — |
| Streptococcal sore throat (051) | M | 6 | 6 | 3 | 1 | 1 | 1 | 2 | 3 | 1 | — | — |
| | F | 2 | 2 | 1 | — | — | 1 | — | 1 | 1 | — | 1 |
| Diphtheria (055) | M | 1 | — | — | — | — | 1 | — | — | — | — | — |
| | F | 1 | — | — | — | — | 1 | — | — | — | — | — |
| Whooping cough (056) | M | 15 | 22 | 1 | 1 | 6 | 7 | 7 | 4 | 8 | 3 | 2 |
| | F | 21 | 22 | 5 | — | 4 | 12 | 7 | 4 | 3 | 8 | 4 |
| Meningococcal infections (057) | M | 88 | 53 | 41 | 15 | 14 | 18 | 20 | 16 | 5 | 12 | 22 |
| | F | 58 | 45 | 24 | 13 | 9 | 12 | 13 | 10 | 6 | 16 | 23 |
| Measles (058) | M | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — |
| Acute poliomyelitis (080) | M | 2 | 2 | 1 | — | 1 | — | 1 | — | — | 1 | — |
| | F | 1 | 2 | — | — | 1 | — | 1 | 1 | — | — | — |
| Acute infectious encephalitis (082) | M | 52 | 55 | 14 | 8 | 14 | 16 | 15 | 13 | 11 | 16 | 14 |
| | F | 35 | 43 | 14 | 8 | 7 | 6 | 10 | 9 | 13 | 11 | 8 |
| Smallpox (084) | M | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — |
| Measles (085) | M | 62 | 30 | 26 | 22 | 8 | 6 | 7 | 8 | 3 | 12 | 27 |
| | F | 65 | 43 | 37 | 16 | 9 | 3 | 9 | 7 | 10 | 17 | 30 |
| Phus and other rickettsial diseases (100-108) | M | 1 | — | 1 | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | — |
| Malaria (110-117) | M | 4 | 2 | — | — | 1 | 3 | 1 | — | 1 | — | — |
| | F | 2 | — | — | — | 2 | — | — | — | — | — | — |
| Other diseases classified as infective or parasitic (Rem. of 001-138) | M | 396 | 374 | 131 | 87 | 91 | 87 | 105 | 89 | 76 | 104 | 111 |
| | F | 391 | 401 | 122 | 88 | 88 | 93 | 116 | 96 | 83 | 106 | 111 |

Provisional.

TABLE VI (continued)

| Causes of Death | 1963 | 1964† | 1963 | | | | 1964† | | | | M |
|--|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---|
| | | | March | June | Sept. | Dec. | March | June | Sept. | Dec. | |
| Deaths from non-violent causes—cont. | | | | | | | | | | | |
| Malignant neoplasm of stomach (151) ... | M 7,744 | 7,500 | 1,928 | 1,955 | 1,900 | 1,961 | 1,897 | 1,878 | 1,844 | 1,881 | |
| | F 5,937 | 5,569 | 1,522 | 1,413 | 1,480 | 1,522 | 1,425 | 1,329 | 1,402 | 1,413 | |
| Malignant neoplasm of intestines and rectum (152-154) ... | M 6,593 | 6,701 | 1,618 | 1,579 | 1,696 | 1,700 | 1,672 | 1,675 | 1,660 | 1,694 | |
| | F 8,036 | 8,186 | 2,028 | 1,987 | 2,033 | 1,988 | 2,013 | 1,978 | 2,121 | 2,074 | |
| Malignant neoplasm of other digestive organs (Rem. of 150-159) ... | M 4,730 | 4,849 | 1,134 | 1,159 | 1,203 | 1,234 | 1,169 | 1,171 | 1,216 | 1,293 | |
| | F 4,470 | 4,636 | 1,173 | 1,053 | 1,152 | 1,092 | 1,151 | 1,101 | 1,174 | 1,210 | |
| Malignant neoplasm of trachea, bronchus, lung (162-163) ... | M 20,757 | 21,476 | 5,183 | 4,974 | 5,030 | 5,570 | 5,469 | 5,109 | 5,266 | 5,632 | |
| | F 3,677 | 3,895 | 926 | 838 | 929 | 984 | 926 | 934 | 1,026 | 1,009 | |
| Malignant neoplasm of other respiratory organs (Rem. of 160-165) ... | M 806 | 760 | 203 | 214 | 192 | 197 | 202 | 178 | 180 | 200 | |
| | F 271 | 286 | 68 | 54 | 77 | 72 | 71 | 72 | 83 | 60 | |
| Malignant neoplasm of breast (170) ... | M 70 | 84 | 18 | 23 | 13 | 16 | 24 | 19 | 13 | 28 | |
| | F 9,442 | 9,860 | 2,418 | 2,357 | 2,256 | 2,411 | 2,508 | 2,395 | 2,407 | 2,550 | |
| Malignant neoplasm of uterus (171-174) ... | F 3,969 | 3,989 | 969 | 995 | 998 | 1,007 | 1,008 | 992 | 981 | 1,008 | |
| Leukaemia and aleukaemia (204) ... | M 1,511 | 1,564 | 404 | 346 | 366 | 395 | 412 | 351 | 373 | 428 | |
| | F 1,319 | 1,303 | 318 | 329 | 338 | 334 | 336 | 290 | 321 | 356 | |
| Malignant neoplasm of other sites (Rem. of 140-205) ... | M 12,981 | 13,313 | 3,237 | 3,085 | 3,291 | 3,368 | 3,276 | 3,238 | 3,274 | 3,525 | |
| | F 10,103 | 10,727 | 2,494 | 2,480 | 2,496 | 2,633 | 2,636 | 2,578 | 2,683 | 2,830 | |
| Benign and unspecified neoplasms (210-239) ... | M 654 | 712 | 179 | 146 | 168 | 161 | 187 | 169 | 156 | 200 | |
| | F 740 | 784 | 207 | 171 | 171 | 191 | 182 | 205 | 198 | 199 | |
| Thyrotoxicosis with or without goitre (252) ... | M 31 | 39 | 8 | 11 | 7 | 5 | 12 | 10 | 7 | 10 | |
| | F 264 | 207 | 93 | 66 | 55 | 50 | 62 | 57 | 44 | 44 | |
| Diabetes mellitus (260) ... | M 1,371 | 1,409 | 508 | 288 | 252 | 323 | 430 | 317 | 307 | 355 | |
| | F 2,433 | 2,522 | 814 | 543 | 519 | 557 | 740 | 604 | 511 | 667 | |
| Pernicious and other hyperchromic anaemias (290) ... | M 214 | 186 | 59 | 58 | 51 | 46 | 48 | 40 | 51 | 47 | |
| | F 487 | 449 | 122 | 132 | 125 | 108 | 107 | 104 | 124 | 114 | |
| Anaemias, other (291-293) ... | M 344 | 379 | 114 | 73 | 82 | 75 | 96 | 87 | 98 | 98 | |
| | F 700 | 629 | 212 | 191 | 161 | 136 | 141 | 146 | 172 | 170 | |
| Vascular lesions affecting the central nervous system (330-334) ... | M 32,264 | 29,818 | 11,138 | 7,375 | 6,352 | 7,399 | 8,600 | 7,127 | 6,287 | 7,804 | |
| | F 48,076 | 44,147 | 16,457 | 10,903 | 9,616 | 11,100 | 12,688 | 10,752 | 9,353 | 11,354 | |
| Non-meningococcal meningitis (340) ... | M 212 | 251 | 70 | 63 | 37 | 42 | 64 | 72 | 53 | 62 | |
| | F 183 | 204 | 59 | 42 | 32 | 50 | 60 | 52 | 39 | 53 | |
| Rheumatic fever (400-402) ... | M 52 | 30 | 15 | 15 | 10 | 12 | 5 | 8 | 10 | 7 | |
| | F 45 | 31 | 20 | 10 | 11 | 4 | 8 | 9 | 5 | 9 | |
| Chronic rheumatic heart disease (410-416) ... | M 2,382 | 2,126 | 801 | 525 | 507 | 549 | 598 | 515 | 439 | 574 | |
| | F 4,542 | 4,045 | 1,593 | 1,044 | 832 | 1,073 | 1,194 | 926 | 869 | 1,056 | |
| Coronary and arteriosclerotic heart disease (420) ... | M 65,840 | 65,082 | 20,538 | 15,175 | 13,927 | 16,200 | 17,730 | 15,613 | 14,123 | 17,616 | |
| | F 42,016 | 41,208 | 13,584 | 9,440 | 8,528 | 10,464 | 11,626 | 9,745 | 8,807 | 11,030 | |
| Chronic endocarditis and other myocardial degeneration (421, 422) ... | M 17,719 | 14,617 | 6,922 | 3,912 | 3,166 | 3,719 | 4,735 | 3,527 | 2,742 | 3,613 | |
| | F 29,240 | 24,519 | 11,371 | 6,569 | 5,154 | 6,146 | 7,833 | 5,842 | 4,916 | 5,928 | |
| Other diseases of heart (430-434) ... | M 6,602 | 6,031 | 2,530 | 1,520 | 1,133 | 1,419 | 1,868 | 1,404 | 1,234 | 1,525 | |
| | F 8,399 | 7,671 | 3,173 | 1,884 | 1,550 | 1,792 | 2,368 | 1,869 | 1,520 | 1,914 | |
| Hypertension with heart disease (440-443) ... | M 4,082 | 3,427 | 1,479 | 977 | 701 | 925 | 1,100 | 806 | 660 | 861 | |
| | F 6,201 | 5,232 | 2,303 | 1,413 | 1,130 | 1,355 | 1,607 | 1,259 | 1,021 | 1,345 | |
| Hypertension without mention of heart (444-447) ... | M 2,574 | 2,171 | 962 | 574 | 511 | 527 | 657 | 506 | 438 | 570 | |
| | F 2,901 | 2,365 | 1,071 | 653 | 545 | 632 | 695 | 572 | 529 | 569 | |
| Other diseases of circulatory system (Rem. of 400-468) ... | M 9,262 | 8,472 | 3,176 | 2,088 | 1,814 | 2,184 | 2,429 | 2,067 | 1,725 | 2,251 | |
| | F 11,762 | 11,226 | 3,997 | 2,773 | 2,314 | 2,678 | 3,155 | 2,756 | 2,291 | 3,024 | |
| Influenza (480-483) ... | M 1,442 | 494 | 1,134 | 183 | 21 | 104 | 329 | 69 | 11 | 85 | |
| | F 1,772 | 549 | 1,428 | 232 | 18 | 94 | 382 | 78 | 15 | 74 | |
| Pneumonia (except of newborn) (490-493) ... | M 16,945 | 13,830 | 7,999 | 3,369 | 2,261 | 3,316 | 5,010 | 3,145 | 2,182 | 3,493 | |
| | F 19,118 | 15,679 | 9,214 | 3,708 | 2,431 | 3,765 | 5,822 | 3,475 | 2,506 | 3,876 | |
| Pneumonia of newborn (763) ... | M 401 | 354 | 124 | 105 | 82 | 90 | 114 | 84 | 83 | 73 | |
| | F 278 | 229 | 101 | 48 | 63 | 66 | 65 | 56 | 45 | 63 | |
| Bronchitis (500-502) ... | M 24,832 | 20,773 | 12,547 | 4,338 | 2,861 | 5,086 | 8,312 | 4,155 | 2,891 | 5,415 | |
| | F 10,500 | 7,967 | 5,771 | 1,853 | 949 | 1,927 | 3,498 | 1,625 | 930 | 1,914 | |
| Other respiratory diseases (Rem. 470-527) ... | M 3,651 | 3,413 | 1,536 | 755 | 614 | 746 | 1,204 | 740 | 565 | 904 | |
| | F 1,805 | 1,672 | 725 | 378 | 315 | 387 | 578 | 364 | 295 | 435 | |
| Ulcer of stomach and duodenum (540, 541) ... | M 2,799 | 2,568 | 1,119 | 562 | 509 | 609 | 834 | 618 | 479 | 637 | |
| | F 1,542 | 1,376 | 589 | 337 | 300 | 316 | 435 | 331 | 277 | 333 | |
| Appendicitis (550-553) ... | M 299 | 274 | 99 | 69 | 57 | 74 | 61 | 70 | 66 | 77 | |
| | F 257 | 224 | 68 | 65 | 61 | 63 | 49 | 48 | 59 | 68 | |
| Intestinal obstruction and hernia (560, 561, 570) ... | M 1,472 | 1,401 | 450 | 349 | 339 | 334 | 378 | 335 | 329 | 359 | |
| | F 1,661 | 1,638 | 506 | 388 | 366 | 401 | 468 | 378 | 383 | 409 | |
| Gastritis, duodenitis, enteritis and colitis, except diarrhoea of the newborn (543, 571, 572) ... | M 1,031 | 1,046 | 324 | 231 | 224 | 252 | 303 | 240 | 211 | 292 | |
| | F 1,566 | 1,611 | 435 | 378 | 377 | 376 | 410 | 392 | 396 | 413 | |
| Gastro-enteritis and colitis, except ulcerative, aged 4 wks.-2 yrs., and diarrhoea of newborn (571.0, 764) ... | M 272 | 295 | 106 | 53 | 57 | 56 | 124 | 62 | 41 | 68 | |
| | F 185 | 207 | 73 | 32 | 36 | 44 | 78 | 51 | 28 | 50 | |

† Provisional.

TABLE VI (continued)

| Causes of Death | 1963 | 1964† | 1963 | | | | 1964† | | | | 1965† |
|---|--------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | | March | June | Sept. | Dec. | March | June | Sept. | Dec. | March |
| Deaths from non-violent causes— <i>cont.</i> | | | | | | | | | | | |
| Cirrhosis of liver (581) ... {M | 701 | 657 | 200 | 176 | 154 | 171 | 174 | 145 | 135 | 203 | 176 |
| ... {F | 621 | 652 | 173 | 143 | 140 | 165 | 142 | 169 | 162 | 179 | 171 |
| Other diseases of digestive system (Rem. of 530-587) ... {M | 1,412 | 1,467 | 388 | 339 | 319 | 366 | 386 | 376 | 348 | 357 | 372 |
| ... {F | 2,020 | 1,994 | 554 | 516 | 445 | 505 | 543 | 465 | 497 | 489 | 533 |
| Nephritis and nephrosis (590-594) ... {M | 1,695 | 1,518 | 504 | 401 | 391 | 399 | 422 | 381 | 348 | 367 | 428 |
| ... {F | 1,484 | 1,404 | 475 | 371 | 299 | 339 | 384 | 379 | 321 | 320 | 372 |
| Hyperplasia of prostate (610) ... M | 2,479 | 2,338 | 778 | 583 | 516 | 602 | 664 | 558 | 531 | 585 | 556 |
| Other diseases of genitourinary system (Rem. of 590-637) ... {M | 1,772 | 1,794 | 502 | 425 | 406 | 439 | 458 | 446 | 427 | 463 | 472 |
| ... {F | 2,542 | 2,610 | 689 | 632 | 576 | 645 | 641 | 662 | 619 | 688 | 688 |
| Sepsis of pregnancy, childbirth and puerperium; abortion with sepsis (640, 641, 651, 681, 682, 684) ... F | 60 | 61 | 17 | 10 | 16 | 17 | 21 | 12 | 9 | 19 | 17 |
| Other complications of pregnancy, childbirth and puerperium including abortion (Rem. 640-689) ... F | 183 | 166 | 40 | 48 | 45 | 50 | 43 | 48 | 41 | 34 | 39 |
| Congenital malformations (750-759) ... {M | 2,783 | 2,741 | 741 | 668 | 664 | 710 | 710 | 714 | 667 | 650 | 667 |
| ... {F | 2,466 | 2,417 | 698 | 621 | 553 | 594 | 626 | 595 | 574 | 622 | 622 |
| Birth injuries, postnatal asphyxia and atelectasis (760-762) ... {M | 2,705 | 2,765 | 733 | 698 | 643 | 631 | 710 | 737 | 641 | 677 | 629 |
| ... {F | 1,753 | 1,816 | 456 | 452 | 412 | 433 | 473 | 462 | 458 | 423 | 420 |
| Infections of the newborn (763-768) ... {M | 489 | 431 | 148 | 124 | 106 | 111 | 139 | 101 | 104 | 87 | 111 |
| ... {F | 335 | 283 | 117 | 56 | 82 | 80 | 85 | 72 | 56 | 70 | 84 |
| Other diseases peculiar to early infancy, and immaturity unqualified (769-776) ... {M | 2,406 | 2,199 | 627 | 609 | 584 | 586 | 536 | 562 | 540 | 561 | 561 |
| ... {F | 1,727 | 1,656 | 461 | 448 | 407 | 411 | 409 | 456 | 394 | 397 | 391 |
| Idiocy without mention of psychosis, ill-defined and unknown causes (780-795) ... {M | 2,173 | 1,725 | 887 | 490 | 340 | 456 | 549 | 401 | 342 | 433 | 474 |
| ... {F | 4,092 | 3,444 | 1,541 | 910 | 802 | 839 | 1,077 | 843 | 728 | 796 | 991 |
| All other natural causes (Rem. 001-795) ... {M | 5,127 | 5,194 | 1,595 | 1,156 | 1,209 | 1,167 | 1,436 | 1,224 | 1,203 | 1,331 | 1,497 |
| ... {F | 7,494 | 7,244 | 2,469 | 1,749 | 1,581 | 1,695 | 2,100 | 1,675 | 1,632 | 1,837 | 1,974 |
| Deaths by violence ... {M | 14,074 | 14,244 | 3,821 | 3,270 | 3,382 | 3,601 | 3,722 | 3,518 | 3,336 | 3,668 | 3,625 |
| ... {F | 10,549 | 10,316 | 3,433 | 2,304 | 2,179 | 2,633 | 3,029 | 2,450 | 2,165 | 2,672 | 2,885 |
| Motor vehicle accidents (E810-E835) ... {M | 4,589 | 5,238 | 997 | 996 | 1,153 | 1,443 | 1,245 | 1,173 | 1,221 | 1,599 | 1,356 |
| ... {F | 1,762 | 2,033 | 424 | 370 | 415 | 553 | 555 | 419 | 448 | 611 | 609 |
| Other transport accidents (E800 - E802, E840 - E866) ... {M | 489 | 471 | 128 | 114 | 134 | 113 | 103 | 129 | 112 | 127 | 81 |
| ... {F | 66 | 81 | 15 | 13 | 19 | 19 | 19 | 21 | 14 | 27 | 15 |
| Accidental poisoning (E870-E895) ... {M | 928 | 780 | 401 | 186 | 142 | 199 | 284 | 184 | 124 | 188 | 249 |
| ... {F | 1,144 | 982 | 491 | 201 | 181 | 271 | 344 | 231 | 149 | 258 | 293 |
| Accidental falls (E900-E904) ... {M | 2,073 | 1,873 | 675 | 494 | 444 | 460 | 538 | 446 | 434 | 455 | 511 |
| ... {F | 3,613 | 3,441 | 1,282 | 796 | 735 | 800 | 1,013 | 813 | 724 | 891 | 989 |
| Accidents caused by fire or hot substance (E916, E917) ... {M | 374 | 358 | 166 | 89 | 62 | 57 | 134 | 89 | 42 | 93 | 128 |
| ... {F | 612 | 505 | 335 | 97 | 64 | 116 | 227 | 107 | 49 | 122 | 213 |
| All other accidents (Rem. E800-E962) ... {M | 2,126 | 2,193 | 557 | 516 | 576 | 477 | 515 | 603 | 623 | 452 | 501 |
| ... {F | 818 | 747 | 290 | 177 | 167 | 184 | 201 | 180 | 176 | 190 | 234 |
| Suicide and self-inflicted injury (E963, E970-E979) ... {M | 3,308 | 3,175 | 839 | 831 | 841 | 797 | 860 | 862 | 744 | 709 | 753 |
| ... {F | 2,407 | 2,391 | 558 | 623 | 574 | 652 | 626 | 644 | 577 | 544 | 510 |
| Homicide and operations of war (E964, E965, E980-E999) ... {M | 187 | 156 | 58 | 44 | 30 | 55 | 43 | 32 | 36 | 45 | 46 |
| ... {F | 127 | 136 | 38 | 27 | 24 | 38 | 44 | 35 | 28 | 29 | 22 |

Provisional.

TABLE VII
Accidental deaths registered in the quarter ended 30th June 1965
analysed by sex and age, with totals for the corresponding quarter of the previous year
England and Wales

(Classified according to the International Classification of Diseases (7th Revision 1955))

| | | | All ages June quarter | | 0— | 1— | 5— | 10-14 | Total under 15 | 15— | 25— | 45— | 65 & over | Total ages 15 over |
|---|----|-------|-----------------------------|------|-----|-----|----|-------|----------------------|-----|-----|-------|--------------|-----------------------------|
| | | | 1964 | 1965 | | | | | | | | | | |
| Home accidents*: | | | | | | | | | | | | | | |
| Coal gas poisoning (E890) | {M | 75 | 64 | — | — | — | — | — | — | 4 | 7 | 14 | 39 | |
| | {F | 117 | 61 | — | 1 | — | — | 1 | 1 | 2 | 4 | 7 | 47 | |
| Other poisoning (E870-E888, E891-E895) ... | {M | 60 | 56 | — | 3 | — | — | 3 | 2 | 19 | 26 | 6 | | |
| | {F | 82 | 75 | — | 5 | 2 | 1 | 8 | 2 | 16 | 26 | 23 | | |
| Falls (E900-E904) | {M | 275 | 266 | 2 | 4 | 1 | — | 7 | 2 | 10 | 52 | 195 | 2 | |
| | {F | 662 | 663 | 6 | 2 | — | 1 | 9 | 1 | 6 | 32 | 615 | 6 | |
| Burns and scalds (E916-E917)... .. | {M | 66 | 52 | 2 | 10 | 1 | — | 13 | — | 2 | 9 | 28 | | |
| | {F | 99 | 93 | 4 | 9 | 3 | 4 | 20 | 1 | 6 | 15 | 51 | | |
| Choking and suffocation (E921, E922, E924, E925) ... | {M | 92 | 73 | 50 | 4 | — | 1 | 55 | 4 | 5 | 3 | 6 | | |
| | {F | 65 | 58 | 31 | 6 | 2 | 1 | 40 | 1 | 3 | 6 | 8 | | |
| Other (Remainder of E870-E936) | {M | 64 | 52 | 7 | 10 | 1 | 3 | 21 | 6 | 9 | 11 | 5 | | |
| | {F | 46 | 51 | 11 | 6 | 4 | — | 21 | 2 | 3 | 6 | 19 | | |
| Total home accidents (E870-E936) | {M | 632 | 563 | 61 | 31 | 3 | 4 | 99 | 18 | 52 | 115 | 279 | 4 | |
| | {F | 1,071 | 1,001 | 52 | 29 | 11 | 7 | 99 | 9 | 38 | 92 | 763 | 9 | |
| Transport accidents: | | | | | | | | | | | | | | |
| Motor vehicle road accidents involving injury to: | | | | | | | | | | | | | | |
| Motor cyclist† (E814, E815, E821) ... | {M | 272 | 238 | — | — | 1 | — | 1 | 162 | 43 | 31 | 1 | 2 | |
| | {F | 17 | 19 | — | — | — | — | — | 16 | 1 | 2 | — | | |
| Pedal cyclist (E813) | {M | 99 | 94 | — | 2 | 7 | 19 | 28 | 15 | 11 | 17 | 23 | | |
| | {F | 11 | 8 | — | — | — | 1 | 1 | 1 | — | 5 | 1 | | |
| Pedestrian (E812) | {M | 340 | 394 | — | 30 | 46 | 11 | 87 | 27 | 24 | 87 | 169 | 3 | |
| | {F | 256 | 246 | — | 23 | 22 | 10 | 55 | 11 | 6 | 49 | 125 | 1 | |
| Occupant of motor vehicle† (Remainder of E810- E825) | {M | 414 | 432 | 2 | 2 | 4 | 2 | 10 | 143 | 159 | 88 | 32 | 4 | |
| | {F | 124 | 147 | 1 | — | 3 | 2 | 6 | 43 | 29 | 37 | 32 | 1 | |
| Other road accidents involving injury to: | | | | | | | | | | | | | | |
| Pedal cyclist (E843) | {M | 15 | 8 | — | — | — | 2 | 2 | — | 1 | 3 | 2 | | |
| | {F | 4 | 3 | — | — | — | — | — | — | 2 | 1 | — | | |
| Pedestrian (E840-E842, E844) ... | {M | 3 | 3 | — | — | — | — | — | — | — | 1 | 2 | | |
| | {F | 1 | — | — | — | — | — | — | — | — | — | — | | |
| All other transport accidents including rail, air, water (Remainder of E800-E866) | {M | 140 | 109 | — | 2 | 2 | 4 | 8 | 26 | 40 | 25 | 10 | 1 | |
| | {F | 16 | 10 | — | — | 1 | 2 | 3 | 3 | — | 3 | 1 | | |
| Total transport accidents (E800-E866)... .. | {M | 1,283 | 1,278 | 2 | 36 | 60 | 38 | 136 | 373 | 278 | 252 | 239 | 1,1 | |
| | {F | 429 | 433 | 1 | 23 | 26 | 15 | 65 | 74 | 38 | 97 | 159 | 3 | |
| Other accidents: | | | | | | | | | | | | | | |
| Poisonings (E870-E895)... .. | {M | 55 | 34 | — | — | — | — | — | 3 | 8 | 17 | 6 | | |
| | {F | 31 | 29 | — | 1 | — | — | 1 | 2 | 8 | 15 | 3 | | |
| Falls (E900-E904)... .. | {M | 137 | 160 | 1 | 1 | 5 | 9 | 16 | 16 | 34 | 44 | 50 | 1 | |
| | {F | 61 | 55 | — | — | — | — | — | 3 | 1 | 12 | 39 | | |
| Burns (E916-E917)... .. | {M | 19 | 8 | — | — | — | — | — | — | 3 | 4 | 1 | | |
| | {F | 5 | 5 | — | — | — | — | — | — | 1 | 2 | 2 | | |
| Drowning (E929) | {M | 177 | 147 | 1 | 21 | 28 | 19 | 69 | 22 | 18 | 19 | 19 | | |
| | {F | 29 | 34 | — | 3 | 4 | — | 7 | — | 8 | 9 | 10 | | |
| Other (Remainder of E870-E936) | {M | 218 | 202 | 5 | 5 | 6 | 9 | 25 | 36 | 65 | 61 | 15 | 1 | |
| | {F | 24 | 31 | 4 | 4 | — | 1 | 9 | 6 | 5 | 6 | 5 | | |
| Total other accidents (E870-E936) | {M | 606 | 551 | 7 | 27 | 39 | 37 | 110 | 77 | 128 | 145 | 91 | 4 | |
| | {F | 150 | 154 | 4 | 8 | 4 | 1 | 17 | 11 | 23 | 44 | 59 | 1 | |
| §Total, all accidents June quarter 1965 (E800- E936) | {M | — | 2,392 | 70 | 94 | 102 | 79 | 345 | 468 | 458 | 512 | 609 | 2,0 | |
| | {F | — | 1,588 | 57 | 60 | 41 | 23 | 181 | 94 | 99 | 233 | 981 | 1,4 | |
| §Total, all accidents June quarter 1964 (E800- E936) | {M | 2,521 | — | 82 | 123 | 87 | 85 | 377 | 489 | 499 | 558 | 598 | 2,1 | |
| | {F | 1,650 | — | 56 | 59 | 39 | 23 | 177 | 88 | 105 | 247 | 1,033 | 1,4 | |

* Including deaths in residential institutions. † Including passengers. ‡ Including a few deaths of other and unspecified persons.
§ Excluding deaths from therapeutic misadventure, etc., (E940-E959), and late effects of injury and poisoning (E960-E962).

TABLE VIII

Numbers of insured persons absent from work owing to certified sickness or industrial injury (or prescribed disease)

*England and Wales; standard regions**

(Supplied by the Ministry of Pensions and National Insurance)

(Figures to nearest hundred)

| Area | 20th April 1965 | | 18th May 1965 | | 15th June 1965 | |
|------------------------------|-----------------|--------|---------------|--------|----------------|--------|
| | Sickness | Injury | Sickness | Injury | Sickness | Injury |
| England and Wales | 790,400 | 55,300 | 852,400 | 65,100 | 850,500 | 65,500 |
| Northern | 75,600 | 8,300 | 78,000 | 9,700 | 76,900 | 10,100 |
| East and West Ridings | 84,900 | 9,500 | 89,600 | 10,900 | 90,200 | 10,900 |
| North Western... .. | 154,100 | 7,900 | 166,800 | 9,500 | 164,200 | 9,700 |
| North Midland | 54,400 | 5,300 | 59,100 | 5,900 | 59,000 | 5,800 |
| Midland | 78,200 | 4,600 | 84,200 | 5,300 | 83,000 | 5,100 |
| Eastern | 42,100 | 1,800 | 45,700 | 2,400 | 45,000 | 2,200 |
| London and South Eastern: | | | | | | |
| Greater London | 106,600 | 3,500 | 120,900 | 4,900 | 120,900 | 4,900 |
| Remainder | 40,800 | 1,600 | 42,800 | 2,100 | 43,100 | 2,100 |
| Southern | 33,600 | 1,300 | 36,500 | 1,800 | 36,700 | 1,700 |
| South Western... .. | 50,500 | 2,200 | 54,400 | 2,700 | 54,600 | 2,600 |
| Wales | 69,500 | 9,100 | 74,500 | 9,900 | 77,000 | 10,400 |

Notes: (1) Periodical checks of the proportion of males included in the total figures of persons absent from work have shown a fairly constant level of about 70 or 71 per cent for absence caused by sickness and about 87 per cent for absence caused by industrial injury.

(2) Broadly, the whole of the civilian *working* population aged 15 and over can now qualify under the National Insurance Act for sickness benefit without limit of income, including not only those employed under contract of service but also the self-employed. There are, however, about 3½ million employed persons who do not qualify including about 3 million married women who elect not to be insured in their own right.

(3) The National Insurance (Industrial Injuries) Act applies, generally speaking, to all civilians working for an employer under contract of service or apprenticeship, corresponding closely with the class of "employed persons" under the main scheme.

(4) It is not practicable to make a straightforward count of the number of persons who are absent from work on a given day owing to sickness or industrial injury. The method followed has accordingly been to take the number of long-term certificates then current, and to add to it the number of first and intermediate certificates of incapacity received during the week ended on the given day. (The figure so obtained includes a small proportion of persons whose incapacity in fact ended before that day, and excludes a small proportion of persons whose incapacity in fact began on or before that day. Sample enquiries indicate that these factors do not produce on balance any significant effect on the national and regional totals.)

*The constitution of the standard regions of England and Wales in this Table is as follows:

| | | | |
|---|---|--|---|
| Northern Cumberland Durham Northumberland Westmorland Yorkshire, North Riding | Midland Herefordshire Shropshire Staffordshire Warwickshire Worcestershire | Southern Berkshire Buckinghamshire Dorset, Part of ³ Hampshire Oxfordshire Wight, Isle of | Wales II (remainder) Anglesey Caernarvonshire Cardiganshire Denbighshire Flintshire Merionethshire Montgomeryshire Pembrokeshire Radnorshire |
| East and West Ridings Yorkshire, East Riding Yorkshire, West Riding | Eastern Bedfordshire Cambridgeshire & Isle of Ely Essex Hertfordshire Huntingdonshire Norfolk Suffolk, East Suffolk, West | South Western Cornwall Devon Dorset, Part of ⁴ Gloucestershire Somerset Wiltshire | |
| North Western Cheshire Derbyshire, Part of ¹ Lancashire | London and South Eastern City of London and London Boroughs Kent Surrey Sussex, East Sussex, West | Wales I (South East) Breconshire Carmarthenshire Glamorgan Monmouthshire | |
| North Midland Derbyshire, Part of ² Leicestershire Lincolnshire Parts of Holland Parts of Kesteven Parts of Lindsey Northamptonshire Nottinghamshire Peterborough, Soke of Rutland | | | |

¹ Buxton M.B., Glossop M.B., New Mills U.D., Whaley Bridge U.D. and Chapel en le Frith R.D.

² All except the areas stated in ¹ above.

³ Poole M.B. only.

⁴ All areas except Poole M.B.

TABLE IX

Populations, births (distinguishing stillbirths) and deaths (distinguishing deaths from certain causes) in the first quarter 1965 and, where available, second quarter 1965

Greater London or London A.C. and certain cities abroad

| CITIES | POPULATION (enumerated or estimated) | LIVE BIRTHS | STILLBIRTHS | DEATHS (excluding Stillbirths) | Rate per 1,000 living | | Deaths from | | | | | | | | | | Deaths under 1 year |
|---------------------|--|-------------|-------------|--------------------------------------|--------------------------|--|--------------------------------------|----------|-------------------|------------|-----------------------------|-----------|------------------------|--|-----|--|---------------------|
| | | | | | Live Births | Deaths (exclu- ding Still- births) | Typhoid and paratyphoid fevers | Smallpox | Whooping cough | Diphtheria | Tuberculosis (all forms) | Influenza | Acute poliomyelitis | Enteritis and diarrhoea (under 2 yrs.) | | | |
| First Quarter 1965 | | | | | | | | | | | | | | | | | |
| LONDON A.C. ... | 3,185,000 | 18,460 | 274 | 11,955 | 23·5 | 15·2 | — | — | — | — | 60 | 16 | — | 11 | 25 | | |
| AUCKLAND ... | 499,700 | 2,909 | 28 | 983 | 23·3 | 7·9 | † | † | † | † | † | † | † | † | 16 | | |
| BOMBAY ... | 4,654,000 | 29,781 | 1,120 | 13,979 | 25·6 | 12·0 | 3 | 718 | 3 | 21 | 956 | 1 | 5 | † | 11 | | |
| BRISBANE ... | 668,000 | 3,194 | 34 | 1,280 | 19·1 | 7·7 | — | — | — | — | 2 | — | — | † | 14 | | |
| CALCUTTA ... | 3,026,000 | 14,448 | 537 | 7,719 | 19·1 | 10·2 | 16 | 30 | 1 | 64 | 441 | 6 | 3 | 190 | 108 | | |
| CHRISTCHURCH ... | 237,600 | 1,189 | 17 | 474 | 20·0 | 8·0 | † | † | † | † | † | † | † | † | 21 | | |
| COPENHAGEN ... | 717,000 | 3,021 | 35 | 2,407 | 17·1 | 13·6 | — | — | — | — | 9 | 9 | — | 3 | 30 | | |
| GOTHENBURG ... | 418,600 | † | † | 1,078 | † | 10·4 | † | † | † | † | 6 | 3 | † | † | † | | |
| HELSINKI ... | 497,900 | 2,200 | 22 | 1,418 | 17·7 | 11·4 | — | — | — | — | 20 | 32 | — | 1 | 17 | | |
| OSLO ... | 485,000 | 1,628 | 25 | 1,284 | 13·6 | 10·7 | — | — | — | — | 3 | 2 | — | 4 | 15 | | |
| ROME ... | 2,466,501 | 13,654 | 207 | 6,111 | 22·4 | 10·0 | 2 | — | 1 | 1 | 100 | 38 | 6 | 20 | † | | |
| STOCKHOLM ... | 791,500 | 2,641 | 27 | 2,322 | 13·4 | 11·7 | — | — | — | — | 19 | 1 | — | — | 12 | | |
| WELLINGTON ... | 267,400 | 1,648 | 18 | 476 | 24·6 | 7·1 | † | † | † | † | † | † | † | † | 19 | | |
| Second Quarter 1965 | | | | | | | | | | | | | | | | | |
| GREATER LONDON | 7,986,000 | 37,272 | 553 | 20,949 | 18·7 | 10·5 | — | — | — | — | 83 | 50 | — | 3 | 33 | | |
| COPENHAGEN ... | 717,000 | 2,867 | 33 | 2,106 | 16·0 | 11·8 | — | — | 1 | — | 16 | 4 | — | — | 29 | | |
| GOTHENBURG ... | 418,600 | † | † | 943 | † | 9·0 | — | — | — | — | 3 | — | — | — | † | | |
| HELSINKI ... | 499,650 | 2,300 | 30 | 1,200 | 18·4 | 9·6 | † | † | † | † | † | † | † | † | 20 | | |
| OSLO ... | 485,000 | 1,878 | 14 | 1,293 | 15·5 | 10·7 | — | — | — | — | 4 | 5 | — | — | 12 | | |
| ROME ... | 2,481,966 | 13,897 | 233 | 4,979 | 22·5 | 8·0 | 1 | — | — | — | 82 | 5 | 5 | 19 | † | | |
| STOCKHOLM ... | 791,500 | 2,761 | 21 | 2,060 | 14·0 | 10·4 | — | — | — | — | 14 | — | — | 1 | 9 | | |

† Figures not available.

TABLE X

Meteorology: values of air temperature, rainfall and sunshine for the second quarter 1965 expressed as differences from, or percentages of, the average values†

Districts of England and Wales

(Supplied by the Director-General of the Meteorological Office)

| District | Air Temperature | | | Rainfall | | Sunshine |
|-----------------------------------|-----------------|--------|------------------------------------|-----------------------|--|-----------------------|
| | Highest | Lowest | Difference from average daily mean | Percentage of average | Number of days difference from average | Percentage of average |
| | °F. | °F. | °F. | % | | % |
| | | | | | | |
| APRIL 1965 | | | | | | |
| England N.E. | 66 | 20 | —0.5 | 119 | + 3 | 107 |
| England E. | 68 | 24 | —0.7 | 125 | + 4 | 75 |
| Midland Counties | 71 | 23 | —0.4 | 86 | + 1 | 98 |
| England S.E. | 68 | 26 | —0.5 | 70 | + 4 | 80 |
| England N.W., and N. Wales | 69 | 21 | —0.5 | 123 | + 5 | 105 |
| England S.W., and S. Wales | 68 | 25 | —0.5 | 74 | + 2 | 100 |
| Mean | — | — | —0.5 | 99 | + 3 | 94 |
| MAY 1965 | | | | | | |
| England N.E. | 81 | 26 | +0.5 | 101 | + 3 | 85 |
| England E. | 83 | 26 | +0.5 | 101 | + 4 | 85 |
| Midland Counties | 82 | 27 | +0.5 | 87 | + 4 | 92 |
| England S.E. | 84 | 30 | +0.4 | 89 | + 3 | 92 |
| England N.W., and N. Wales | 80 | 23 | +0.5 | 123 | 0 | 84 |
| England S.W., and S. Wales | 79 | 26 | —0.2 | 97 | + 1 | 82 |
| Mean | — | — | +0.4 | 100 | + 3 | 87 |
| JUNE 1965 | | | | | | |
| England N.E. | 77 | 32 | +0.2 | 87 | — 1 | 90 |
| England E. | 78 | 29 | —0.9 | 121 | + 1 | 84 |
| Midland Counties | 79 | 33 | +0.2 | 143 | + 1 | 100 |
| England S.E. | 76 | 36 | —1.3 | 124 | + 2 | 78 |
| England N.W., and N. Wales | 77 | 30 | +0.2 | 107 | + 1 | 105 |
| England S.W., and S. Wales | 77 | 37 | —0.9 | 154 | + 2 | 88 |
| Mean | — | — | —0.4 | 123 | + 1 | 91 |
| 2nd QUARTER 1965 | | | | | | |
| England N.E. | 81 | 20 | +0.1 | 102 | + 5 | 94 |
| England E. | 83 | 24 | —0.4 | 116 | + 9 | 81 |
| Midland Counties | 82 | 23 | +0.1 | 105 | + 6 | 97 |
| England S.E. | 84 | 26 | —0.5 | 94 | + 9 | 83 |
| England N.W., and N. Wales | 80 | 21 | +0.1 | 118 | + 6 | 98 |
| England S.W., and S. Wales | 79 | 25 | —0.5 | 108 | + 5 | 90 |
| Mean | — | — | —0.2 | 107 | + 7 | 91 |

† The averages used for rainfall and raindays are for the period 1916-50, while those for sunshine and temperatures are for 1931-60.

APPENDIX A
Abridged life table, 1962-1964 (home population)
England and Wales

| Males | | Age x | Females | |
|--------|-----------|------------|---------|-----------|
| l_x | oe_x | | l_x | oe_x |
| 10,000 | 68.1 | 0 | 10,000 | 74.2 |
| 9,765 | 68.8 | 1 | 9,818 | 74.5 |
| 9,750 | 67.9 | 2 | 9,805 | 73.6 |
| 9,742 | 66.9 | 3 | 9,798 | 72.7 |
| 9,736 | 66.0 | 4 | 9,793 | 71.7 |
| 9,730 | 65.0 | 5 | 9,788 | 70.8 |
| 9,707 | 60.2 | 10 | 9,772 | 65.9 |
| 9,687 | 55.3 | 15 | 9,760 | 61.0 |
| 9,642 | 50.5 | 20 | 9,743 | 56.1 |
| 9,589 | 45.8 | 25 | 9,720 | 51.2 |
| 9,543 | 41.0 | 30 | 9,690 | 46.3 |
| 9,486 | 36.2 | 35 | 9,649 | 41.5 |
| 9,400 | 31.5 | 40 | 9,583 | 36.8 |
| 9,259 | 27.0 | 45 | 9,480 | 32.2 |
| 9,016 | 22.6 | 50 | 9,315 | 27.7 |
| 8,604 | 18.6 | 55 | 9,072 | 23.4 |
| 7,912 | 15.0 | 60 | 8,710 | 19.2 |
| 6,869 | 11.9 | 65 | 8,142 | 15.4 |
| 5,495 | 9.3 | 70 | 7,281 | 11.9 |
| 3,895 | 7.0 | 75 | 5,994 | 8.9 |
| 2,282 | 5.2 | 80 | 4,281 | 6.5 |
| 984 | 3.9 | 85 | 2,366 | 4.8 |

This abridged life table is constructed from the estimated *home* population in 1962, 1963 and 1964 and the total deaths in those years.

The column headed l_x shows, for each sex, the number who would survive to exact age x out of 10,000 born who were subject throughout their lives to the recorded age death rates of the period.

Column oe_x is the "expectation of life", that is, the average future lifetime which would be lived by persons aged exactly x , if likewise subject to those death rates.

APPENDIX B
Causes of death by sex and age-groups, 1964, classified in accordance with the Abridged List
England and Wales

| No. | Registrar General's Abridged List | Corresponding I.C.D. number |
|-----|--|--|
| 1. | Tuberculosis, respiratory | 001-008. |
| 2. | Tuberculosis, other | 010-019. |
| 3. | Syphilitic disease | 020-029. |
| 4. | Diphtheria | 055. |
| 5. | Whooping cough | 056. |
| 6. | Meningococcal infections | 057. |
| 7. | Acute poliomyelitis | 080. |
| 8. | Measles | 085. |
| 9. | Other infective and parasitic diseases | 030-054, 058-074, 081-084, 086-138. |
| 10. | Malignant neoplasm, stomach | 151. |
| 11. | Malignant neoplasm, lung, bronchus | 162, 163. |
| 12. | Malignant neoplasm, breast | 170. |
| 13. | Malignant neoplasm, uterus | 171,174. |
| 14. | Other malignant and lymphatic neoplasms | 140-150, 152-161, 164-165, 175-203, 205. |
| 15. | Leukaemia, aleukaemia | 204. |
| 16. | Diabetes | 260. |
| 17. | Vascular lesions of nervous system | 330-334. |
| 18. | Coronary disease, angina | 420. |
| 19. | Hypertension with heart disease | 440-443. |
| 20. | Other heart disease | 410-416, 421-434. |
| 21. | Other circulatory disease | 444-468. |
| 22. | Influenza | 480-483. |
| 23. | Pneumonia | 490-493, 763. |
| 24. | Bronchitis | 500-502. |
| 25. | Other diseases of respiratory system | 470-475,510-527. |
| 26. | Ulcer of stomach and duodenum | 540,541. |
| 27. | Gastritis, enteritis and diarrhoea... .. | 543, 571, 572, 764. |
| 28. | Nephritis and nephrosis | 590-594. |
| 29. | Hyperplasia of prostate | 610. |
| 30. | Pregnancy, childbirth, abortion | 640-689. |
| 31. | Congenital malformations | 750-759. |
| 32. | Other defined and ill-defined diseases | Remainder 001-795. |
| 33. | Motor vehicle accidents | E810-835. |
| 34. | All other accidents... .. | E800-802, 840-962. |
| 35. | Suicide | E963, 970-979. |
| 36. | Homicide and operations of war... .. | E964, 965, 980-999. |

APPENDIX B (continued)

| Causes of death (See first page of Table) | | All ages | Under 4 weeks | 4 wks. and under 1 year | Years | | | | | | |
|---|---|-------------|---------------------|----------------------------------|-------|-------|-------|--------|--------|--------|----------------|
| | | | | | 1— | 5— | 15— | 25— | 45— | 65— | 75 and over |
| All causes | M | 274,773 | 7,001 | 3,010 | 1,414 | 1,495 | 3,550 | 11,336 | 79,096 | 76,256 | 91,615 |
| | F | 259,964 | 5,105 | 2,329 | 1,138 | 939 | 1,428 | 7,753 | 44,375 | 61,517 | 135,380 |
| 1 Tuberculosis, respiratory | M | 1,711 | — | — | 3 | 1 | 8 | 135 | 748 | 532 | 284 |
| | F | 498 | — | 1 | 4 | 1 | 2 | 104 | 177 | 105 | 104 |
| 2 Tuberculosis, other | M | 142 | — | 1 | 4 | 3 | 3 | 28 | 61 | 28 | 14 |
| | F | 133 | — | — | 5 | 2 | 3 | 18 | 42 | 21 | 42 |
| 3 Syphilitic disease | M | 496 | — | — | — | — | — | 19 | 158 | 192 | 127 |
| | F | 295 | 1 | — | — | 1 | — | 9 | 59 | 83 | 142 |
| 4 Diphtheria | M | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough | M | 22 | — | 18 | 4 | — | — | — | — | — | — |
| | F | 22 | — | 14 | 5 | 1 | — | — | — | — | 2 |
| 6 Meningococcal infections | M | 53 | 1 | 23 | 15 | 3 | 1 | 1 | 8 | — | 1 |
| | F | 45 | 2 | 9 | 15 | 6 | 2 | 2 | 5 | 2 | 2 |
| 7 Acute poliomyelitis | M | 2 | — | — | — | 1 | — | 1 | — | — | — |
| | F | 2 | — | — | 1 | — | — | — | 1 | — | — |
| 8 Measles | M | 30 | — | 5 | 17 | 7 | — | — | 1 | — | — |
| | F | 43 | — | 8 | 21 | 8 | 4 | 1 | — | 1 | — |
| 9 Other infective, etc., diseases | M | 448 | 3 | 46 | 28 | 20 | 24 | 53 | 148 | 60 | 66 |
| | F | 457 | 4 | 36 | 27 | 11 | 22 | 45 | 145 | 74 | 93 |
| 10 Malignant neoplasm: Stomach | M | 7,500 | — | — | — | — | 2 | 211 | 2,832 | 2,541 | 1,914 |
| | F | 5,569 | — | — | — | — | 2 | 117 | 1,254 | 1,717 | 2,479 |
| 11 Lung, bronchus | M | 21,476 | — | — | — | — | 11 | 581 | 10,586 | 7,392 | 2,906 |
| | F | 3,895 | — | — | 1 | 1 | 5 | 188 | 1,737 | 1,180 | 783 |
| 12 Breast | M | 84 | — | — | — | — | — | 2 | 42 | 23 | 17 |
| | F | 9,860 | — | — | — | — | 6 | 864 | 4,372 | 2,400 | 2,218 |
| 13 Uterus | F | 3,989 | — | — | 1 | — | 4 | 407 | 1,703 | 1,068 | 806 |
| 14 Other malignant and lymphatic neoplasms | M | 25,623 | 1 | 14 | 101 | 150 | 229 | 1,377 | 8,162 | 7,839 | 7,750 |
| | F | 23,835 | 2 | 20 | 66 | 104 | 147 | 1,187 | 7,455 | 6,741 | 8,113 |
| 15 Leukaemia and aleukaemia | M | 1,564 | 3 | 8 | 64 | 109 | 75 | 187 | 467 | 358 | 293 |
| | F | 1,303 | 1 | 11 | 58 | 76 | 50 | 134 | 351 | 303 | 319 |
| 16 Diabetes | M | 1,409 | 2 | — | 7 | 9 | 10 | 90 | 354 | 420 | 517 |
| | F | 2,522 | 1 | 1 | 2 | 5 | 8 | 41 | 400 | 901 | 1,163 |
| 17 Vascular lesions of nervous system | M | 29,818 | 3 | 13 | 6 | 14 | 60 | 487 | 6,045 | 8,970 | 14,220 |
| | F | 44,147 | 3 | 9 | 5 | 16 | 42 | 449 | 5,332 | 10,928 | 27,363 |
| 18 Coronary disease, angina | M | 65,082 | — | 1 | — | — | 9 | 2,125 | 24,648 | 20,724 | 17,575 |
| | F | 41,208 | — | — | — | — | 2 | 306 | 6,343 | 13,405 | 21,152 |
| 19 Hypertension with heart disease | M | 3,427 | — | — | 1 | — | 1 | 58 | 855 | 1,161 | 1,351 |
| | F | 5,232 | — | — | — | — | — | 27 | 594 | 1,490 | 3,121 |
| 20 Other heart disease | M | 22,774 | 2 | 14 | 7 | 15 | 81 | 641 | 3,409 | 5,023 | 13,582 |
| | F | 36,235 | 1 | 16 | 3 | 19 | 39 | 608 | 3,217 | 5,886 | 26,446 |
| 21 Other circulatory disease | M | 10,643 | 1 | 1 | 3 | 7 | 30 | 285 | 2,231 | 2,799 | 5,286 |
| | F | 13,591 | — | 2 | 6 | 5 | 38 | 223 | 1,428 | 2,783 | 9,106 |
| 22 Influenza | M | 494 | 1 | 12 | 3 | 3 | 9 | 30 | 130 | 99 | 207 |
| | F | 549 | 1 | 5 | 2 | 5 | 5 | 17 | 63 | 126 | 325 |
| 23 Pneumonia | M | 14,184 | 354 | 1,040 | 169 | 67 | 95 | 232 | 1,952 | 3,111 | 7,164 |
| | F | 15,908 | 229 | 752 | 149 | 70 | 57 | 175 | 1,213 | 2,762 | 10,501 |
| 24 Bronchitis | M | 20,773 | 18 | 201 | 47 | 17 | 25 | 195 | 5,848 | 7,376 | 7,046 |
| | F | 7,967 | 8 | 138 | 64 | 11 | 19 | 113 | 1,227 | 2,107 | 4,280 |
| 25 Other diseases of respiratory system | M | 3,413 | 2 | 64 | 27 | 13 | 35 | 127 | 1,116 | 1,098 | 931 |
| | F | 1,672 | 11 | 51 | 23 | 11 | 15 | 95 | 342 | 338 | 786 |
| 26 Ulcer of stomach and duodenum | M | 2,568 | 3 | 1 | 1 | 3 | 6 | 107 | 773 | 781 | 893 |
| | F | 1,376 | 2 | — | 1 | — | 1 | 34 | 223 | 397 | 718 |
| 27 Gastritis, enteritis and diarrhoea | M | 1,079 | 33 | 210 | 69 | 7 | 14 | 68 | 219 | 204 | 255 |
| | F | 1,633 | 23 | 157 | 42 | 7 | 8 | 59 | 226 | 381 | 730 |
| 28 Nephritis and nephrosis | M | 1,518 | 1 | 7 | 7 | 23 | 67 | 219 | 534 | 318 | 342 |
| | F | 1,404 | 1 | 5 | 7 | 17 | 46 | 118 | 352 | 349 | 509 |
| 29 Hyperplasia of prostate | M | 2,338 | — | — | — | — | — | — | 121 | 539 | 1,678 |
| 30 Pregnancy, childbirth, abortion | F | 227 | — | — | — | — | 59 | 165 | 3 | — | — |
| 1 Congenital malformations | M | 2,741 | 1,296 | 635 | 181 | 110 | 83 | 131 | 203 | 60 | 42 |
| | F | 2,417 | 1,117 | 587 | 182 | 106 | 74 | 91 | 162 | 54 | 44 |
| 2 Other defined and ill-defined diseases | M | 19,117 | 5,232 | 357 | 240 | 270 | 334 | 954 | 3,566 | 3,087 | 5,077 |
| | F | 23,614 | 3,640 | 278 | 185 | 193 | 258 | 1,103 | 3,787 | 4,208 | 9,962 |
| 3 Motor vehicle accidents | M | 5,238 | — | 9 | 147 | 311 | 1,582 | 1,113 | 1,121 | 444 | 511 |
| | F | 2,033 | 1 | 7 | 87 | 157 | 292 | 244 | 421 | 387 | 437 |
| 4 All other accidents | M | 5,675 | 39 | 321 | 255 | 320 | 515 | 986 | 1,331 | 606 | 1,302 |
| | F | 5,756 | 48 | 211 | 165 | 90 | 107 | 243 | 649 | 843 | 3,400 |
| 5 Suicide | M | 3,175 | — | — | — | 2 | 215 | 841 | 1,403 | 455 | 259 |
| | F | 2,391 | — | — | — | 2 | 91 | 530 | 1,070 | 469 | 229 |
| 6 Homicide, operations of war | M | 156 | 6 | 9 | 8 | 10 | 26 | 52 | 24 | 16 | 5 |
| | F | 136 | 9 | 11 | 11 | 14 | 20 | 36 | 22 | 8 | 5 |

Estimated home population

England and Wales,

NOTE: For the detailed constitutions of the standard reg

| | | | All Ages | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 |
|---|--|--|-------------|---------|---------|---------|---------|---------|---------|
| ENGLAND AND WALES ... | | | {M 22,353·3 | 402·4 | 1,474·7 | 1,671·4 | 1,887·5 | 1,648·1 | 1,434·8 |
| | | | {F 23,851·9 | 380·3 | 1,397·8 | 1,592·1 | 1,798·9 | 1,603·9 | 1,449·0 |
| Regions and Conurbations: | | | | | | | | | |
| Northern | | | {M 1,588·1 | 30·0 | 115·6 | 131·0 | 141·8 | 115·3 | 95·5 |
| | | | {F 1,660·9 | 28·2 | 109·9 | 125·3 | 135·6 | 111·3 | 100·9 |
| Tyneside Conurbation | | | {M 411·1 | 8·0 | 29·9 | 34·2 | 36·8 | 29·0 | 24·1 |
| | | | {F 441·9 | 7·5 | 28·5 | 32·7 | 35·5 | 29·6 | 27·2 |
| Remainder of Northern | | | {M 1,177·0 | 22·0 | 85·7 | 96·8 | 105·0 | 86·3 | 71·4 |
| | | | {F 1,219·0 | 20·7 | 81·4 | 92·6 | 100·1 | 81·7 | 73·7 |
| East and West Ridings | | | {M 2,012·1 | 36·4 | 136·0 | 154·3 | 175·0 | 145·7 | 119·7 |
| | | | {F 2,154·0 | 34·4 | 128·8 | 146·2 | 167·1 | 144·5 | 128·8 |
| West Yorkshire Conurbation | | | {M 808·1 | 14·8 | 54·4 | 61·3 | 69·3 | 55·0 | 46·1 |
| | | | {F 891·3 | 13·9 | 51·6 | 57·9 | 66·9 | 55·5 | 51·2 |
| Remainder of East and West Ridings | | | {M 1,204·0 | 21·6 | 81·6 | 93·0 | 105·7 | 90·7 | 73·6 |
| | | | {F 1,262·7 | 20·5 | 77·2 | 88·3 | 100·2 | 89·0 | 77·6 |
| North Western | | | {M 3,123·1 | 59·5 | 218·8 | 245·6 | 274·5 | 224·0 | 181·6 |
| | | | {F 3,423·5 | 56·3 | 207·3 | 233·6 | 262·6 | 225·3 | 201·0 |
| South East Lancashire Conurbation | | | {M 1,153·8 | 21·9 | 79·7 | 88·7 | 100·3 | 81·2 | 67·0 |
| | | | {F 1,265·3 | 20·7 | 75·5 | 84·1 | 96·2 | 82·6 | 74·4 |
| Merseyside Conurbation | | | {M 655·8 | 14·5 | 52·0 | 56·9 | 61·3 | 50·3 | 42·4 |
| | | | {F 724·4 | 13·7 | 49·3 | 54·5 | 59·3 | 51·9 | 47·7 |
| Remainder of North Western... .. | | | {M 1,313·5 | 23·1 | 87·1 | 100·0 | 112·9 | 92·5 | 72·2 |
| | | | {F 1,433·8 | 21·9 | 82·5 | 95·0 | 107·1 | 90·8 | 78·9 |
| North Midland | | | {M 1,796·4 | 32·3 | 120·2 | 137·4 | 154·5 | 134·0 | 111·0 |
| | | | {F 1,848·6 | 30·5 | 114·0 | 130·1 | 146·2 | 129·1 | 110·4 |
| Midland | | | {M 2,350·2 | 43·7 | 156·8 | 179·1 | 200·3 | 186·2 | 153·3 |
| | | | {F 2,412·7 | 41·4 | 148·5 | 169·7 | 190·5 | 177·3 | 152·9 |
| West Midlands Conurbation | | | {M 1,149·4 | 22·1 | 75·4 | 85·9 | 97·4 | 90·0 | 75·3 |
| | | | {F 1,191·5 | 20·9 | 71·4 | 81·5 | 92·9 | 89·0 | 77·3 |
| Remainder of Midland | | | {M 1,200·8 | 21·6 | 81·4 | 93·2 | 102·9 | 96·2 | 78·0 |
| | | | {F 1,221·2 | 20·5 | 77·1 | 88·2 | 97·6 | 88·3 | 75·6 |
| Eastern | | | {M 1,853·8 | 33·5 | 129·0 | 145·4 | 158·4 | 133·4 | 123·3 |
| | | | {F 1,915·2 | 31·6 | 122·5 | 138·2 | 149·9 | 124·9 | 113·1 |
| London and South Eastern | | | {M 5,261·2 | 91·2 | 312·6 | 351·6 | 418·8 | 375·1 | 343·6 |
| | | | {F 5,860·4 | 86·2 | 296·3 | 336·4 | 400·0 | 385·4 | 375·5 |
| Greater London | | | {M 3,883·3 | 68·5 | 224·1 | 249·3 | 301·6 | 275·5 | 264·1 |
| | | | {F 4,290·7 | 64·8 | 212·4 | 239·7 | 288·6 | 288·1 | 293·9 |
| Remainder of South Eastern | | | {M 1,377·9 | 22·7 | 88·5 | 102·3 | 117·2 | 99·6 | 79·5 |
| | | | {F 1,569·7 | 21·4 | 83·9 | 96·7 | 111·4 | 97·3 | 81·6 |
| Southern | | | {M 1,416·0 | 25·5 | 95·5 | 106·3 | 115·6 | 110·7 | 112·1 |
| | | | {F 1,457·7 | 24·1 | 90·5 | 100·7 | 109·7 | 97·2 | 89·7 |
| South Western | | | {M 1,669·2 | 27·9 | 105·5 | 122·2 | 137·9 | 128·8 | 116·9 |
| | | | {F 1,766·9 | 26·4 | 99·9 | 117·1 | 131·0 | 117·0 | 99·8 |
| Wales | | | {M 1,283·2 | 22·4 | 84·7 | 98·5 | 110·7 | 94·9 | 77·8 |
| | | | {F 1,352·0 | 21·2 | 80·1 | 94·8 | 106·3 | 91·9 | 76·9 |
| Wales I (South East) | | | {M 926·2 | 16·3 | 61·9 | 71·5 | 80·2 | 68·9 | 54·9 |
| | | | {F 966·0 | 15·4 | 58·6 | 69·1 | 76·8 | 66·5 | 55·9 |
| Wales II (remainder) | | | {M 357·0 | 6·1 | 22·8 | 27·0 | 30·5 | 26·0 | 22·9 |
| | | | {F 386·0 | 5·8 | 21·5 | 25·7 | 29·5 | 25·4 | 21·0 |

* Final estimates based on 1961 Census results

age, as at 30th June 1961

ons and conurbations

(Figures in thousands)

ations see the explanatory notes to the Registrar General's Statistical Review

| 34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75 and over |
|------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|------------------|----------------|------------------|
| 8.4 7.0 | 1,606.1 1,610.3 | 1,523.2 1,556.1 | 1,571.0 1,643.4 | 1,559.4 1,639.8 | 1,414.6 1,537.3 | 1,105.8 1,355.4 | 819.9 1,161.7 | 600.2 943.5 | 686.8 1,299.8 |
| 7.4 7.3 | 117.1 114.4 | 108.6 107.9 | 105.3 107.9 | 104.3 107.1 | 95.7 103.6 | 76.3 89.8 | 56.4 76.4 | 41.0 59.9 | 45.9 75.2 |
| 7.5 8.1 | 30.7 30.5 | 29.2 29.8 | 27.6 29.0 | 27.2 28.6 | 25.0 28.1 | 19.9 24.4 | 14.6 20.5 | 10.4 16.0 | 11.0 19.6 |
| 9.9 9.2 | 86.4 83.9 | 79.4 78.1 | 77.7 78.9 | 77.1 78.5 | 70.7 75.5 | 56.4 65.4 | 41.8 55.9 | 30.6 43.9 | 34.9 55.6 |
| 1.3 1.6 | 146.3 143.5 | 137.5 139.3 | 143.2 148.7 | 141.6 149.5 | 130.6 141.5 | 103.8 126.3 | 74.9 106.8 | 53.2 83.8 | 57.4 108.7 |
| 2.7 3.6 | 60.0 58.4 | 55.3 56.0 | 58.4 61.8 | 58.0 63.3 | 54.3 61.8 | 43.6 56.4 | 30.9 47.7 | 21.7 37.3 | 22.2 48.1 |
| 3.6 3.0 | 86.3 85.1 | 82.2 83.3 | 84.8 86.9 | 83.6 86.2 | 76.3 79.7 | 60.2 69.9 | 44.0 59.1 | 31.5 46.5 | 35.2 60.6 |
| 3.6 5.5 | 222.1 225.8 | 209.1 219.4 | 219.8 236.6 | 223.3 240.8 | 203.1 226.9 | 158.2 202.7 | 116.0 173.4 | 82.8 138.3 | 86.8 175.2 |
| 5.0 5.7 | 85.2 84.9 | 79.1 82.0 | 83.7 89.6 | 85.2 91.8 | 76.3 84.9 | 58.3 75.1 | 41.1 63.4 | 29.2 50.2 | 30.2 63.1 |
| 3.4 1.0 | 43.7 46.2 | 41.4 45.1 | 43.5 48.1 | 43.0 47.1 | 38.4 43.4 | 29.4 38.1 | 21.3 32.2 | 14.9 26.0 | 15.5 34.6 |
| 5.2 5.8 | 93.2 94.7 | 88.6 92.3 | 92.6 98.9 | 95.1 101.9 | 88.4 98.6 | 70.5 89.5 | 53.6 77.8 | 38.7 62.1 | 41.1 77.5 |
| 2.3 2.2 | 134.3 128.6 | 124.7 121.2 | 124.5 124.3 | 121.8 122.9 | 110.5 114.7 | 87.5 100.9 | 63.9 85.6 | 46.6 68.1 | 55.1 92.8 |
| 2.2 2.5 | 176.7 171.2 | 168.2 164.9 | 169.1 165.5 | 159.3 158.9 | 141.1 146.0 | 106.6 126.0 | 74.6 103.8 | 52.9 81.2 | 58.8 109.1 |
| 3.3 2.9 | 86.6 84.4 | 84.8 82.9 | 85.1 83.1 | 79.4 79.5 | 69.3 73.0 | 52.0 63.0 | 35.4 51.2 | 24.3 39.5 | 26.1 52.2 |
| 2.9 2.6 | 90.1 86.8 | 83.4 82.0 | 84.0 82.4 | 79.9 79.4 | 71.8 73.0 | 54.6 63.0 | 39.2 52.6 | 28.6 41.7 | 32.7 56.9 |
| 2.9 2.2 | 137.2 135.1 | 127.3 124.6 | 125.8 126.4 | 120.2 122.1 | 106.9 111.5 | 82.9 99.4 | 63.8 87.1 | 49.7 73.9 | 60.8 105.7 |
| 2.0 2.7 | 369.7 388.0 | 361.5 385.4 | 391.8 428.0 | 398.1 431.1 | 358.5 399.6 | 272.2 344.6 | 198.6 294.3 | 146.3 246.6 | 172.5 364.2 |
| 2.3 2.6 | 279.3 290.4 | 271.6 288.3 | 297.6 322.6 | 302.7 323.0 | 269.4 294.0 | 199.4 245.6 | 136.7 202.7 | 97.6 166.9 | 112.7 244.0 |
| 2.7 2.1 | 90.4 97.6 | 89.9 97.1 | 94.2 105.4 | 95.4 108.1 | 89.1 105.6 | 72.8 99.0 | 61.9 91.6 | 48.7 79.7 | 59.8 120.2 |
| 2.2 2.8 | 97.7 97.2 | 91.6 92.6 | 92.1 96.2 | 91.0 95.3 | 82.0 88.5 | 64.4 79.1 | 50.9 70.3 | 39.0 59.3 | 46.8 87.2 |
| 2.1 2.6 | 112.2 114.3 | 106.9 110.6 | 111.0 118.5 | 112.2 120.4 | 104.5 116.2 | 86.7 106.9 | 69.5 95.5 | 52.1 79.2 | 62.2 113.8 |
| 2.4 2.6 | 92.8 92.2 | 87.8 90.2 | 88.4 91.3 | 87.6 91.7 | 81.7 88.8 | 67.2 79.7 | 51.3 68.5 | 36.6 53.2 | 40.5 67.9 |
| 2.3 2.5 | 69.1 68.4 | 64.6 66.1 | 64.6 65.7 | 63.2 64.9 | 58.7 62.3 | 47.7 55.0 | 35.8 46.7 | 25.0 35.7 | 26.8 43.7 |
| 2.1 2.1 | 23.7 23.8 | 23.2 24.1 | 23.8 25.6 | 24.4 26.8 | 23.0 26.5 | 19.5 24.7 | 15.5 21.8 | 11.6 17.5 | 13.7 24.2 |

Estimated home population* 1

England and Wales, sta

| | | All Ages | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25+ |
|------------------------------------|--------|----------|---------|---------|---------|---------|---------|---------|---------|
| ENGLAND AND WALES | ... {M | 22,659·8 | 418·4 | 1,525·4 | 1,696·0 | 1,800·0 | 1,789·2 | 1,466·1 | 1,466·1 |
| | ... {F | 24,048·9 | 397·0 | 1,445·8 | 1,613·0 | 1,712·0 | 1,727·7 | 1,469·5 | 1,469·5 |
| Regions and Conurbations: | | | | | | | | | |
| Northern | ... {M | 1,607·7 | 30·8 | 117·6 | 133·0 | 135·2 | 125·7 | 98·1 | 98·1 |
| | ... {F | 1,671·1 | 29·3 | 111·5 | 127·1 | 129·1 | 119·8 | 102·2 | 102·2 |
| Tyneside Conurbation | ... {M | 414·2 | 8·0 | 30·4 | 34·4 | 34·8 | 31·5 | 24·7 | 24·7 |
| | ... {F | 442·8 | 7·6 | 28·9 | 32·9 | 33·5 | 31·7 | 27·5 | 27·5 |
| Remainder of Northern | ... {M | 1,193·5 | 22·8 | 87·2 | 98·6 | 100·4 | 94·2 | 73·4 | 73·4 |
| | ... {F | 1,228·3 | 21·7 | 82·6 | 94·2 | 95·6 | 88·1 | 74·7 | 74·7 |
| East and West Ridings | ... {M | 2,035·3 | 37·5 | 139·6 | 156·0 | 166·4 | 158·6 | 122·9 | 122·9 |
| | ... {F | 2,165·5 | 35·7 | 132·1 | 147·6 | 158·4 | 155·4 | 130·3 | 130·3 |
| West Yorkshire Conurbation | ... {M | 817·2 | 15·2 | 56·2 | 62·1 | 66·2 | 59·8 | 47·3 | 47·3 |
| | ... {F | 895·7 | 14·5 | 53·1 | 58·6 | 63·6 | 59·6 | 51·7 | 51·7 |
| Remainder of East and West Ridings | ... {M | 1,218·1 | 22·3 | 83·4 | 93·9 | 100·2 | 98·8 | 75·6 | 75·6 |
| | ... {F | 1,269·8 | 21·2 | 79·0 | 89·0 | 94·8 | 95·8 | 78·6 | 78·6 |
| North Western | ... {M | 3,159·3 | 61·6 | 225·8 | 249·4 | 262·1 | 243·3 | 186·1 | 186·1 |
| | ... {F | 3,442·7 | 58·6 | 213·9 | 236·9 | 250·3 | 241·9 | 203·2 | 203·2 |
| South East Lancashire Conurbation | ... {M | 1,164·6 | 22·8 | 82·4 | 90·0 | 95·6 | 88·0 | 68·5 | 68·5 |
| | ... {F | 1,269·5 | 21·7 | 78·0 | 85·2 | 91·7 | 88·5 | 75·0 | 75·0 |
| Merseyside Conurbation | ... {M | 660·9 | 14·8 | 53·0 | 57·6 | 58·4 | 54·4 | 43·3 | 43·3 |
| | ... {F | 725·6 | 14·1 | 50·2 | 55·1 | 56·3 | 55·5 | 48·1 | 48·1 |
| Remainder of North Western | ... {M | 1,333·8 | 24·0 | 90·4 | 101·8 | 108·1 | 100·9 | 74·3 | 74·3 |
| | ... {F | 1,447·6 | 22·8 | 85·7 | 96·6 | 102·3 | 97·9 | 80·1 | 80·1 |
| North Midland | ... {M | 1,823·8 | 33·9 | 124·6 | 140·3 | 148·4 | 145·2 | 113·1 | 113·1 |
| | ... {F | 1,867·2 | 32·0 | 118·2 | 132·5 | 140·2 | 139·2 | 112·1 | 112·1 |
| Midland | ... {M | 2,391·0 | 45·6 | 163·3 | 182·0 | 191·1 | 203·4 | 158·0 | 158·0 |
| | ... {F | 2,439·1 | 43·2 | 154·9 | 172·2 | 181·5 | 191·3 | 155·5 | 155·5 |
| West Midlands Conurbation | ... {M | 1,164·8 | 23·0 | 78·9 | 86·7 | 92·3 | 97·9 | 77·3 | 77·3 |
| | ... {F | 1,200·4 | 21·8 | 74·8 | 82·2 | 88·0 | 95·7 | 78·3 | 78·3 |
| Remainder of Midland | ... {M | 1,226·2 | 22·6 | 84·4 | 95·3 | 98·8 | 105·5 | 80·7 | 80·7 |
| | ... {F | 1,238·7 | 21·4 | 80·1 | 90·0 | 93·5 | 95·6 | 77·2 | 77·2 |
| Eastern | ... {M | 1,898·1 | 34·9 | 135·5 | 149·1 | 152·7 | 145·9 | 127·0 | 127·0 |
| | ... {F | 1,951·0 | 33·0 | 128·5 | 141·4 | 144·3 | 135·8 | 116·1 | 116·1 |
| London and South Eastern | ... {M | 5,308·0 | 95·1 | 323·8 | 352·6 | 394·5 | 405·0 | 348·6 | 348·6 |
| | ... {F | 5,885·6 | 90·2 | 306·9 | 336·6 | 376·0 | 413·9 | 379·3 | 379·3 |
| Greater London | ... {M | 3,904·9 | 71·4 | 231·7 | 249·1 | 283·0 | 297·2 | 268·3 | 268·3 |
| | ... {F | 4,290·4 | 67·7 | 219·7 | 238·9 | 270·2 | 308·1 | 295·8 | 295·8 |
| Remainder of South Eastern | ... {M | 1,403·1 | 23·7 | 92·1 | 103·5 | 111·5 | 107·8 | 80·3 | 80·3 |
| | ... {F | 1,595·2 | 22·5 | 87·2 | 97·7 | 105·8 | 105·8 | 83·5 | 83·5 |
| Southern | ... {M | 1,453·5 | 26·8 | 99·9 | 109·4 | 112·0 | 122·1 | 116·7 | 116·7 |
| | ... {F | 1,485·4 | 25·5 | 94·7 | 103·6 | 106·1 | 105·6 | 91·8 | 91·8 |
| South Western | ... {M | 1,687·7 | 29·2 | 108·6 | 124·3 | 131·9 | 137·5 | 116·6 | 116·6 |
| | ... {F | 1,783·7 | 27·7 | 103·0 | 119·0 | 125·1 | 126·2 | 101·3 | 101·3 |
| Wales | ... {M | 1,295·4 | 23·0 | 86·7 | 99·9 | 105·7 | 102·5 | 79·0 | 79·0 |
| | ... {F | 1,357·6 | 21·8 | 82·1 | 96·1 | 101·0 | 98·6 | 77·7 | 77·7 |
| Wales I (South East) | ... {M | 936·7 | 16·9 | 63·2 | 72·6 | 76·6 | 74·9 | 56·2 | 56·2 |
| | ... {F | 970·8 | 16·0 | 59·9 | 70·1 | 73·0 | 71·4 | 56·5 | 56·5 |
| Wales II (remainder) | ... {M | 358·7 | 6·1 | 23·5 | 27·3 | 29·1 | 27·6 | 22·8 | 22·8 |
| | ... {F | 386·8 | 5·8 | 22·2 | 26·0 | 28·0 | 27·2 | 21·2 | 21·2 |

*Final estimates based on 1961 Census results.

continued)

age, as at 30th June 1962

ns and conurbations

(Figures in thousands)

| 34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75 and over |
|-----|---------|---------|---------|---------|---------|---------|---------|-------|-------------|
| 5-2 | 1,580.7 | 1,595.1 | 1,536.7 | 1,558.0 | 1,429.7 | 1,148.9 | 827.9 | 604.3 | 687.0 |
| 1-8 | 1,569.6 | 1,606.1 | 1,600.9 | 1,640.2 | 1,552.2 | 1,372.9 | 1,176.5 | 952.4 | 1,322.0 |
| 3-7 | 115.1 | 113.6 | 102.9 | 104.1 | 96.7 | 79.2 | 56.8 | 41.3 | 45.8 |
| 5-9 | 111.4 | 111.2 | 105.2 | 107.0 | 104.5 | 90.8 | 77.3 | 60.4 | 76.3 |
| 7-7 | 30.0 | 30.4 | 26.9 | 27.1 | 25.2 | 20.6 | 14.6 | 10.5 | 10.9 |
| 7-9 | 29.5 | 30.6 | 28.2 | 28.5 | 28.3 | 24.6 | 20.7 | 16.1 | 19.8 |
| 1-0 | 85.1 | 83.2 | 76.0 | 77.0 | 71.5 | 58.6 | 42.2 | 30.8 | 34.9 |
| 9-0 | 81.9 | 80.6 | 77.0 | 78.5 | 76.2 | 66.2 | 56.6 | 44.3 | 56.5 |
| 2-7 | 143.7 | 143.7 | 139.7 | 141.2 | 131.7 | 107.6 | 75.5 | 53.4 | 57.3 |
| 0-8 | 139.5 | 143.5 | 144.6 | 149.2 | 142.6 | 127.6 | 107.9 | 84.5 | 110.3 |
| 3-2 | 58.9 | 57.7 | 56.9 | 57.8 | 54.7 | 45.2 | 31.1 | 21.7 | 22.1 |
| 3-2 | 56.7 | 57.6 | 60.0 | 63.1 | 62.2 | 56.9 | 48.2 | 37.6 | 48.8 |
| 9-5 | 84.8 | 86.0 | 82.8 | 83.4 | 77.0 | 62.4 | 44.4 | 31.7 | 35.2 |
| 7-6 | 82.8 | 85.9 | 84.6 | 86.1 | 80.4 | 70.7 | 59.7 | 46.9 | 61.5 |
| 5-4 | 217.9 | 218.3 | 214.4 | 222.4 | 204.5 | 163.7 | 116.6 | 83.1 | 86.5 |
| 4-1 | 219.4 | 225.7 | 229.6 | 240.0 | 228.4 | 204.7 | 175.1 | 139.1 | 177.7 |
| 5-4 | 83.4 | 82.3 | 81.4 | 84.6 | 76.6 | 60.2 | 41.2 | 29.2 | 30.0 |
| 4-9 | 82.3 | 84.1 | 86.7 | 91.2 | 85.2 | 75.6 | 63.8 | 50.4 | 63.8 |
| 3-6 | 42.7 | 43.1 | 42.3 | 42.7 | 38.5 | 30.3 | 21.3 | 14.9 | 15.4 |
| 3-6 | 44.7 | 46.2 | 46.5 | 46.8 | 43.5 | 38.3 | 32.4 | 26.0 | 35.0 |
| 6-4 | 91.8 | 92.9 | 90.7 | 95.1 | 89.4 | 73.2 | 54.1 | 39.0 | 41.1 |
| 5-6 | 92.4 | 95.4 | 96.4 | 102.0 | 99.7 | 90.8 | 78.9 | 62.7 | 78.9 |
| 3-7 | 132.3 | 130.7 | 121.9 | 121.8 | 111.9 | 91.1 | 64.6 | 46.9 | 55.1 |
| 7-9 | 125.5 | 125.2 | 121.1 | 123.2 | 115.9 | 102.3 | 86.7 | 68.7 | 94.4 |
| 9-7 | 174.3 | 176.4 | 165.7 | 159.5 | 142.9 | 110.9 | 75.4 | 53.5 | 59.0 |
| 7-3 | 167.2 | 170.6 | 161.7 | 159.3 | 147.7 | 127.9 | 105.3 | 82.2 | 111.2 |
| 3-2 | 85.0 | 88.6 | 83.0 | 79.2 | 69.9 | 53.9 | 35.6 | 24.5 | 26.1 |
| 5-5 | 82.1 | 85.5 | 80.9 | 79.4 | 73.6 | 63.7 | 51.7 | 39.8 | 53.0 |
| 5-5 | 89.3 | 87.8 | 82.7 | 80.3 | 73.0 | 57.0 | 39.8 | 29.0 | 32.9 |
| 0-8 | 85.1 | 85.1 | 80.8 | 79.9 | 74.1 | 64.2 | 53.6 | 42.4 | 58.2 |
| 4-8 | 136.5 | 134.7 | 124.5 | 121.3 | 109.1 | 86.9 | 65.0 | 50.5 | 61.3 |
| 0-3 | 133.2 | 129.9 | 124.5 | 123.4 | 113.7 | 101.6 | 89.1 | 75.3 | 108.4 |
| 0-4 | 362.5 | 377.3 | 381.9 | 396.4 | 361.4 | 282.1 | 200.3 | 147.0 | 172.2 |
| 0-8 | 376.9 | 396.4 | 415.6 | 430.0 | 402.5 | 348.4 | 297.3 | 248.4 | 369.6 |
| 3-1 | 272.5 | 282.3 | 288.9 | 300.2 | 270.4 | 205.8 | 137.2 | 97.5 | 111.9 |
| 0-1 | 280.8 | 295.3 | 311.9 | 320.8 | 294.8 | 247.1 | 203.6 | 167.2 | 246.2 |
| 7-3 | 90.0 | 95.0 | 93.0 | 96.2 | 91.0 | 76.3 | 63.1 | 49.5 | 60.3 |
| 0-7 | 96.1 | 101.1 | 103.7 | 109.2 | 107.7 | 101.3 | 93.7 | 81.2 | 123.4 |
| 9-5 | 97.0 | 96.8 | 90.9 | 91.8 | 83.6 | 67.5 | 51.9 | 39.6 | 47.2 |
| 4-4 | 95.6 | 96.5 | 94.6 | 96.2 | 90.2 | 80.8 | 71.8 | 60.4 | 89.5 |
| 2-2 | 110.5 | 112.0 | 108.7 | 112.3 | 105.7 | 90.2 | 70.2 | 52.3 | 62.3 |
| 3-3 | 111.4 | 114.4 | 115.5 | 120.6 | 117.4 | 108.4 | 96.8 | 79.9 | 115.9 |
| 1-1 | 90.9 | 91.6 | 86.1 | 87.2 | 82.2 | 69.7 | 51.6 | 36.7 | 40.3 |
| 0-0 | 89.5 | 92.7 | 88.5 | 91.3 | 89.3 | 80.4 | 69.2 | 53.5 | 68.7 |
| 9-9 | 67.8 | 67.4 | 63.0 | 63.0 | 59.1 | 49.5 | 36.0 | 25.1 | 26.7 |
| 1-1 | 66.5 | 68.0 | 63.8 | 64.7 | 62.7 | 55.6 | 47.2 | 35.9 | 44.3 |
| 2-2 | 23.1 | 24.2 | 23.1 | 24.2 | 23.1 | 20.2 | 15.6 | 11.6 | 13.6 |
| 9-9 | 23.0 | 24.7 | 24.7 | 26.6 | 26.6 | 24.8 | 22.0 | 17.6 | 24.4 |

Estimated home population* by

England and Wales, 1961

| | | | All Ages | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25+ |
|--|--|--|-------------|---------|---------|---------|---------|---------|---------|---------|
| ENGLAND AND WALES ... | | | {M 22,834.0 | 426.9 | 1,575.0 | 1,727.9 | 1,731.7 | 1,861.8 | 1,496.8 | 1,496.8 |
| | | | {F 24,193.7 | 405.3 | 1,493.1 | 1,642.5 | 1,647.0 | 1,792.0 | 1,500.6 | 1,496.8 |
| Regions and Conurbations: | | | | | | | | | | |
| Northern ... | | | {M 1,614.6 | 30.6 | 118.9 | 135.5 | 130.2 | 130.3 | 99.6 | 104.2 |
| | | | {F 1,676.0 | 29.0 | 112.8 | 129.4 | 124.3 | 124.1 | 104.2 | 104.2 |
| Tyneside Conurbation ... | | | {M 413.8 | 8.0 | 30.5 | 34.8 | 33.1 | 32.6 | 25.1 | 25.1 |
| | | | {F 441.2 | 7.5 | 29.0 | 33.2 | 31.9 | 32.7 | 27.9 | 27.9 |
| Remainder of Northern ... | | | {M 1,200.8 | 22.6 | 88.4 | 100.7 | 97.1 | 97.7 | 74.5 | 74.5 |
| | | | {F 1,234.8 | 21.5 | 83.8 | 96.2 | 92.4 | 91.4 | 76.3 | 76.3 |
| East and West Ridings ... | | | {M 2,046.5 | 38.4 | 142.7 | 158.2 | 159.4 | 165.2 | 125.8 | 125.8 |
| | | | {F 2,173.0 | 36.6 | 135.2 | 149.6 | 151.8 | 160.8 | 132.9 | 132.9 |
| West Yorkshire Conurbation ... | | | {M 820.2 | 15.7 | 57.8 | 63.1 | 63.5 | 62.1 | 48.2 | 48.2 |
| | | | {F 897.2 | 15.0 | 54.7 | 59.5 | 61.1 | 61.5 | 52.6 | 52.6 |
| Remainder of East and West Ridings ... | | | {M 1,226.3 | 22.7 | 84.9 | 95.1 | 95.9 | 103.1 | 77.6 | 77.6 |
| | | | {F 1,275.8 | 21.6 | 80.5 | 90.1 | 90.7 | 99.3 | 80.3 | 80.3 |
| North Western ... | | | {M 3,177.9 | 62.5 | 233.0 | 253.9 | 252.0 | 253.2 | 190.4 | 190.4 |
| | | | {F 3,454.3 | 59.3 | 220.8 | 241.1 | 240.6 | 250.1 | 206.8 | 206.8 |
| South East Lancashire Conurbation ... | | | {M 1,168.9 | 23.2 | 85.1 | 91.5 | 91.9 | 91.4 | 69.9 | 69.9 |
| | | | {F 1,270.8 | 22.0 | 80.7 | 86.6 | 88.0 | 91.3 | 76.1 | 76.1 |
| Merseyside Conurbation ... | | | {M 661.5 | 14.6 | 54.0 | 58.4 | 55.8 | 56.4 | 44.1 | 44.1 |
| | | | {F 724.5 | 13.8 | 51.2 | 55.9 | 53.8 | 57.2 | 48.7 | 48.7 |
| Remainder of North Western ... | | | {M 1,347.5 | 24.7 | 93.9 | 104.0 | 104.3 | 105.4 | 76.4 | 76.4 |
| | | | {F 1,459.0 | 23.5 | 88.9 | 98.6 | 98.8 | 101.6 | 82.0 | 82.0 |
| North Midland ... | | | {M 1,840.3 | 34.6 | 128.8 | 142.4 | 142.0 | 151.1 | 115.1 | 115.1 |
| | | | {F 1,883.5 | 32.8 | 122.1 | 134.6 | 134.3 | 145.0 | 114.9 | 114.9 |
| Midland ... | | | {M 2,414.6 | 46.5 | 170.0 | 185.8 | 184.4 | 211.2 | 160.5 | 160.5 |
| | | | {F 2,460.9 | 44.2 | 161.1 | 175.6 | 175.0 | 199.0 | 159.2 | 159.2 |
| West Midlands Conurbation ... | | | {M 1,172.7 | 23.4 | 82.4 | 88.1 | 88.6 | 101.9 | 79.0 | 79.0 |
| | | | {F 1,204.6 | 22.3 | 78.0 | 83.3 | 84.3 | 99.0 | 79.7 | 79.7 |
| Remainder of Midland ... | | | {M 1,241.9 | 23.1 | 87.6 | 97.7 | 95.8 | 109.3 | 81.5 | 81.5 |
| | | | {F 1,256.3 | 21.9 | 83.1 | 92.3 | 90.7 | 100.0 | 79.5 | 79.5 |
| Eastern ... | | | {M 1,925.2 | 35.5 | 141.0 | 150.8 | 146.0 | 152.1 | 129.4 | 129.4 |
| | | | {F 1,981.3 | 33.8 | 133.6 | 143.2 | 137.8 | 142.6 | 119.9 | 119.9 |
| London and South Eastern ... | | | {M 5,330.7 | 97.8 | 335.8 | 357.5 | 377.6 | 421.8 | 357.0 | 357.0 |
| | | | {F 5,894.7 | 92.8 | 318.5 | 341.0 | 359.6 | 427.3 | 385.4 | 385.4 |
| Greater London ... | | | {M 3,905.0 | 73.2 | 240.5 | 251.3 | 269.6 | 307.6 | 272.9 | 272.9 |
| | | | {F 4,280.3 | 69.5 | 228.0 | 241.0 | 257.2 | 317.1 | 299.5 | 299.5 |
| Remainder of South Eastern ... | | | {M 1,425.7 | 24.6 | 95.3 | 106.2 | 108.0 | 114.2 | 84.1 | 84.1 |
| | | | {F 1,614.4 | 23.3 | 90.5 | 100.0 | 102.4 | 110.2 | 85.9 | 85.9 |
| Southern ... | | | {M 1,477.1 | 27.9 | 104.5 | 114.0 | 110.7 | 126.6 | 118.6 | 118.6 |
| | | | {F 1,509.7 | 26.5 | 99.0 | 107.9 | 104.8 | 110.1 | 94.5 | 94.5 |
| South Western ... | | | {M 1,705.3 | 30.0 | 111.9 | 128.1 | 128.3 | 143.3 | 119.3 | 119.3 |
| | | | {F 1,798.9 | 28.5 | 106.1 | 122.4 | 121.7 | 130.9 | 103.7 | 103.7 |
| Wales ... | | | {M 1,301.8 | 23.1 | 88.4 | 101.7 | 101.1 | 107.0 | 81.1 | 81.1 |
| | | | {F 1,361.4 | 21.8 | 83.9 | 97.7 | 97.1 | 102.1 | 79.1 | 79.1 |
| Wales I (South East) ... | | | {M 940.2 | 16.8 | 64.5 | 73.9 | 73.4 | 77.7 | 57.2 | 57.2 |
| | | | {F 973.3 | 15.9 | 61.1 | 71.3 | 70.2 | 73.9 | 57.6 | 57.6 |
| Wales II (remainder) ... | | | {M 361.6 | 6.3 | 23.9 | 27.8 | 27.7 | 29.3 | 23.9 | 23.9 |
| | | | {F 388.1 | 5.9 | 22.8 | 26.4 | 26.9 | 28.2 | 21.5 | 21.5 |

*Final estimates based on 1961 Census results.

(continued)

age, as at 30th June 1963

ons and conurbations

(Figures in thousands)

| 0-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75 and over |
|--------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|------------------|----------------|------------------|
| 17.2 57.4 | 1,557.5 1,535.6 | 1,663.5 1,667.2 | 1,467.0 1,522.7 | 1,551.9 1,638.6 | 1,443.0 1,564.6 | 1,192.4 1,395.7 | 835.4 1,189.4 | 607.4 961.7 | 682.9 1,340.8 |
| 08.6 05.7 | 113.3 108.8 | 118.3 115.3 | 98.1 99.7 | 103.6 106.9 | 97.3 105.2 | 82.1 92.1 | 57.3 78.0 | 41.4 60.8 | 45.5 77.4 |
| 27.6 27.4 | 29.4 28.7 | 31.5 31.5 | 25.4 26.5 | 26.8 28.3 | 25.2 28.3 | 21.3 24.8 | 14.7 20.8 | 10.4 16.1 | 10.8 20.0 |
| 81.0 78.3 | 83.9 80.1 | 86.8 83.8 | 72.7 73.2 | 76.8 78.6 | 72.1 76.9 | 60.8 67.3 | 42.6 57.2 | 31.0 44.7 | 34.7 57.4 |
| 32.6 29.4 | 141.3 136.3 | 149.6 148.6 | 133.1 137.2 | 140.3 148.8 | 132.7 143.4 | 111.5 129.6 | 76.0 108.9 | 53.7 85.1 | 56.9 111.7 |
| 53.0 52.5 | 57.7 55.2 | 59.9 59.5 | 54.0 56.8 | 57.2 62.8 | 55.0 62.4 | 46.6 57.6 | 31.2 48.4 | 21.8 37.7 | 21.9 49.2 |
| 79.6 76.9 | 83.6 81.1 | 89.7 89.1 | 79.1 80.4 | 83.1 86.0 | 77.7 81.0 | 64.9 72.0 | 44.8 60.5 | 31.9 47.4 | 35.0 62.5 |
| 05.1 01.5 | 214.0 213.9 | 227.1 233.7 | 203.9 217.7 | 220.9 239.2 | 205.9 229.5 | 169.7 207.6 | 117.4 176.5 | 83.3 140.1 | 85.7 179.7 |
| 75.1 73.8 | 81.6 80.0 | 85.5 86.9 | 77.2 81.9 | 83.8 90.6 | 76.9 85.4 | 62.2 76.4 | 41.4 64.1 | 29.2 50.6 | 29.6 64.4 |
| 43.4 42.8 | 41.8 43.4 | 44.6 47.7 | 40.0 43.9 | 42.2 46.4 | 38.6 43.6 | 31.3 38.7 | 21.4 32.5 | 14.9 26.1 | 15.2 35.2 |
| 86.6 84.9 | 90.6 90.5 | 97.0 99.1 | 86.7 91.9 | 94.9 102.2 | 90.4 100.5 | 76.2 92.5 | 54.6 79.9 | 39.2 63.4 | 40.9 80.1 |
| 24.2 27.1 | 130.8 123.2 | 136.8 130.5 | 117.0 115.8 | 121.9 123.5 | 113.4 117.3 | 94.9 104.5 | 65.3 88.0 | 47.2 69.7 | 55.0 96.0 |
| 70.1 56.2 | 172.2 164.2 | 184.5 177.5 | 158.8 154.1 | 159.3 159.5 | 144.7 149.3 | 115.5 130.4 | 76.4 106.8 | 53.8 83.2 | 58.9 113.0 |
| 83.0 75.5 | 83.6 80.1 | 92.2 88.4 | 79.1 76.6 | 78.6 79.0 | 70.4 73.9 | 55.8 64.6 | 35.9 52.1 | 24.5 40.1 | 25.9 53.5 |
| 87.1 80.7 | 88.6 84.1 | 92.3 89.1 | 79.7 77.5 | 80.7 80.5 | 74.3 75.4 | 59.7 65.8 | 40.5 54.7 | 29.3 43.1 | 33.0 59.5 |
| 86.4 29.6 | 136.3 132.1 | 141.9 136.6 | 120.4 120.2 | 122.4 124.9 | 111.6 116.1 | 91.2 104.5 | 66.3 91.3 | 51.3 76.9 | 61.7 111.2 |
| 9.0 5.4 | 355.0 366.3 | 391.6 409.4 | 362.4 393.2 | 392.9 427.4 | 362.7 403.8 | 291.6 352.5 | 201.2 299.3 | 147.1 250.0 | 170.3 373.1 |
| 50.9 5.1 | 265.8 271.7 | 291.9 303.9 | 272.9 293.7 | 296.5 317.6 | 270.6 294.6 | 212.0 249.1 | 137.1 204.0 | 97.1 167.5 | 110.0 247.4 |
| 8.1 0.3 | 89.2 94.6 | 99.7 105.5 | 89.5 99.5 | 96.4 109.8 | 92.1 109.2 | 79.6 103.4 | 64.1 95.3 | 50.0 82.5 | 60.3 125.7 |
| 0.1 1.2 | 96.3 94.3 | 101.5 100.8 | 87.5 90.7 | 92.0 96.8 | 84.9 91.5 | 70.4 82.7 | 52.7 73.1 | 40.1 61.3 | 47.1 91.4 |
| 8.2 1.3 | 108.9 109.2 | 117.0 118.8 | 103.9 110.1 | 112.0 120.6 | 106.9 118.7 | 93.6 110.3 | 70.8 97.9 | 52.7 80.8 | 61.9 117.6 |
| 2.9 0.0 | 89.4 87.3 | 95.2 96.0 | 81.9 84.0 | 86.6 91.0 | 82.9 89.8 | 71.9 81.5 | 52.0 69.6 | 36.8 53.8 | 39.9 69.7 |
| 0.7 8.4 | 66.6 64.8 | 70.1 70.4 | 59.9 60.5 | 62.5 64.5 | 59.6 63.1 | 51.1 56.3 | 36.3 47.5 | 25.2 36.2 | 26.4 44.9 |
| 2.2 1.6 | 22.8 22.5 | 25.1 25.6 | 22.0 23.5 | 24.1 26.5 | 23.3 26.7 | 20.8 25.2 | 15.7 22.1 | 11.6 17.6 | 13.5 24.8 |

Estimated home population* by

England and Wales, 1961

| | | All Ages | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25+ |
|------------------------------------|--------|----------|---------|---------|---------|---------|---------|---------|---------|
| ENGLAND AND WALES | ... {M | 23,043.7 | 433.1 | 1,624.1 | 1,763.5 | 1,695.3 | 1,894.6 | 1,542.8 | 1,511.1 |
| | ... {F | 24,357.6 | 411.3 | 1,541.0 | 1,676.1 | 1,616.9 | 1,813.4 | 1,537.3 | 1,461.1 |
| Regions and Conurbations: | | | | | | | | | |
| Northern | ... {M | 1,622.6 | 29.8 | 119.7 | 137.9 | 127.2 | 132.9 | 103.3 | 101.1 |
| | ... {F | 1,678.4 | 28.4 | 113.5 | 131.8 | 121.7 | 125.2 | 106.4 | 101.1 |
| Tyneside Conurbation | ... {M | 413.5 | 7.6 | 30.6 | 35.1 | 32.0 | 33.0 | 25.8 | 21.1 |
| | ... {F | 439.8 | 7.3 | 28.9 | 33.5 | 30.8 | 32.9 | 28.4 | 21.1 |
| Remainder of Northern | ... {M | 1,209.1 | 22.2 | 89.1 | 102.8 | 95.2 | 99.9 | 77.5 | 79.1 |
| | ... {F | 1,238.6 | 21.1 | 84.6 | 98.3 | 90.9 | 92.3 | 78.0 | 79.1 |
| East and West Ridings | ... {M | 2,060.0 | 38.6 | 146.5 | 160.7 | 155.1 | 168.1 | 129.7 | 131.1 |
| | ... {F | 2,181.4 | 36.7 | 138.9 | 151.9 | 148.3 | 162.4 | 136.0 | 131.1 |
| West Yorkshire Conurbation | ... {M | 823.2 | 15.8 | 59.7 | 64.1 | 61.7 | 62.9 | 49.5 | 51.1 |
| | ... {F | 898.2 | 15.1 | 56.5 | 60.4 | 59.7 | 61.8 | 53.6 | 51.1 |
| Remainder of East and West Ridings | ... {M | 1,236.8 | 22.8 | 86.8 | 96.6 | 93.4 | 105.2 | 80.2 | 79.1 |
| | ... {F | 1,283.2 | 21.6 | 82.4 | 91.5 | 88.6 | 100.6 | 82.4 | 79.1 |
| North Western | ... {M | 3,198.2 | 62.8 | 240.1 | 258.7 | 246.1 | 257.3 | 196.1 | 201.1 |
| | ... {F | 3,467.3 | 59.8 | 227.6 | 245.3 | 235.8 | 252.2 | 211.2 | 191.1 |
| South East Lancashire Conurbation | ... {M | 1,175.1 | 23.4 | 88.0 | 92.9 | 89.4 | 92.8 | 71.9 | 71.1 |
| | ... {F | 1,273.9 | 22.3 | 83.4 | 87.8 | 85.9 | 92.0 | 77.7 | 71.1 |
| Merseyside Conurbation | ... {M | 661.7 | 14.4 | 54.8 | 59.3 | 54.3 | 56.9 | 45.2 | 41.1 |
| | ... {F | 723.0 | 13.7 | 52.0 | 56.6 | 52.5 | 57.3 | 49.5 | 41.1 |
| Remainder of North Western | ... {M | 1,361.4 | 25.0 | 97.3 | 106.5 | 102.4 | 107.6 | 79.0 | 81.1 |
| | ... {F | 1,470.4 | 23.8 | 92.2 | 100.9 | 97.4 | 102.9 | 84.0 | 81.1 |
| North Midland | ... {M | 1,859.3 | 35.2 | 133.0 | 145.6 | 139.4 | 153.5 | 118.2 | 121.1 |
| | ... {F | 1,900.6 | 33.3 | 126.4 | 137.7 | 132.2 | 147.1 | 118.0 | 111.1 |
| Midland | ... {M | 2,441.9 | 47.0 | 176.4 | 189.7 | 180.5 | 215.2 | 165.3 | 161.1 |
| | ... {F | 2,483.8 | 44.6 | 167.5 | 179.1 | 171.6 | 202.0 | 163.5 | 151.1 |
| West Midlands Conurbation | ... {M | 1,177.7 | 23.3 | 85.6 | 89.2 | 85.9 | 103.4 | 81.2 | 81.1 |
| | ... {F | 1,206.5 | 22.1 | 81.3 | 84.3 | 82.0 | 99.7 | 81.2 | 71.1 |
| Remainder of Midland | ... {M | 1,264.2 | 23.7 | 90.8 | 100.5 | 94.6 | 111.8 | 84.1 | 81.1 |
| | ... {F | 1,277.3 | 22.5 | 86.2 | 94.8 | 89.6 | 102.3 | 82.3 | 81.1 |
| Eastern | ... {M | 1,956.4 | 36.8 | 145.9 | 154.3 | 143.4 | 155.1 | 133.2 | 131.1 |
| | ... {F | 2,012.9 | 34.9 | 138.5 | 146.6 | 135.7 | 145.8 | 124.0 | 131.1 |
| London and South Eastern | ... {M | 5,359.9 | 100.0 | 347.7 | 363.4 | 368.4 | 427.3 | 366.4 | 361.1 |
| | ... {F | 5,912.7 | 94.8 | 329.9 | 346.6 | 351.6 | 430.5 | 393.1 | 351.1 |
| Greater London | ... {M | 3,911.7 | 74.7 | 248.7 | 254.5 | 262.0 | 310.7 | 279.7 | 271.1 |
| | ... {F | 4,275.1 | 70.8 | 236.0 | 244.0 | 250.5 | 318.2 | 304.5 | 261.1 |
| Remainder of South Eastern | ... {M | 1,448.2 | 25.3 | 99.0 | 108.9 | 106.4 | 116.6 | 86.7 | 81.1 |
| | ... {F | 1,637.6 | 24.0 | 93.9 | 102.6 | 101.1 | 112.3 | 88.6 | 81.1 |
| Southern | ... {M | 1,506.5 | 28.8 | 109.2 | 118.3 | 110.4 | 129.5 | 122.9 | 101.1 |
| | ... {F | 1,536.2 | 27.4 | 103.5 | 112.1 | 104.8 | 112.3 | 97.7 | 91.1 |
| South Western | ... {M | 1,729.0 | 30.6 | 115.6 | 131.5 | 126.3 | 146.9 | 124.1 | 111.1 |
| | ... {F | 1,817.9 | 29.1 | 109.7 | 125.7 | 120.2 | 132.9 | 106.6 | 101.1 |
| Wales | ... {M | 1,309.9 | 23.5 | 90.0 | 103.4 | 98.5 | 108.8 | 83.6 | 81.1 |
| | ... {F | 1,366.4 | 22.3 | 85.5 | 99.3 | 95.0 | 103.0 | 80.8 | 71.1 |
| Wales I (South East) | ... {M | 945.3 | 17.1 | 65.7 | 75.1 | 71.5 | 79.0 | 58.9 | 51.1 |
| | ... {F | 976.1 | 16.3 | 62.3 | 72.4 | 68.6 | 74.6 | 58.8 | 51.1 |
| Wales II (remainder) | ... {M | 364.6 | 6.4 | 24.3 | 28.3 | 27.0 | 29.8 | 24.7 | 21.1 |
| | ... {F | 390.3 | 6.0 | 23.2 | 26.9 | 26.4 | 28.4 | 22.0 | 21.1 |

*Final estimates based on 1961 Census results.

(continued)

age, as at 30th June 1964

(Figures in thousands)

ions and conurbations

| 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75 and over |
|----------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|------------------|----------------|------------------|
| 511.9 433.3 | 1,542.1 1,507.2 | 1,707.0 1,705.9 | 1,416.0 1,459.2 | 1,552.9 1,642.3 | 1,455.8 1,573.9 | 1,231.4 1,419.3 | 852.6 1,206.7 | 613.7 975.1 | 691.4 1,376.3 |
| 107.9 103.5 | 111.8 106.4 | 121.0 117.5 | 94.5 95.3 | 103.2 106.8 | 97.9 105.4 | 84.6 93.4 | 58.3 78.9 | 41.6 61.4 | 45.8 79.2 |
| 27.3 26.7 | 28.9 28.0 | 32.1 32.0 | 24.4 25.3 | 26.6 28.2 | 25.3 28.3 | 21.9 25.1 | 14.9 21.0 | 10.4 16.2 | 10.8 20.4 |
| 80.6 76.8 | 82.9 78.4 | 88.9 85.5 | 70.1 70.0 | 76.6 78.6 | 72.6 77.1 | 62.7 68.3 | 43.4 57.9 | 31.2 45.2 | 35.0 58.8 |
| 131.9 126.9 | 139.6 133.6 | 153.2 151.8 | 128.3 131.2 | 140.2 148.8 | 133.7 144.0 | 114.8 131.4 | 77.3 110.2 | 54.1 86.1 | 57.5 114.4 |
| 52.5 51.3 | 56.7 53.9 | 61.1 60.5 | 51.8 54.1 | 56.9 62.5 | 55.2 62.4 | 47.8 58.2 | 31.6 48.8 | 21.9 38.0 | 22.1 50.2 |
| 79.4 75.6 | 82.9 79.7 | 92.1 91.3 | 76.5 77.1 | 83.3 86.3 | 78.5 81.6 | 67.0 73.2 | 45.7 61.4 | 32.2 48.1 | 35.4 64.2 |
| 203.8 197.5 | 211.1 209.2 | 232.2 238.4 | 196.1 207.9 | 220.3 239.0 | 207.1 230.2 | 174.6 210.6 | 119.4 178.5 | 84.0 141.7 | 86.6 183.8 |
| 74.6 72.3 | 80.4 78.2 | 87.3 88.5 | 74.2 78.1 | 83.5 90.4 | 77.3 85.5 | 63.9 77.4 | 42.1 64.7 | 29.4 51.1 | 29.9 65.8 |
| 42.9 41.7 | 41.0 42.2 | 45.4 48.4 | 38.2 41.7 | 41.8 46.1 | 38.6 43.5 | 32.0 39.1 | 21.6 32.7 | 15.0 26.3 | 15.3 35.8 |
| 86.3 83.5 | 89.7 88.8 | 99.5 101.5 | 83.7 88.1 | 95.0 102.5 | 91.2 101.2 | 78.7 94.1 | 55.7 81.1 | 39.6 64.3 | 41.4 82.2 |
| 123.9 115.4 | 129.8 121.2 | 140.7 133.8 | 113.1 111.2 | 122.3 124.2 | 114.7 118.4 | 98.2 106.5 | 66.8 89.5 | 47.7 70.8 | 55.7 98.7 |
| 170.0 154.2 | 171.1 161.6 | 189.8 182.3 | 153.8 148.2 | 159.8 160.4 | 146.4 150.6 | 119.7 133.0 | 78.2 108.6 | 54.6 84.7 | 59.9 116.4 |
| 82.3 73.9 | 82.4 78.2 | 94.1 90.1 | 76.0 73.0 | 78.2 78.8 | 70.6 73.9 | 57.3 65.4 | 36.4 52.5 | 24.7 40.5 | 26.1 54.6 |
| 87.7 80.3 | 88.7 83.4 | 95.7 92.2 | 77.8 75.2 | 81.6 81.6 | 75.8 76.7 | 62.4 67.6 | 41.8 56.1 | 29.9 44.2 | 33.8 61.8 |
| 137.1 129.1 | 136.5 131.1 | 147.1 141.2 | 117.4 116.5 | 123.7 126.5 | 113.6 118.0 | 95.0 107.4 | 68.3 93.4 | 52.2 78.7 | 63.0 115.0 |
| 145.9 137.8 | 349.5 357.6 | 399.8 416.9 | 348.1 375.0 | 391.8 426.4 | 364.4 404.6 | 300.0 357.1 | 204.7 302.8 | 148.3 252.6 | 171.7 381.8 |
| 157.6 148.3 | 260.5 263.9 | 296.8 308.3 | 261.0 278.8 | 294.5 315.6 | 270.8 294.0 | 217.2 251.2 | 138.8 205.4 | 97.4 168.5 | 110.3 251.8 |
| 88.3 89.5 | 89.0 93.7 | 103.0 108.6 | 87.1 96.2 | 97.3 110.8 | 93.6 110.6 | 82.8 105.9 | 65.9 97.4 | 50.9 84.1 | 61.4 130.0 |
| 100.7 90.6 | 96.2 93.5 | 105.3 104.0 | 85.3 87.7 | 92.8 97.8 | 86.4 92.8 | 73.3 84.7 | 54.2 74.8 | 40.8 62.6 | 48.1 94.5 |
| 108.3 99.9 | 108.2 107.5 | 120.4 122.0 | 100.6 105.9 | 112.4 121.4 | 108.2 119.7 | 97.0 112.5 | 72.5 99.5 | 53.3 82.1 | 62.8 121.0 |
| 82.4 78.4 | 88.3 85.5 | 97.5 98.0 | 78.8 80.3 | 86.4 91.0 | 83.4 90.2 | 74.2 82.7 | 52.9 70.5 | 37.1 54.4 | 40.3 71.5 |
| 60.3 57.2 | 65.7 63.4 | 71.7 71.8 | 57.6 57.8 | 62.3 64.4 | 59.9 63.3 | 52.7 57.1 | 36.9 48.1 | 25.4 36.6 | 26.6 46.0 |
| 22.1 21.2 | 22.6 22.1 | 25.8 26.2 | 21.2 22.5 | 24.1 26.6 | 23.5 26.9 | 21.5 25.6 | 16.0 22.4 | 11.7 17.8 | 13.7 25.5 |

APPENDIX D
Estimated home population of regions of England and Wales and countries of the United Kingdom at mid-1964
with projections for 1971 and 1981

(Thousands)

| Area | Year | Persons | | | | | Males | | | | | Females | | | | |
|---------------------------|------|----------|-------|-------|-------|--|-------|-------|-------|-------------|-------|---------|-------|-------------|-------|--|
| | | All ages | 0—4 | 5—9 | 10—14 | | 15—19 | 20—44 | 45—64 | 65 and over | 15—19 | 20—44 | 45—59 | 60 and over | | |
| Northern ... | 1964 | 3,301 | 291 | 270 | 249 | | 133 | 549 | 380 | 146 | | 125 | 537 | 308 | 313 | |
| | 1971 | 3,429 | 327 | 296 | 278 | | 122 | 510 | 406 | 171 | | 118 | 516 | 327 | 358 | |
| | 1981 | 3,622 | 330 | 328 | 319 | | 143 | 526 | 398 | 195 | | 139 | 532 | 315 | 397 | |
| East and West Ridings ... | 1964 | 4,241 | 361 | 313 | 303 | | 168 | 685 | 517 | 189 | | 162 | 677 | 424 | 442 | |
| | 1971 | 4,386 | 400 | 373 | 328 | | 146 | 692 | 517 | 227 | | 139 | 666 | 406 | 492 | |
| | 1981 | 4,606 | 407 | 405 | 392 | | 183 | 736 | 476 | 264 | | 175 | 687 | 360 | 522 | |
| North West | 1964 | 6,665 | 590 | 504 | 482 | | 257 | 1,045 | 798 | 290 | | 252 | 1,055 | 677 | 715 | |
| | 1971 | 6,969 | 659 | 613 | 532 | | 228 | 1,091 | 789 | 341 | | 223 | 1,058 | 641 | 794 | |
| | 1981 | 7,462 | 693 | 684 | 649 | | 298 | 1,163 | 747 | 399 | | 290 | 1,126 | 573 | 839 | |
| North Midlands ... | 1964 | 3,760 | 328 | 283 | 272 | | 154 | 634 | 448 | 170 | | 147 | 605 | 354 | 365 | |
| | 1971 | 4,042 | 381 | 347 | 306 | | 137 | 663 | 480 | 200 | | 132 | 632 | 364 | 402 | |
| | 1981 | 4,463 | 408 | 400 | 386 | | 175 | 719 | 491 | 233 | | 173 | 685 | 361 | 431 | |
| Midlands ... | 1964 | 4,926 | 436 | 369 | 352 | | 215 | 861 | 580 | 193 | | 202 | 817 | 459 | 443 | |
| | 1971 | 5,345 | 509 | 463 | 397 | | 179 | 919 | 631 | 235 | | 170 | 848 | 490 | 503 | |
| | 1981 | 5,968 | 541 | 531 | 511 | | 237 | 1,006 | 646 | 300 | | 225 | 924 | 470 | 578 | |
| South East | 1964 | 18,285 | 1,497 | 1,241 | 1,214 | | 712 | 3,042 | 2,192 | 852 | | 689 | 2,996 | 1,845 | 2,005 | |
| | 1971 | 19,557 | 1,697 | 1,597 | 1,327 | | 623 | 3,315 | 2,270 | 988 | | 605 | 3,185 | 1,813 | 2,138 | |
| | 1981 | 21,346 | 1,832 | 1,775 | 1,693 | | 833 | 3,554 | 2,282 | 1,181 | | 791 | 3,429 | 1,724 | 2,253 | |
| South West | 1964 | 3,547 | 285 | 257 | 247 | | 147 | 571 | 418 | 187 | | 133 | 538 | 347 | 415 | |
| | 1971 | 3,738 | 322 | 306 | 273 | | 130 | 581 | 423 | 218 | | 123 | 558 | 355 | 448 | |
| | 1981 | 4,053 | 350 | 345 | 334 | | 165 | 644 | 400 | 239 | | 157 | 618 | 334 | 468 | |
| England | 1964 | 44,725 | 3,788 | 3,237 | 3,119 | | 1,786 | 7,387 | 5,333 | 2,027 | | 1,710 | 7,225 | 4,414 | 4,698 | |
| | 1971 | 47,466 | 4,295 | 3,995 | 3,441 | | 1,565 | 7,771 | 5,516 | 2,380 | | 1,510 | 7,463 | 4,396 | 5,135 | |
| | 1981 | 51,520 | 4,561 | 4,468 | 4,284 | | 2,034 | 8,348 | 5,440 | 2,811 | | 1,950 | 8,001 | 4,137 | 5,488 | |
| Wales | 1964 | 2,676 | 221 | 203 | 193 | | 109 | 432 | 323 | 131 | | 103 | 421 | 261 | 279 | |
| | 1971 | 2,780 | 246 | 228 | 211 | | 93 | 424 | 336 | 147 | | 92 | 405 | 278 | 320 | |
| | 1981 | 2,922 | 248 | 250 | 248 | | 115 | 446 | 319 | 165 | | 109 | 421 | 249 | 351 | |

| England and Wales | ... | ... | ... | ... | 1964 | 47,401 | 4,009 | 3,440 | 3,312 | 1,895 | 7,819 | 5,656 | 2,158 | 1,813 | 7,646 | 4,675 | 4,977 |
|----------------------|-----|-----|-----|-----|------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | | | | 1971 | 50,246 | 4,541 | 4,223 | 3,652 | 1,658 | 8,195 | 5,852 | 2,527 | 1,602 | 7,868 | 4,674 | 5,455 |
| | | | | | 1981 | 54,442 | 4,809 | 4,718 | 4,532 | 2,149 | 8,794 | 5,759 | 2,976 | 2,059 | 8,422 | 4,386 | 5,839 |
| Scotland ... | ... | ... | ... | ... | 1964 | 5,206 | 484 | 442 | 407 | 211 | 813 | 578 | 216 | 208 | 847 | 498 | 503 |
| | | | | | 1971 | 5,321 | 514 | 492 | 454 | 200 | 801 | 573 | 247 | 198 | 815 | 482 | 545 |
| | | | | | 1981 | 5,652 | 552 | 530 | 507 | 242 | 886 | 529 | 283 | 236 | 880 | 437 | 570 |
| Great Britain | ... | ... | ... | ... | 1964 | 52,607 | 4,493 | 3,882 | 3,719 | 2,106 | 8,632 | 6,234 | 2,374 | 2,021 | 8,493 | 5,173 | 5,480 |
| | | | | | 1971 | 55,567 | 5,055 | 4,715 | 4,106 | 1,858 | 8,996 | 6,425 | 2,774 | 1,800 | 8,683 | 5,156 | 6,000 |
| | | | | | 1981 | 60,094 | 5,361 | 5,248 | 5,039 | 2,391 | 9,680 | 6,288 | 3,259 | 2,295 | 9,302 | 4,823 | 6,409 |
| Northern Ireland ... | ... | ... | ... | ... | 1964 | 1,458 | 155 | 138 | 129 | 66 | 218 | 147 | 62 | 63 | 232 | 125 | 122 |
| | | | | | 1971 | 1,538 | 173 | 160 | 142 | 66 | 228 | 150 | 67 | 62 | 232 | 125 | 132 |
| | | | | | 1981 | 1,671 | 184 | 178 | 169 | 80 | 261 | 136 | 76 | 76 | 255 | 113 | 143 |
| United Kingdom | ... | ... | ... | ... | 1964 | 54,065 | 4,648 | 4,020 | 3,848 | 2,172 | 8,850 | 6,381 | 2,436 | 2,084 | 8,725 | 5,298 | 5,602 |
| | | | | | 1971 | 57,105 | 5,228 | 4,875 | 4,248 | 1,924 | 9,224 | 6,575 | 2,841 | 1,862 | 8,915 | 5,281 | 6,132 |
| | | | | | 1981 | 61,765 | 5,545 | 5,426 | 5,208 | 2,471 | 9,941 | 6,424 | 3,335 | 2,371 | 9,557 | 4,936 | 6,552 |

N.B. Figures may not add up exactly because of rounding.

1. The estimates for the home population of the regions of England and Wales at mid-1964 are the final revisions appearing on pages 32 and 33 of this *Return*. The projections for 1971 and 1981 are based on the latest total population projections for England and Wales as a whole prepared by the Government Actuary's Department in consultation with the General Register Office. These were published as Appendix D to the *Return* for the fourth quarter of 1964 (No. 464). In determining the future regional distribution of population, account has been taken of the population structure of each region in 1964, with its specific regional fertility and mortality rates; and allowances have also been made for the effects both of international migration and of population movements within England and Wales.
2. The assumptions in respect of the overall level of international migration were those outlined in an article on 'Projecting the population of the United Kingdom' in the May issue of *Economic Trends* (No. 139) (H.M.S.O.). Within England and Wales, the net effect of international immigration and emigration on the various regions has been assumed to follow the pattern of the period between 1951 and 1961.
3. In determining the effects of population movements within England and Wales, attention has been given to trends in internal migration since 1951 as estimated by the General Register Office; and, in particular, to the information on internal migration during the preceding year obtained at the 1961 Census. Allowance has also been made, however, for the possible effect on internal migration of changes in external migration in the future compared with the recent past.
4. The regions of England and Wales for which projections have been made are the Standard Regions defined on page 21 of this *Return*, except that the Eastern Region, London and the South Eastern Region, and the Southern Region have been combined to form one region described as the South East. The figures for Scotland and Northern Ireland are based on the projections of the total populations of those countries made by the Government Actuary's Department in conjunction with the General Registry Office of Births, Deaths and Marriages (Scotland) and the Registrar-General's Office in Belfast; and the co-operation of these Departments in agreeing to the publication of these projections in this *Return* is gratefully acknowledged.
5. Some comments on these projections will be published in the November, 1965 issue of *Economic Trends* (No. 145), and a fuller account of the methods used will be published in the General Register Office series of *Studies on Medical and Population Subjects*.

APPENDIX E

Years of life lost due to mortality from certain causes: Numbers of deaths from certain causes, death rates per 10,000 population, mean ages at death, years of "working life" lost and years of "total life" lost per 10,000 population, 1964

England and Wales

The last two columns present figures for years of "working life" lost (taken as ages 15—64) and for years of "total life" lost (to age 85). This may be used as a standard with which local figures, compiled by the method described at the foot of the page, may be compared. The method of calculation has been: (a) to calculate the mean age at death for all causes for each of the age-groups 0—, 5—, 15—, 25—, 45—, 65 and over; (b) to deduct each mean age from 85; alternatively, for the "working life" comparison, to deduct each mean age or 15, whichever is the greater, from 65; (c) to multiply each difference so obtained by the number of deaths from the particular disease in the respective age-group; (d) to total the products, and (e) to divide by the population at all ages to produce the rates shown.

| Abridged List No.* | Cause of death | Total deaths | | Mean age at death | Years of life lost per 10,000 population | |
|--------------------|--|--------------|---------------------------|-------------------|--|-----------------|
| | | Number | Rate per 10,000 populat'n | | Ages 15-64 | Total to age 85 |
| | All causes M ... | 274,773 | 119 | 65.3 | 723 | 2,342 |
| | F ... | 259,964 | 107 | 71.1 | 440 | 1,477 |
| 1 | Tuberculosis of respiratory system... .. M ... | 1,711 | 1 | 63.1 | 4 | 14 |
| | F ... | 498 | 0 | 59.5 | 2 | 7 |
| 10-15 | Cancer (all sites) M ... | 56,247 | 24 | 65.5 | 111 | 440 |
| | F ... | 48,451 | 20 | 66.4 | 93 | 321 |
| 11 | Cancer of lung, bronchus M ... | 21,476 | 9 | 64.4 | 39 | 177 |
| 12 | Cancer of breast F ... | 9,860 | 4 | 63.7 | 23 | 77 |
| 17 | Vascular lesions of central nervous system M ... | 29,818 | 13 | 72.7 | 26 | 161 |
| | F ... | 44,147 | 18 | 76.0 | 22 | 161 |
| 18 | Coronary disease M ... | 65,082 | 28 | 67.3 | 100 | 477 |
| | F ... | 41,208 | 17 | 74.2 | 22 | 151 |
| 19, 20 | Other cardiac diseases M ... | 26,201 | 11 | 74.2 | 24 | 141 |
| | F ... | 41,467 | 17 | 77.9 | 20 | 141 |
| 23, 24 | Bronchitis and pneumonia M ... | 34,957 | 15 | 68.0 | 73 | 261 |
| | F ... | 23,875 | 10 | 72.3 | 41 | 131 |
| 26 | Ulcer of stomach and duodenum M ... | 2,568 | 1 | 68.8 | 4 | 14 |
| | F ... | 1,376 | 1 | 73.6 | 1 | 7 |
| 33, 34 | Accidents M ... | 10,913 | 5 | 44.1 | 104 | 191 |
| | F ... | 7,789 | 3 | 63.5 | 32 | 77 |

* The Registrar General's Abridged List is given on page 24.

The following set of standard weights, based on 1962-64 national mortality experience and designed to allow for any differences in population age-structures, are for use in calculating local figures:

| | | 0— | 5— | 15— | 25— | 45— | 65 and over |
|----------------------|---------------|-------|--------|-------|--------|-------|-------------|
| Ages 15-64... .. | { Males ... | 4.385 | 7.575 | 6.620 | 7.426 | 1.758 | — |
| | { Females ... | 3.925 | 6.800 | 6.111 | 6.781 | 1.872 | — |
| Total (up to 85) ... | { Males ... | 7.384 | 11.393 | 9.562 | 12.886 | 6.710 | 0.782 |
| | { Females ... | 6.610 | 10.254 | 8.833 | 11.823 | 6.932 | 0.837 |

The method of calculating local rates of years of life lost for each cause and for all causes should be: (a) for each sex and each of the age-groups 0—, 5—, 15—, 25—, 45—, 65 and over, to work the 1964 death rate per 10,000 living†; (b) to multiply each rate by the corresponding sex/age weight (separate weights for "working life" and "total" calculations) and (c) to total the products for each sex.

†The General Register Office does not make population estimates by sex and age for local areas. Hence, it will be necessary for age death rates to be based on the 1961 census population structure and such rates may be subject to appreciable error where the composition of the population has been changing rapidly.

APPENDIX F

Changes in boundaries, names, etc., of counties, boroughs, urban and rural districts during the six months ended 30th June 1965

(i) Authorities for changes. (The date of operation in each case was 1st April 1965)

| Reference | Ministry of Housing and Local Government Order No. | Description of Authority |
|-----------|--|--|
| (a) | H.L.G. 18359 | The Counties of Bedford and Buckingham (Leighton-Linslade) Order 1965 (S.I. 1965 No. 23) |
| (b) | H.L.G. 14603 | The Cambridgeshire and Isle of Ely Order, 1964 (S.I. 1964 No. 366) |
| (c) | H.L.G. 18468 | The East Midland Counties Order, 1965 (S.I. 1965 No. 24) |
| (d) | H.L.G. 14604 | The Huntingdon and Peterborough Order, 1964 (S.I. 1964 No. 367) |
| (e) | H.L.G. 19263 | The West Midland Counties Order, 1965 (S.I. 1965 No. 223) |
| (f) | | The London Government Act, 1963 |
| (g) | H.L.G. 19584 | The Hampshire (Borough of Basingstoke) Confirmation Order, 1965 |
| (h) | H.L.G. 18596 | The County of Lancaster (Borough of Morecambe and Heysham) Confirmation Order, 1965 |
| (i) | H.L.G. 16566 | The Northampton Order, 1965 (S.I. 1965 No. 250) |
| (j) | H.L.G. 19566 | The County of Northumberland (Borough of Morpeth) Confirmation Order, 1965 |
| (k) | H.L.G. 16436 | The Stoke-on-Trent Order, 1964 (S.I. 1964 No. 1113) |
| (l) | H.L.G. 16659 | The Staffordshire and Warwickshire (Tamworth) Order, 1964 (S.I. 1964 No. 1161) |
| (m) | H.L.G. 19434 | The Coventry Order, 1965 (S.I. 1965 No. 222) |

(ii) Particulars of changes

Acreage (land and inland water) figures, which are given to the nearest acre, have been supplied by the Ordnance Survey Department

| Ref. to Authority | Administrative area | Increase or decrease (—) | | Ref. to Authority | Administrative area | Increase or decrease (—) | |
|-------------------|---|---------------------------------|------------------------|-------------------|---|---------------------------------|------------------------|
| | | Acreage (land and inland water) | Census population 1961 | | | Acreage (land and inland water) | Census population 1961 |
| (a)(b)(c)(d) | BEDFORDSHIRE Administrative County | 2,147 | 4,869 | (b)(d) | *CAMBRIDGESHIRE AND ISLE OF ELY Administrative County | 531,553 | 277,380 |
| (a) | Municipal Boroughs and Urban Districts | 1,646 | 1,139 | (b)(d) | Municipal Boroughs and Urban Districts | 86,511 | 150,829 |
| (a) | Leighton Buzzard U.D. | —2,487 | —11,745 | (b) | Cambridge, City of, M.B. | 10,060 | 95,527 |
| (a) | Leighton-Linslade U.D. | 4,133 | 15,884 | (b)(d) | Chatteris U.D. | 15,126 | 5,505 |
| (b)(c)(d) | Rural Districts | 501 | —2,270 | (b) | Ely U.D. | 14,659 | 9,803 |
| (c) | Amphill | 8 | —21 | (b) | March U.D. | 19,786 | 13,144 |
| (c)(d) | Bedford | —1,304 | —2,434 | (b) | Whittlesey U.D. | 22,263 | 9,322 |
| (b)(c)(d) | Biggleswade | 1,687 | —15 | (b) | Wisbech M.B. | 4,617 | 17,528 |
| (c) | Luton | 110 | 200 | (b)(d) | Rural Districts | 445,041 | 126,551 |
| (a)(c) | BUCKINGHAMSHIRE Administrative County | —1,654 | —4,118 | (b) | Chesterton | 111,692 | 44,576 |
| (a) | Municipal Boroughs and Urban Districts | —1,693 | —4,139 | (b) | Ely | 66,082 | 14,442 |
| (a) | Linslade U.D. | —1,693 | —4,139 | (b)(d) | Newmarket | 81,101 | 20,879 |
| (a)(c) | Rural Districts | 39 | 21 | (b)(d) | North Witchford | 24,753 | 4,740 |
| (c) | Newport Pagnell | —8 | 21 | (b)(d) | South Cambridgeshire | 111,572 | 29,363 |
| (a) | Wing | 47 | Nil | (b) | Wisbech | 49,841 | 12,551 |
| (b)(d) | *CAMBRIDGESHIRE Administrative County | —315,166 | —190,384 | (e) | CHESHIRE Administrative County | — | —238 |
| (b) | Municipal Borough | —10,060 | —95,527 | (e) | Rural Districts | — | —238 |
| (b) | Cambridge, City of, M.B. | —10,060 | —95,527 | (e) | Congleton | —38 | —104 |
| (b)(d) | Rural Districts | —305,106 | —94,857 | (e) | Nantwich | 44 | —134 |
| (b) | Chesterton | —111,692 | —44,576 | (c) | DERBYSHIRE Administrative County | —61 | Nil |
| (b) | Newmarket | —81,101 | —20,879 | (c) | Rural Districts | —61 | Nil |
| (b)(d) | South Cambridgeshire | —112,313 | —29,402 | (c) | South East Derbyshire | —61 | Nil |

* See footnote on page 40.

APPENDIX F (continued)

| Ref. to Auth- ority | Administrative area | Increase or decrease (—) | | Ref. to Auth- ority | Administrative area | Increase or decrease (—) | |
|------------------------------|------------------------|--|-----------------------------------|------------------------------|----------------------------|--|-----------------------------------|
| | | Acreage (land and inland water) | Census popula- tion 1961 | | | Acreage (land and inland water) | Census popula- tion 1961 |
| | *ELY, ISLE OF | | | | *HUNTINGDONSHIRE | | |
| (b)(d) | Administrative County | —239,950 | —89,180 | (b)(d) | Administrative County | —233,985 | —79,924 |
| (b)(d) | Municipal Borough and | | | (b)(d) | Municipal Boroughs and | | |
| | Urban Districts | —76,432 | —55,288 | | Urban Districts | —29,782 | —35,831 |
| (b)(d) | Chatteris U.D. | —15,107 | —5,491 | (d) | Huntingdon and | | |
| (b) | Ely U.D. | —14,659 | —9,803 | | Godmanchester M.B. | —7,057 | —8,821 |
| (b) | March U.D. | —19,786 | —13,144 | (d) | Old Fletton U.D. | —3,029 | —11,677 |
| (b) | Whittlesey U.D. | —22,263 | —9,322 | (b) | Ramsey U.D. | —15,980 | —5,697 |
| (b) | Wisbech M.B. | —4,617 | —17,528 | (d) | St. Ives M.B. | —2,326 | —4,082 |
| | | | | (d) | St. Neots U.D. | —1,390 | —5,554 |
| (b)(d) | Rural Districts | —163,518 | —33,892 | (b)(d) | Rural Districts | —204,203 | —44,093 |
| (b) | Ely | —66,082 | —14,442 | (d) | Huntingdon | —69,937 | —13,029 |
| (b)(d) | North Witchford | —24,700 | —4,740 | (d) | Norman Cross | —35,795 | —8,738 |
| (b)(d) | Thorney | —22,895 | —2,159 | (b) | St. Ives | —45,912 | —14,823 |
| (b) | Wisbech | —49,841 | —12,551 | (b)(d) | St. Neots | —52,559 | —7,503 |
| | ESSEX | | | | *HUNTINGDON AND | | |
| (f) | County Boroughs | —8,048 | —263,049 | | PETERBOROUGH | | |
| (f) | East Ham | —3,328 | —105,682 | | Administrative County | 310,865 | 159,175 |
| (f) | West Ham | —4,720 | —157,367 | (b)(d) | Municipal Boroughs and | | |
| | | | | (b)(d) | Urban Districts | 41,083 | 100,544 |
| (b)(f) | Administrative County | —62,197 | —921,393 | (d) | Huntingdon and | | |
| (f) | Municipal Boroughs and | | | | Godmanchester M.B. | 7,057 | 8,821 |
| | Urban Districts | —61,828 | —921,361 | (d) | Old Fletton, U.D. | 3,029 | 11,677 |
| (f) | Barking M.B. | —3,881 | —72,293 | (d) | Peterborough, City of, | | |
| (f) | Chigwell U.D. | —200 | —7,071 | (d) | M.B. | 10,022 | 62,340 |
| (f) | Chingford M.B. | —2,868 | —45,787 | (b) | Ramsey U.D. | 15,927 | 5,697 |
| (f) | Dagenham M.B. | —6,565 | —108,368 | (d) | St. Ives, M.B. | 2,326 | 4,082 |
| (f) | Hornchurch U.D. | —19,768 | —131,014 | (d) | St. Neots U.D. | 2,722 | 7,927 |
| (f) | Ilford M.B. | —8,404 | —178,024 | | | | |
| (f) | Leyton M.B. | —2,595 | —93,959 | (b)(d) | Rural Districts | 269,782 | 58,631 |
| (f) | Romford M.B. | —9,342 | —114,584 | (d) | Barnack | 15,234 | 4,426 |
| (f) | Walthamstow M.B. | —4,341 | —108,845 | (d) | Huntingdon | 69,853 | 13,025 |
| (f) | Wanstead & Woodford | | | (d) | Norman Cross | 35,924 | 8,751 |
| | M.B. | —3,863 | —61,416 | (d) | Peterborough | 28,186 | 7,992 |
| (b) | Rural Districts | —369 | —32 | (b) | St. Ives | 45,893 | 14,809 |
| (b) | Halstead | —7 | Nil | (b)(d) | St. Neots | 51,797 | 7,469 |
| (b) | Saffron Walden | —362 | —32 | (d) | Thorney | 22,895 | 2,159 |
| | GLOUCESTERSHIRE | | | | KENT | | |
| (e) | Administrative County | 302 | —73 | (f) | Administrative County | —54,278 | —504,333 |
| (e) | Municipal Boroughs and | | | (f) | Municipal Boroughs and | | |
| | Urban Districts | 162 | 25 | (f) | Urban Districts | —54,278 | —504,333 |
| (e) | Tewkesbury M.B. | 162 | 25 | (f) | Beckenham M.B. | —5,936 | —77,290 |
| | | | | (f) | Bexley M.B. | —4,866 | —89,550 |
| (e) | Rural Districts | 140 | —98 | (f) | Bromley M.B. | —6,509 | —68,252 |
| (e) | Cheltenham | —17 | —7 | (f) | Chislehurst and Sidcup | | |
| (e) | East Dean | —381 | —134 | (f) | U.D. | —8,957 | —86,892 |
| (e) | Gloucester | —303 | —45 | (f) | Crayford U.D. | —2,539 | —31,287 |
| (e) | Newent | 264 | 86 | (f) | Erith M.B. | —3,860 | —45,026 |
| (e) | North Cotswold | 593 | 27 | (f) | Orpington U.D. | —20,842 | —80,293 |
| (e) | West Dean | —16 | —25 | (f) | Penge U.D. | —770 | —25,743 |
| | HAMPSHIRE | | | | LANCASHIRE | | |
| (g) | Municipal Boroughs and | | | (h) | Municipal Boroughs and | | |
| | Urban Districts | 392 | 41 | (h) | Urban Districts | 2 | Nil |
| (g) | Basingstoke M.B. | 392 | 41 | | Morecambe and | 2 | Nil |
| | | | | | Heysham M.B. | | |
| (g) | Rural Districts | —392 | —41 | (h) | Rural Districts | —2 | Nil |
| (g) | Basingstoke | —392 | —41 | (h) | Lancaster | —2 | Nil |
| | HEREFORDSHIRE | | | | LEICESTERSHIRE | | |
| (e) | Administrative County | 198 | 84 | (c)(e) | Administrative County | 1,168 | 56 |
| (e) | Rural Districts | 198 | 84 | (c)(e) | Municipal Boroughs and | | |
| (e) | Leominster and Wigmore | —23 | Nil | (e) | Urban Districts | 125 | 21 |
| (e) | Ross and Whitchurch | 221 | 84 | (c) | Hinckley U.D. | 17 | 21 |
| | | | | | Market Harborough | 108 | Nil |
| | | | | | U.D. | | |
| (c)(f) | HERTFORDSHIRE | | | (c)(e) | Rural Districts | 1,043 | 35 |
| (c)(f) | Administrative County | —730 | —45,051 | (e) | Ashby de la Zouch | —70 | —2 |
| | Municipal Boroughs and | | | (c) | Barrow upon Soar | 757 | 12 |
| | Urban Districts | —620 | —44,851 | (c) | Castle Donington | 61 | Nil |
| (f) | Barnet U.D. | —4,290 | —27,706 | (c) | Market Harborough | —7 | Nil |
| (f) | East Barnet U.D. | —2,645 | —40,641 | (c) | Melton and Belvoir | 302 | 25 |
| (c) | Letchworth U.D. | 186 | 120 | | | | |
| (f) | Potters Bar U.D. | 6,129 | 23,376 | | LINCOLNSHIRE | | |
| | | | | | (PARTS OF KESTEVEN) | | |
| (c) | Rural Districts | —110 | —200 | (c) | Administrative County | —354 | —25 |
| (c) | Hemel Hempstead | —110 | —200 | (c) | Rural Districts | —354 | —25 |
| | | | | (c) | West Kesteven | —354 | —25 |

* See footnote on page 40.

APPENDIX F (continued)

| Ref. to Auth- ority | Administrative area | Increase or decrease (—) | | Ref. to Auth- ority | Administrative area | Increase or decrease (—) | |
|------------------------------|---|--|-----------------------------------|------------------------------|---|--|-----------------------------------|
| | | Acreage (land and inland water) | Census popula- tion 1961 | | | Acreage (land and inland water) | Census popula- tion 1961 |
| | *LONDON | | | | | | |
| (f) | Administrative County | —74,901 | —3,200,484 | (f) | Enfield M.B. | —12,399 | —109,542 |
| (f) | City of London | —677 | —4,767 | (f) | Feltham U.D. | —4,925 | —51,047 |
| (f) | Metropolitan Boroughs | —74,224 | —3,195,717 | (f) | Finchley M.B. | —3,478 | —69,370 |
| (f) | Battersea | —2,164 | —105,870 | (f) | Friern Barnet U.D. | —1,342 | —28,813 |
| (f) | Bermondsey | —1,505 | —51,860 | (f) | Harrow M.B. | —12,555 | —209,080 |
| (f) | Bethnal Green | —759 | —47,078 | (f) | Hayes and Harlington U.D. | —5,159 | —67,915 |
| (f) | Camberwell | —4,481 | —175,304 | (f) | Hendon M.B. | —10,369 | —151,843 |
| (f) | Chelsea | —660 | —47,256 | (f) | Heston and Isleworth M.B. | —7,213 | —103,013 |
| (f) | Deptford | —1,565 | —68,829 | (f) | Hornsey M.B. | —2,871 | —97,962 |
| (f) | Finsbury | —586 | —32,887 | (f) | Potters Bar U.D. | —6,129 | —23,376 |
| (f) | Fulham | —1,708 | —111,791 | (f) | Ruislip-Northwood U.D. | —6,583 | —72,791 |
| (f) | Greenwich | —3,863 | —85,546 | (f) | Southall M.B. | —2,606 | —52,983 |
| (f) | Hackney | —3,293 | —164,766 | (f) | Southgate M.B. | —3,765 | —72,359 |
| (f) | Hammersmith | —2,287 | —110,333 | (f) | Staines U.D. | —8,271 | —49,838 |
| (f) | Hampstead | —2,266 | —98,844 | (f) | Sunbury-on-Thames U.D. | —5,609 | —33,437 |
| (f) | Holborn | —405 | —22,008 | (f) | Tottenham M.B. | —3,013 | —113,249 |
| (f) | Islington | —3,092 | —228,345 | (f) | Twickenham M.B. | —7,012 | —100,971 |
| (f) | Kensington | —2,292 | —171,272 | (f) | Uxbridge M.B. | —10,240 | —63,941 |
| (f) | Lambeth | —4,090 | —223,763 | (f) | Wembley M.B. | —6,291 | —124,892 |
| (f) | Lewisham | —7,017 | —221,753 | (f) | Willesden M.B. | —4,633 | —171,001 |
| (f) | Paddington | —1,357 | —116,923 | (f) | Wood Green M.B. | —1,606 | —47,945 |
| (f) | Poplar | —2,346 | —66,604 | (f) | Yiewsley and West Drayton U.D. | —5,276 | —23,723 |
| (f) | St. Marylebone | —1,472 | —69,045 | (f) | | | |
| (f) | St. Pancras | —2,693 | —124,855 | (i) | NORTHAMPTONSHIRE | | |
| (f) | Shoreditch | —658 | —40,455 | (i) | County Borough | 4,086 | 12,548 |
| (f) | Southwark | —1,131 | —86,249 | (i) | Northampton | 4,086 | 12,548 |
| (f) | Stepney | —1,770 | —92,000 | (c)(d)(i) | Administrative County | —4,237 | —12,496 |
| (f) | Stoke Newington | —864 | —52,301 | (c) | Municipal Boroughs and Urban Districts | 47 | 59 |
| (f) | Wandsworth | —9,112 | —347,442 | (c) | Rushden U.D. | 47 | 59 |
| (f) | Westminster | —2,504 | —85,735 | (c)(d)(i) | Rural Districts | —4,284 | —12,555 |
| (f) | Woolwich | —8,282 | —146,603 | (c)(i) | Brixworth | —722 | —2,461 |
| | *GREATER LONDON | | | (i) | Northampton | —3,464 | —10,087 |
| (f) | Administrative County | 394,487 | 7,997,092 | (c)(d) | Oundle and Thrapston | —98 | —9 |
| (f) | City of London | 677 | 4,767 | (c) | Wellingborough | under 1 acre | 2 |
| (f) | London Boroughs | 393,810 | 7,992,325 | | | | |
| (f) | Barking | 8,450 | 177,092 | (i) | NORTHUMBERLAND | | |
| (f) | Barnet | 22,124 | 318,373 | (i) | Municipal Boroughs and Urban Districts | 5 | Nil |
| (f) | Bexley | 14,986 | 209,894 | (i) | Morpeth M.B. | 5 | Nil |
| (f) | Brent | 10,924 | 295,893 | (j) | Rural Districts | —5 | Nil |
| (f) | Bromley | 39,293 | 294,439 | (j) | Morpeth | —5 | Nil |
| (f) | Camden | 5,365 | 245,707 | (c) | | | |
| (f) | Croydon | 23,812 | 327,427 | (c) | NOTTINGHAMSHIRE | | |
| (f) | Ealing | 13,708 | 301,646 | (c) | Administrative County | —705 | —12 |
| (f) | Enfield | 20,060 | 273,857 | (c) | Rural Districts | —705 | —12 |
| (f) | Greenwich | 11,724 | 230,250 | (c) | Basford | —757 | —12 |
| (f) | Hackney | 4,815 | 257,522 | (c) | Bingham | 52 | Nil |
| (f) | Hammersmith | 3,995 | 222,124 | | | | |
| (f) | Haringey | 7,490 | 259,156 | (d) | *PETERBOROUGH, | | |
| (f) | Harrow | 12,555 | 209,080 | (d) | SOKE OF | | |
| (f) | Havering | 29,110 | 245,598 | (d) | Administrative County | —53,463 | —74,758 |
| (f) | Hillingdon | 27,259 | 228,370 | (d) | Municipal Borough | —10,022 | —62,340 |
| (f) | Hounslow | 14,469 | 208,893 | (d) | Peterborough, City of, M.B. | —10,022 | —62,340 |
| (f) | Islington | 3,679 | 261,232 | | | | |
| (f) | Kensington and Chelsea | 2,952 | 218,528 | (d) | Rural Districts | —43,442 | —12,418 |
| (f) | Kingston-upon-Thames | 9,279 | 146,010 | (d) | Barnack | —15,256 | —4,426 |
| (f) | Lambeth | 6,738 | 341,624 | (d) | Peterborough | —28,186 | —7,992 |
| (f) | Lewisham | 8,581 | 290,582 | | | | |
| (f) | Merton | 9,379 | 189,013 | (e) | SHROPSHIRE | | |
| (f) | Newham | 8,986 | 264,948 | (e) | Administrative County | 682 | 276 |
| (f) | Redbridge | 13,947 | 250,080 | (e) | Municipal Boroughs and Urban Districts | 175 | 86 |
| (f) | Richmond upon Thames | 13,645 | 181,052 | (e) | Market Drayton U.D. | 24 | Nil |
| (f) | Southwark | 7,117 | 313,413 | (e) | Newport U.D. | 152 | 91 |
| (f) | Sutton | 10,729 | 169,095 | (e) | Whitchurch U.D. | —1 | —5 |
| (f) | Tower Hamlets | 4,876 | 205,682 | | | | |
| (f) | Waltham Forest | 9,804 | 248,591 | (e) | Rural Districts | 507 | 190 |
| (f) | Wandsworth | 8,628 | 335,451 | (e) | Drayton | 773 | 201 |
| (f) | Westminster | 5,333 | 271,703 | (e) | Ludlow | 11 | Nil |
| | *MIDDLESEX | | | (e) | Shifnal | —277 | —11 |
| (f) | Administrative County | —148,675 | —2,234,543 | (e) | Wellington | under 1 acre | Nil |
| (f) | Municipal Boroughs and Urban Districts | —148,675 | —2,234,543 | | | | |
| (f) | Acton M.B. | —2,317 | —65,586 | | | | |
| (f) | Brentford and Chiswick M.B. | —2,332 | —54,833 | | | | |
| (f) | Ealing M.B. | —8,785 | —183,077 | | | | |
| (f) | Edmonton M.B. | —3,895 | —91,956 | | | | |

See footnote on page 40.

APPENDIX F (continued)

| Ref. to Auth- ority | Administrative area | Increase or decrease (—) | | Ref. to Auth- ority | Administrative area | Increase or decrease (—) | |
|------------------------------|--|--|-----------------------------------|------------------------------|--|--|-----------------------------------|
| | | Acreage (land and inland water) | Census popula- tion 1961 | | | Acreage (land and inland water) | Census popula- tion 1961 |
| | STAFFORDSHIRE | | | | | | |
| (k) | County Boroughs | 1,722 | 11,945 | (f) | Merton and Morden U.D. | —3,234 | —68,01 |
| (k) | Stoke-on-Trent | 1,722 | 11,945 | (f) | Mitcham M.B. | —2,934 | —63,69 |
| (e)(k)(l) | Administrative County | 2,550 | —200 | (f) | Richmond M.B. | —4,111 | —41,02 |
| (e)(k)(l) | Municipal Boroughs and Urban Districts | 4,970 | 12,851 | (f) | Staines U.D. | 8,271 | 49,83 |
| (e)(k) | Kidsgrove U.D. | 43 | 104 | (f) | Sunbury-on-Thames U.D. | 5,609 | 33,43 |
| (k) | Newcastle-under-Lyme M.B. | —20 | 964 | (f) | Surbiton M.B. | —4,711 | —62,97 |
| (l) | Tamworth M.B. | 4,947 | 11,783 | (f) | Sutton and Cheam M.B. | —4,340 | —79,00 |
| (e)(k) | Rural Districts | —2,420 | —13,051 | (f) | Wimbledon M.B. | —3,212 | —57,31 |
| (e) | Cannock | 277 | 11 | | WARWICKSHIRE | | |
| (k) | Cheadle | —479 | —5,874 | (m) | County Boroughs | 943 | 11,10 |
| (k) | Leek | —959 | —7,019 | (m) | Coventry | 943 | 11,10 |
| (e) | Newcastle-under-Lyme | —840 | —62 | (e)(l)(m) | Administrative County | —5,980 | —23,10 |
| (e) | Stafford | —152 | —91 | (m) | Municipal Boroughs and Urban Districts | —92 | —1,39 |
| (k) | Stone | —267 | —16 | (m) | Bedworth U.D. | —92 | —1,39 |
| | SURREY | | | | | | |
| (f) | County Borough | —12,669 | —252,501 | (e)(l)(m) | Rural Districts | —5,888 | —21,71 |
| (f) | Croydon | —12,669 | —252,501 | (e) | Alcester | —144 | —19 |
| (f) | Administrative County | —33,284 | —575,850 | (e)(l) | Atherstone | 12,655 | 6,54 |
| (f) | Municipal Boroughs and Urban Districts | —33,284 | —575,850 | (l)(m) | Meriden | 4,029 | —4,72 |
| (f) | Barnes M.B. | —2,523 | —39,057 | (e)(m) | Rugby | 318 | — |
| (f) | Beddington and Wallington M.B. | —3,047 | —32,603 | (l) | Tamworth | —22,037 | —19,05 |
| (f) | Carshalton U.D. | —3,342 | —57,484 | (m) | Warwick | —709 | —4,27 |
| (f) | Coulsdon and Purley U.D. | —11,143 | —74,926 | (e) | WORCESTERSHIRE | | |
| (f) | Kingston-upon-Thames M.B. | —1,406 | —36,461 | (e) | Administrative County | —365 | 18 |
| (f) | Malden and Coombe M.B. | —3,163 | —46,572 | (e) | Municipal Boroughs and Urban Districts | 69 | 16 |
| | | | | (e) | Redditch U.D. | 69 | 16 |
| | | | | (e) | Rural Districts | —434 | 2 |
| | | | | (e) | Evesham | —500 | 1 |
| | | | | (e) | Pershore | —162 | — |
| | | | | (e) | Tenbury | 12 | N |
| | | | | (e) | Upton upon Severn | 216 | 3 |

* On the 1st April 1965 the Counties of Cambridgeshire, Isle of Ely, Huntingdonshire, Soke of Peterborough, Middlesex and London ceased to exist and the Counties of Cambridgeshire and Isle of Ely, Huntingdon and Peterborough and Greater London were created.

© Crown copyright 1965


Printed in England by Stephenson Newspapers Limited
and published by
HER MAJESTY'S STATIONERY OFFICE

No. 467

3rd Quarter 1965

GENERAL REGISTER OFFICE

THE REGISTRAR GENERAL'S
QUARTERLY RETURN FOR
ENGLAND AND WALES



**BIRTHS, DEATHS AND
MARRIAGES
INFECTIOUS DISEASES
WEATHER
POPULATION ESTIMATES**

Quarter ended 30th September 1965



LONDON

HER MAJESTY'S STATIONERY OFFICE
1966

PRICE 2s. 6d. NET

TABLE OF CONTENTS

| | Page |
|---|------|
| General Notes | 2 |
| Special Notes | 2 |
| Non-Quarterly Statistics..... | 4 |
| Notes on the Quarter..... | 4 |
| Births, Deaths, Marriages and Infectious Diseases | |
| Table I Live births and stillbirths—occurrences during the period. Marriages and deaths—total numbers registered. Years 1955 to 1965 and each quarter of those years. England and Wales | 1 |
| Table II Persons marrying, live births—annual rates per 1,000 total population. Deaths—annual rates per 1,000 home population. Stillbirths and perinatal mortality—rates per 1,000 total live and still birth occurrences. Deaths under 1 year and deaths under 4 weeks—rates per 1,000 live birth occurrences. Years 1955 to 1965 and each quarter of those years. England and Wales..... | 1 |
| Table IIa Seasonally adjusted quarterly live birth occurrences—numbers (in thousands) and annual rates per 1,000 population, 1951 to 1965. England and Wales..... | 1 |
| Table III Live births, stillbirths and deaths—total numbers registered. Live births and deaths—annual rates per 1,000 population. Stillbirths and perinatal mortality—rates per 1,000 total live and still births. Infant mortality rates per 1,000 live births. Last five quarters. England and Wales, revised standard regions and hospital regions | 1 |
| Table IV Notifications of certain infectious diseases in the quarter. England and Wales, counties, county boroughs, Greater London, City of London, London boroughs and port health districts..... | 1 |
| Table IVa Corrected notifications of certain infectious diseases in the preceding quarter, analysed by sex and age. England and Wales | 1 |
| Table V Infant mortality. Rates by quarters and each completed year, 1962 to 1965. England and Wales and various other countries | 1 |
| Table VI Deaths by cause and sex, 1963 and 1964, and each of the last nine available quarters, classified according to the International Abbreviated List with certain sub-divisions. England and Wales | 1 |
| Table VII Accidental deaths registered in the quarter, analysed by sex and age, with totals for the corresponding quarter of the previous year. England and Wales..... | 2 |
| Table VIII Numbers of insured persons absent from work owing to certified sickness or industrial injury (or prescribed disease). England and Wales and standard regions... | 2 |
| Table IX Population, births (distinguishing stillbirths) and deaths (distinguishing deaths from certain causes) registered in the last two quarters. Greater London and certain cities abroad | 2 |
| Meteorology | |
| Table X Values of air temperature, rainfall and sunshine for the quarter, expressed as differences from, or percentages of, the average values. Districts of England and Wales | 2 |
| Appendices | |
| A Estimated population, total, home and civilian, by age and sex, as at 30th June 1965. England and Wales | 2 |

| Appendices (continued) | | Page |
|------------------------|---|------|
| B | Migration into and out from the United Kingdom during 1964, by sex, citizenship and route travelled | 25 |
| C | Migration into and out from the United Kingdom during 1964, by sex, age and marital condition | 26 |
| D | Migration into and out from the United Kingdom during 1964, by sex, occupation and citizenship | 27 |

GENERAL NOTES

1. The figures in this return are provisional until confirmed in the Statistical Reviews. Births and deaths are tabulated from returns furnished to the Registrar General by Registrars of Births and Deaths; marriages from returns furnished by the Clergy, Authorised Persons, Registrars of Marriages and others; and notifications of infectious diseases (Tables IV and IVa) from special quarterly statements furnished to the Registrar General by Medical Officers of Health. Owing to the time required to obtain complete marriage returns for a quarter, the latest marriage figures available for inclusion in this return relate to the *preceding* quarter.
2. Definitions of areas. "Counties"=administrative counties together with their associated county boroughs; "Greater London"=the Greater London administrative area as defined under the London Government Act, 1963, comprising 32 London boroughs, and the City of London (including the Inner and Middle Temple); "C.B.=county borough; "M.B."=municipal borough; "U.D."=urban district; "R.D."=rural district.
3. The home population comprises the population, of all types, actually in England and Wales, distributed by area according to residence. The total population comprises the home population plus members of H.M. Forces belonging to England and Wales and serving overseas but minus the forces of other countries temporarily in England and Wales.
4. Non-civilians are included in all figures except where otherwise stated.
5. Except in Table III and unless otherwise stated, the births recorded are those which occurred during the period using estimated figures for the latest quarter. Births are assigned to the area of the mother's usual residence if this is within England and Wales; if not, to the area of occurrence.

In Table III the births relate to the number **registered** during the period. Those recorded for the current quarter only relate to the area in which the birth occurred.
6. The deaths recorded for England and Wales are those registered during the period. Except for the current quarter of Table III the deaths are assigned to the area of usual residence of the deceased if this is within England and Wales; if not, to the area of occurrence.
7. The notifications of infectious diseases have been corrected for changes in diagnosis by the notifying medical practitioner or the medical superintendent of the infectious diseases hospital.

SPECIAL NOTES

Commencing with this Return the constitution of the Standard Regions has been changed; for details see page 11. With the exception of Table VIII and unless otherwise stated, all events recorded for Standard Regions will be so assigned.

One new migration table has been introduced and two others modified in this Return. The new table, Appendix B, shows migration into and out from the United Kingdom during 1964 by sex, citizenship and route travelled. The modified tables, Appendices C and D now show migration into and out from the United Kingdom during 1964 by sex, age and marital condition, and sex, occupation and citizenship respectively.

These tables will be published regularly in the September Return.

Commencing with the June Return changes have been made in the presentation of Tables I and II as follows:

Table I Numbers of live and still births now relate to those that occurred instead of those registered in the period.

Table II Rates for persons marrying and live birth occurrences are per 1,000 *total* instead of *home* population.

 Rates for stillbirths and perinatal mortality are per 1,000 total live and still birth occurrences.

 Rates for infant and neonatal mortality are per 1,000 live birth occurrences.

The estimated *total* populations (in thousands) are now included in this table.

NON-QUARTERLY STATISTICS

Certain non-quarterly information is published in the Quarterly Return as stated below:

Half-Yearly

June and December Returns

Lists of the changes in boundaries, names, etc., of local authority areas during the six months ending 30th June and 31st December respectively.

Yearly

March Return

- (1) Estimated home population as at 30th June, marriages, births (distinguishing stillbirths) and deaths (distinguishing deaths of infants under 1 year of age) registered in England and Wales during the preceding year, showing those assigned to each administrative county (with associated county boroughs).
- (2) Estimated home population as at 30th June for the preceding year, births (distinguishing stillbirths), deaths (distinguishing deaths of infants under 1 year of age and deaths from certain causes) registered in England and Wales during the preceding year, showing those assigned to municipal boroughs and urban districts with a resident population of 25,000 and over at the Census, 1961, county boroughs, Greater London, City of London and London boroughs, with comparative figures for four Scottish and Irish towns.
- (3) Deaths registered during the preceding year and assigned to Greater London, analysed by cause and age.
- (4) Infant mortality in England and Wales, planning regions and certain large towns in the preceding three years.
- (5) Populations, births (distinguishing stillbirths) and deaths (distinguishing deaths from certain causes) for the preceding year in Greater London and certain cities abroad.
- (6) Births registered in the preceding year by sex and legitimacy and the illegitimacy rate.

June Return

- (1) A presentation of mortality from certain causes in the preceding year in terms of the resulting loss in expected years of life.
- (2) Deaths registered in the preceding year in England and Wales distinguishing 36 causes of death (Registrar General's Abridged List) by sex and age.
- (3) An abridged life table constructed from the estimated home population and deaths in England and Wales for the preceding three years.

September Return

- (1) Estimates of the sex and age distribution of the total, home and civilian populations of England and Wales as a whole as at 30th June.
- (2) Migration into and out from the United Kingdom by sex, citizenship and route travelled.
- (3) Migration into and out from the United Kingdom by sex, age and marital condition.
- (4) Migration into and out from the United Kingdom by sex, occupation and citizenship.

December Return

- (1) A textual summary of the vital statistics of England and Wales for the year then ended.
- (2) A table showing the home population of England and Wales and each revised standard region and conurbation by sex and age as at 30th June.
- (3) Projections of the total populations for England and Wales by sex and age as at 30th June.
- (4) Home populations of each hospital region in England and Wales by sex and age as at 30th June.
- (5) Movements of intending long-term migrants by sea and air routes between the United Kingdom and the rest of the world (excluding the Irish Republic).
- (6) Estimated population, as at 30th June, of children aged under 1 year, 1-4 years and 5-14 years, in England and Wales and in administrative counties, county boroughs, Greater London, City of London and London boroughs.

NOTES ON THE THIRD QUARTER OF 1965, ENGLAND AND WALES

Live Births

There were 218,000 live births during this quarter, representing a live birth rate based on the total population for mid-1965 of 18·1 per thousand. Table II(a) indicates that the number of seasonally adjusted births was a little higher in the third quarter than in the first half of 1965. However, it was still lower than the corresponding figure for 1964.

Stillbirths

The 3,400 stillbirth occurrences represent 15·4 per 1,000 of the total live and still births. This rate is 0·6 lower than that for the third quarter of 1964.

Deaths

The number of deaths registered was 119,191, representing a death rate, based on the 1965 home population, of 9·9 per 1,000. The rate for the corresponding quarter of 1964 was 9·5, as also was the average death rate for the third quarters of the five years 1959-63.

The deaths of children under one year of age numbered 3,700, representing an infant mortality rate of 17·0 per 1,000 live births; this is the lowest recorded for the third quarter of any year and compares with a rate of 21·8 for the corresponding quarter of 1955.

The death rates from tuberculosis (all forms), pneumonia and acute poliomyelitis per million population, with comparative rates for the preceding five quarters, were as follows:—

| Quarter | Tuberculosis (all forms) | | Pneumonia | | Acute Poliomyelitis | |
|---------|-----------------------------|----------------------|------------------|----------------------|------------------------|----------------------|
| | Un- corrected | Corrected | Un- corrected | Corrected | Un- corrected | Corrected |
| 1964 | | | | | | |
| Second | 51 | 52 | 668 | 574 | 0·1 | 0·1 |
| Third | 43 | 44 | 495 | 404 | — | — |
| Fourth | 50 | 49 | 745 | 630 | 0·3 | 0·1 |
| 1965 | | | | | | |
| First | 53 | 54 | 1,026 | 912 | 0·1 | — |
| Second | 47 | 47 | 723 | 628 | — | — |
| Third | 39 | Not yet available | 525 | Not yet available | 0·2 | Not yet available |

There were no cases of smallpox notified and no deaths from this cause registered during the quarter.

Natural Increase

The births exceeded the deaths by 98,809. Corresponding figures for the third quarters of 1964, 1963 and 1962 were 106,227, 98,339 and 98,283 respectively.

TABLE I

Live births and stillbirths: occurrences during the period

Marriages, deaths: total numbers registered

Years 1955 to 1965 and each quarter of those years, England and Wales

| — | 1955 | 1956 | 1957 | 1958 | 1959 | 1960 | 1961 | 1962 | 1963 | 1964 | 1965(a) |
|--|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|
| MARRIAGES | | | | | | | | | | | |
| Year ... | 357,918 | 352,944 | 346,903 | 339,913 | 340,126 | 343,614 | 346,678 | 347,732 | 351,329 | 358,548 | |
| March Qtr. | 100,696 | 107,122 | 110,092 | 102,629 | 101,430 | 88,944 | 84,448 | 100,925 | 97,309 | 97,493 | 97,403 |
| June " | 74,763 | 68,821 | 65,804 | 66,211 | 63,281 | 72,895 | 76,169 | 63,072 | 63,564 | 68,380 | 73,590 |
| September " | 106,691 | 106,923 | 103,617 | 101,698 | 102,591 | 103,580 | 112,367 | 107,677 | 110,985 | 110,936 | (b) |
| December " | 75,768 | 70,078 | 67,390 | 69,375 | 72,824 | 78,195 | 73,694 | 76,058 | 79,471 | 81,739 | |
| LIVE BIRTHS | | | | | | | | | | | |
| Year ... | 667,811 | 700,335 | 723,381 | 740,715 | 748,501 | 785,005 | 811,281 | 838,736 | 854,055 | 875,972 | |
| March Qtr. | 168,382 | 178,893 | 181,794 | 189,942 | 193,202 | 197,614 | 203,306 | 213,590 | 218,830 | 222,986 | 219,326 |
| June " | 172,483 | 181,375 | 187,797 | 189,019 | 194,103 | 200,374 | 207,540 | 216,914 | 221,054 | 225,880 | 220,234 |
| September " | 165,670 | 174,445 | 179,112 | 180,266 | 185,684 | 196,674 | 204,067 | 208,971 | 212,257 | 219,778 | 218,000 |
| December " | 161,276 | 165,622 | 174,678 | 181,488 | 175,512 | 190,343 | 196,368 | 199,261 | 201,914 | 207,328 | |
| STILLBIRTHS | | | | | | | | | | | |
| Year ... | 15,829 | 16,405 | 16,615 | 16,288 | 15,901 | 15,819 | 15,727 | 15,464 | 14,989 | 14,546 | |
| March Qtr. | 4,058 | 4,340 | 4,289 | 4,195 | 4,226 | 4,017 | 4,004 | 4,106 | 4,039 | 3,794 | 3,600 |
| June " | 3,948 | 4,199 | 4,249 | 4,041 | 4,171 | 4,118 | 3,862 | 3,936 | 3,768 | 3,771 | 3,476 |
| September " | 3,909 | 3,969 | 4,046 | 3,992 | 3,876 | 3,869 | 3,846 | 3,767 | 3,542 | 3,564 | 3,400 |
| December " | 3,914 | 3,897 | 4,031 | 4,060 | 3,628 | 3,815 | 4,015 | 3,655 | 3,640 | 3,417 | |
| DEATHS (excluding stillbirths): ALL AGES | | | | | | | | | | | |
| Year ... | 518,864 | 521,331 | 514,870 | 526,843 | 527,651 | 526,268 | 551,752 | 557,636 | 572,868 | 534,737 | |
| March Qtr. | 168,645 | 170,292 | 134,557 | 163,595 | 176,880 | 149,037 | 177,043 | 178,210 | 196,875 | 156,072 | 157,178 |
| June " | 124,230 | 120,059 | 118,122 | 124,169 | 120,172 | 124,338 | 125,194 | 128,681 | 129,013 | 127,013 | 129,869 |
| September " | 101,677 | 104,131 | 110,037 | 105,629 | 103,397 | 112,477 | 110,747 | 110,688 | 113,918 | 113,551 | 119,191 |
| December " | 124,312 | 126,849 | 152,154 | 133,450 | 127,202 | 140,416 | 138,768 | 140,057 | 133,062 | 138,101 | |
| INFANT MORTALITY (deaths of infants under 1 year of age) | | | | | | | | | | | |
| Year ... | 16,613 | 16,554 | 16,720 | 16,685 | 16,629 | 17,118 | 17,393 | 18,187 | 18,042 | 17,445 | |
| March Qtr. | 4,852 | 4,939 | 4,467 | 4,851 | 4,810 | 4,598 | 4,908 | 5,397 | 5,330 | 4,802 | 4,601 |
| June " | 4,155 | 4,083 | 4,062 | 4,090 | 4,103 | 4,143 | 4,244 | 4,527 | 4,288 | 4,482 | 4,020 |
| September " | 3,605 | 3,525 | 3,873 | 3,651 | 3,631 | 3,850 | 3,851 | 3,854 | 3,946 | 3,870 | 3,700(c) |
| December " | 4,001 | 4,007 | 4,318 | 4,093 | 4,085 | 4,527 | 4,390 | 4,409 | 4,478 | 4,291 | |
| NEONATAL MORTALITY (deaths of infants under 4 weeks of age) | | | | | | | | | | | |
| Year ... | 11,516 | 11,779 | 11,904 | 11,970 | 11,881 | 12,191 | 12,443 | 12,656 | 12,173 | 12,106 | |
| March Qtr. | 3,081 | 3,210 | 3,028 | 3,134 | 3,153 | 3,154 | 3,229 | 3,433 | 3,260 | 3,105 | 2,864 |
| June " | 2,970 | 2,981 | 2,987 | 3,026 | 3,034 | 2,997 | 3,140 | 3,246 | 3,100 | 3,194 | 2,894 |
| September " | 2,760 | 2,706 | 2,902 | 2,853 | 2,792 | 2,959 | 2,971 | 2,917 | 2,910 | 2,922 | (b) |
| December " | 2,705 | 2,882 | 2,987 | 2,957 | 2,902 | 3,081 | 3,103 | 3,060 | 2,903 | 2,885 | |
| PERINATAL MORTALITY (stillbirths and deaths of infants under 1 week of age) | | | | | | | | | | | |
| Year ... | 25,579 | 26,334 | 26,792 | 26,502 | 26,070 | 26,292 | 26,495 | 26,352 | 25,487 | 25,083 | |
| March Qtr. | 6,563 | 6,976 | 6,822 | 6,793 | 6,851 | 6,676 | 6,766 | 7,021 | 6,792 | 6,454 | 6,061 |
| June " | 6,461 | 6,737 | 6,836 | 6,616 | 6,803 | 6,693 | 6,611 | 6,737 | 6,456 | 6,555 | 5,975 |
| September " | 6,350 | 6,297 | 6,553 | 6,468 | 6,280 | 6,451 | 6,423 | 6,323 | 6,097 | 6,135 | 5,777 |
| December " | 6,205 | 6,324 | 6,581 | 6,625 | 6,136 | 6,472 | 6,695 | 6,271 | 6,142 | 5,939 | |

(a) Provisional.

(b) Not yet available.

(c) The number of infant deaths in provisional returns has recently tended to be understated; the figure has been adjusted by an estimated amount of the deficiency.

TABLE II

Persons marrying, live births: annual rates per 1,000 total population
 Deaths: annual rates per 1,000 home population
 Stillbirths, perinatal mortality: rates per 1,000 total live and stillbirth occurrences
 Infant mortality, neonatal mortality: rates per 1,000 live birth occurrences*

Years 1955 to 1965 and each quarter of those years. England and Wales

| | | | | | | | | | | | |
|--|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|----------|
| Estimated populations in thousands | | | | | | | | | | | |
| Total ... | 44,623 | 44,821 | 45,043 | 45,244 | 45,504 | 45,862 | 46,308 | 46,807 | 47,129 | 47,511 | 47,884 |
| Home ... | 44,441 | 44,667 | 44,907 | 45,109 | 45,386 | 45,755 | 46,205 | 46,709 | 47,028 | 47,401 | 47,763 |
| — | 1955 | 1956 | 1957 | 1958 | 1959 | 1960 | 1961 | 1962 | 1963 | 1964 | 1965 (a) |
| PERSONS MARRYING | | | | | | | | | | | |
| Year ... | 16.0 | 15.7 | 15.4 | 15.0 | 14.9 | 15.0 | 15.0 | 14.9 | 14.9 | 15.1 | |
| March Qtr. | 18.3 | 19.2 | 19.8 | 18.4 | 18.1 | 15.6 | 14.8 | 17.5 | 16.7 | 16.5 | 16.5 |
| June " | 13.4 | 12.4 | 11.7 | 11.7 | 11.2 | 12.8 | 13.2 | 10.8 | 10.8 | 11.6 | 12.3 |
| September " | 19.0 | 19.0 | 18.3 | 17.8 | 17.9 | 18.0 | 19.3 | 18.3 | 18.7 | 18.6 | (b) |
| December " | 13.5 | 12.4 | 11.9 | 11.2 | 12.7 | 13.6 | 12.6 | 12.9 | 13.4 | 13.7 | |
| LIVE BIRTHS | | | | | | | | | | | |
| Year ... | 15.0 | 15.6 | 16.1 | 16.4 | 16.4 | 17.1 | 17.5 | 17.9 | 18.1 | 18.4 | |
| March Qtr. | 15.3 | 16.1 | 16.4 | 17.0 | 17.2 | 17.3 | 17.8 | 18.5 | 18.8 | 18.9 | 18.6 |
| June " | 15.5 | 16.3 | 16.7 | 16.8 | 17.1 | 17.6 | 18.0 | 18.6 | 18.8 | 19.1 | 18.4 |
| September " | 14.7 | 15.5 | 15.8 | 15.8 | 16.2 | 17.1 | 17.5 | 17.7 | 17.9 | 18.4 | 18.1 |
| December " | 14.3 | 14.7 | 15.4 | 15.9 | 15.3 | 16.5 | 16.8 | 16.9 | 17.0 | 17.4 | |
| STILLBIRTHS | | | | | | | | | | | |
| Year ... | 23.2 | 22.9 | 22.5 | 21.5 | 20.8 | 19.8 | 19.0 | 18.1 | 17.2 | 16.3 | |
| March Qtr. | 23.5 | 23.7 | 23.0 | 21.6 | 21.4 | 19.9 | 19.3 | 18.9 | 18.1 | 16.7 | 16.1 |
| June " | 22.4 | 22.6 | 22.1 | 20.9 | 21.0 | 20.1 | 18.3 | 17.8 | 16.8 | 16.4 | 15.5 |
| September " | 23.1 | 22.2 | 22.1 | 21.7 | 20.4 | 19.3 | 18.5 | 17.7 | 16.4 | 16.0 | 15.4 |
| December " | 23.7 | 23.0 | 22.6 | 21.9 | 20.3 | 19.6 | 20.0 | 18.0 | 17.7 | 16.2 | |
| DEATHS (excluding stillbirths): ALL AGES | | | | | | | | | | | |
| Year ... | 11.7 | 11.7 | 11.5 | 11.7 | 11.6 | 11.5 | 11.9 | 11.9 | 12.2 | 11.3 | |
| March Qtr. | 15.4 | 15.3 | 12.2 | 14.7 | 15.8 | 13.1 | 15.5 | 15.5 | 17.0 | 13.2 | 13.3 |
| June " | 11.2 | 10.8 | 10.6 | 11.0 | 10.6 | 10.9 | 10.9 | 11.1 | 11.0 | 10.8 | 10.9 |
| September " | 9.1 | 9.3 | 9.7 | 9.3 | 9.0 | 9.8 | 9.5 | 9.4 | 9.6 | 9.5 | 9.9 |
| December " | 11.1 | 11.3 | 13.4 | 11.7 | 11.1 | 12.2 | 11.9 | 11.9 | 11.2 | 11.6 | |
| INFANT MORTALITY (deaths of infants under 1 year of age) | | | | | | | | | | | |
| Year ... | 24.9 | 23.8 | 23.1 | 22.5 | 22.2 | 21.8 | 21.4 | 21.7 | 21.1 | 19.9 | |
| March Qtr. | 28.8 | 27.6 | 24.6 | 25.5 | 24.9 | 23.3 | 24.1 | 25.3 | 24.4 | 21.5 | 21.0 |
| June " | 24.1 | 22.5 | 21.6 | 21.6 | 21.1 | 20.7 | 20.4 | 20.9 | 19.4 | 19.8 | 18.3 |
| September " | 21.8 | 20.2 | 21.6 | 20.3 | 19.6 | 19.6 | 18.9 | 18.4 | 18.6 | 17.6 | 17.0(c) |
| December " | 24.8 | 24.2 | 24.7 | 22.6 | 23.3 | 23.8 | 22.4 | 22.1 | 22.2 | 20.7 | |
| NEONATAL MORTALITY (deaths of infants under 4 weeks of age) | | | | | | | | | | | |
| Year ... | 17.3 | 16.8 | 16.5 | 16.2 | 15.9 | 15.5 | 15.3 | 15.1 | 14.3 | 13.8 | |
| March Qtr. | 18.3 | 18.0 | 16.7 | 16.5 | 16.3 | 16.0 | 15.9 | 16.1 | 14.9 | 13.9 | 13.1 |
| June " | 17.2 | 16.4 | 15.9 | 16.0 | 15.6 | 15.0 | 15.1 | 15.0 | 14.0 | 14.1 | 13.2 |
| September " | 16.7 | 15.5 | 16.2 | 15.8 | 15.0 | 15.0 | 14.6 | 14.0 | 13.7 | 13.3 | (b) |
| December " | 16.8 | 17.4 | 17.1 | 16.3 | 16.5 | 16.2 | 15.8 | 15.4 | 14.4 | 13.9 | |
| PERINATAL MORTALITY (stillbirths and deaths of infants under 1 week of age) | | | | | | | | | | | |
| Year ... | 37.4 | 36.7 | 36.2 | 35.0 | 34.1 | 32.8 | 32.0 | 30.8 | 29.3 | 28.2 | |
| March Qtr. | 38.1 | 38.1 | 36.7 | 35.0 | 34.7 | 33.1 | 32.6 | 32.3 | 30.5 | 28.5 | 27.2 |
| June " | 36.6 | 36.3 | 35.6 | 34.3 | 34.3 | 32.7 | 31.3 | 30.5 | 28.7 | 28.5 | 26.7 |
| September " | 37.4 | 35.3 | 35.8 | 35.1 | 33.1 | 32.2 | 30.9 | 29.7 | 28.3 | 27.5 | 26.1 |
| December " | 37.6 | 37.3 | 36.8 | 35.7 | 34.3 | 33.3 | 33.4 | 30.9 | 29.9 | 28.2 | |

*Based on related live births up to and including 1956. Rates for subsequent periods are based on the live births of the period.

(a) Provisional.

(b) Not yet available.

(c) See footnote (c) to Table I.

TABLE II (a)

Seasonally adjusted * quarterly live birth occurrences : numbers (in thousands) and annual rates per 1,000 population, 1951 to 1965

England and Wales

| Year | QUARTER | | | | | | | |
|-------|---------|------|--------|------|-------|------|--------|------|
| | First | | Second | | Third | | Fourth | |
| | No. | Rate | No. | Rate | No. | Rate | No. | Rate |
| 1951 | 169.0 | 15.6 | 171.5 | 15.7 | 169.9 | 15.4 | 167.2 | 15.1 |
| 1952 | 167.3 | 15.3 | 165.3 | 15.1 | 169.8 | 15.4 | 171.3 | 15.5 |
| 1953 | 166.6 | 15.3 | 172.4 | 15.7 | 174.8 | 15.7 | 170.6 | 15.3 |
| 1954 | 167.7 | 15.4 | 168.4 | 15.3 | 168.5 | 15.1 | 169.1 | 15.2 |
| 1955 | 163.1 | 14.9 | 164.6 | 14.9 | 168.0 | 15.0 | 172.0 | 15.4 |
| 1956 | 172.9 | 15.6 | 173.7 | 15.6 | 177.4 | 15.8 | 176.3 | 15.7 |
| 1957 | 175.4 | 15.8 | 180.1 | 16.1 | 182.4 | 16.1 | 185.5 | 16.4 |
| 1958 | 183.2 | 16.5 | 181.7 | 16.2 | 183.5 | 16.1 | 192.4 | 16.9 |
| 1959 | 186.6 | 16.7 | 187.1 | 16.5 | 188.6 | 16.5 | 186.2 | 16.3 |
| 1960 | 190.6 | 16.8 | 193.3 | 17.0 | 199.1 | 17.3 | 202.0 | 17.6 |
| 1961 | 196.1 | 17.2 | 200.1 | 17.4 | 206.3 | 17.7 | 208.7 | 17.9 |
| 1962 | 206.0 | 17.9 | 209.0 | 17.9 | 211.4 | 18.0 | 212.3 | 18.0 |
| 1963 | 211.2 | 18.2 | 213.2 | 18.2 | 214.4 | 18.1 | 215.4 | 18.2 |
| 1964 | 215.5 | 18.3 | 218.0 | 18.5 | 221.3 | 18.6 | 221.2 | 18.6 |
| 1965† | 212 | 18.0 | 213 | 17.9 | 218 | 18.1 | | |

* The original figures for occurrences have been adjusted by removing the estimated regular seasonal fluctuations so that the trend and any random variations are left. Some refinement of the method of seasonal adjustment has produced slight revisions in the figures shown throughout the table, when compared with the corresponding table in the Quarterly Return for the Quarter ended 31st December 1964.

† The 1965 figures are only approximate. The number of registrations for this year, themselves provisional, have been roughly adjusted and the resulting figures are liable to considerable revision.

The rates shown above are illustrated in the following diagram—




TABLE III

Live births, stillbirths, deaths: total numbers registered

Live births, deaths: annual rates per 1,000 population

Stillbirths, perinatal mortality: rates per 1,000 total live and still births

Infant mortality: rates per 1,000 live births

Last five quarters. England and Wales, revised standard regions and hospital regions*

| | NUMBERS | | | | | RATES | | | | |
|-----------------------------|---------|---------|---------|---------|---------|-------|------|------|------|-------|
| | 1964 | | 1965 | | | 1964 | | 1965 | | |
| | Sept. | Dec. | Mar. | June | Sept. | Sept. | Dec. | Mar. | June | Sept. |
| LIVE BIRTHS | | | | | | | | | | |
| ENGLAND AND WALES | 222,317 | 204,220 | 222,991 | 219,708 | 219,151 | 18.7 | 17.1 | 18.9 | 18.5 | 18.2 |
| Revised standard regions: | | | | | | | | | | |
| North | 15,466 | 14,498 | 15,282 | 14,919 | 14,546 | 18.6 | 17.5 | 18.7 | 18.1 | 17.4 |
| Yorkshire and Humberside | 22,161 | 20,306 | 22,160 | 21,535 | 21,796 | 18.8 | 17.2 | 19.1 | 18.3 | 18.4 |
| North West | 32,173 | 29,991 | 32,026 | 31,072 | 31,301 | 19.2 | 17.9 | 19.4 | 18.6 | 18.5 |
| East Midlands | 15,131 | 13,893 | 15,615 | 15,489 | 14,667 | 18.6 | 17.1 | 19.4 | 19.0 | 17.8 |
| West Midlands | 24,416 | 22,114 | 24,902 | 23,838 | 24,212 | 19.7 | 17.9 | 20.3 | 19.2 | 19.3 |
| East Anglia | 7,003 | 6,347 | 6,734 | 6,870 | 6,744 | 18.1 | 16.4 | 17.5 | 17.7 | 17.2 |
| South East | 78,178 | 71,381 | 78,222 | 78,341 | 78,635 | 18.5 | 16.9 | 18.7 | 18.5 | 18.4 |
| South West | 15,654 | 14,500 | 15,988 | 15,944 | 15,578 | 17.6 | 16.3 | 18.1 | 17.8 | 17.2 |
| Wales | 12,135 | 11,190 | 12,062 | 11,700 | 11,672 | 18.0 | 16.6 | 18.2 | 17.4 | 17.2 |
| Hospital regions: | | | | | | | | | | |
| Newcastle | 14,371 | 13,591 | 14,286 | 13,876 | 13,831 | 18.7 | 17.7 | 18.9 | 18.2 | 17.9 |
| Leeds | 14,763 | 13,452 | 14,567 | 14,313 | 14,165 | 18.6 | 16.9 | 18.6 | 18.1 | 17.7 |
| Sheffield | 21,246 | 19,538 | 21,820 | 21,214 | 20,578 | 18.8 | 17.3 | 19.5 | 18.8 | 18.0 |
| East Anglian | 7,331 | 6,619 | 7,348 | 7,504 | 6,961 | 18.2 | 16.4 | 18.3 | 18.5 | 16.9 |
| North West Metropolitan ... | 20,413 | 18,286 | 15,591 | 15,372 | 19,045 | 19.2 | 17.2 | 14.7 | 14.3 | 17.5 |
| North East Metropolitan ... | 15,456 | 14,192 | 18,970 | 18,977 | 15,843 | 18.7 | 17.1 | 23.7 | 23.4 | 19.3 |
| South East Metropolitan ... | 15,991 | 14,658 | 17,697 | 17,781 | 14,511 | 18.6 | 17.0 | 21.5 | 21.3 | 17.2 |
| South West Metropolitan ... | 13,506 | 12,384 | 12,624 | 12,857 | 16,429 | 16.6 | 15.2 | 15.3 | 15.4 | 19.5 |
| Oxford | 8,927 | 8,184 | 9,139 | 9,269 | 9,067 | 20.3 | 18.6 | 20.8 | 20.9 | 20.2 |
| South Western | 12,974 | 11,953 | 13,328 | 13,312 | 13,003 | 17.3 | 16.0 | 18.0 | 17.8 | 17.2 |
| Welsh | 12,135 | 11,190 | 12,062 | 11,700 | 11,672 | 18.0 | 16.6 | 18.2 | 17.4 | 17.2 |
| Birmingham | 24,416 | 22,114 | 24,902 | 23,838 | 24,212 | 19.7 | 17.9 | 20.3 | 19.2 | 19.3 |
| Manchester | 20,831 | 19,609 | 21,017 | 20,338 | 20,403 | 18.4 | 17.3 | 18.8 | 18.0 | 17.9 |
| Liverpool | 11,550 | 10,571 | 11,199 | 10,932 | 11,120 | 20.7 | 19.0 | 20.4 | 19.7 | 19.8 |
| Wessex | 8,407 | 7,879 | 8,441 | 8,425 | 8,311 | 18.1 | 16.9 | 18.1 | 17.9 | 17.5 |
| STILLBIRTHS | | | | | | | | | | |
| ENGLAND AND WALES | 3,560 | 3,396 | 3,622 | 3,534 | 3,400 | 15.8 | 16.4 | 16.0 | 15.8 | 15.3 |
| Revised standard regions: | | | | | | | | | | |
| North | 260 | 291 | 276 | 282 | 239 | 16.5 | 19.7 | 17.7 | 18.6 | 16.2 |
| Yorkshire and Humberside | 396 | 352 | 375 | 327 | 348 | 17.6 | 17.0 | 16.6 | 15.0 | 15.7 |
| North West | 603 | 535 | 593 | 573 | 593 | 18.4 | 17.5 | 18.2 | 18.1 | 18.6 |
| East Midlands | 243 | 241 | 244 | 239 | 238 | 15.8 | 17.1 | 15.4 | 15.2 | 16.0 |
| West Midlands | 440 | 397 | 435 | 425 | 416 | 17.7 | 17.6 | 17.2 | 17.5 | 16.9 |
| East Anglia | 91 | 92 | 88 | 89 | 107 | 12.8 | 14.3 | 12.9 | 12.8 | 15.6 |
| South East | 1,095 | 1,038 | 1,093 | 1,116 | 1,020 | 13.8 | 14.3 | 13.8 | 14.0 | 12.8 |
| South West | 241 | 231 | 268 | 272 | 213 | 15.2 | 15.7 | 16.5 | 16.8 | 13.5 |
| Wales | 191 | 219 | 250 | 211 | 226 | 15.5 | 19.2 | 20.3 | 17.7 | 19.0 |
| Hospital regions: | | | | | | | | | | |
| Newcastle | 251 | 273 | 264 | 269 | 233 | 17.2 | 19.7 | 18.1 | 19.0 | 16.6 |
| Leeds | 232 | 250 | 243 | 217 | 232 | 15.5 | 18.2 | 16.4 | 14.9 | 16.1 |
| Sheffield | 383 | 327 | 356 | 327 | 322 | 17.7 | 16.5 | 16.1 | 15.2 | 15.4 |
| East Anglian | 98 | 97 | 95 | 101 | 107 | 13.2 | 14.4 | 12.8 | 13.3 | 15.1 |
| North West Metropolitan ... | 256 | 254 | 210 | 189 | 254 | 12.4 | 13.7 | 13.3 | 12.1 | 13.2 |
| North East Metropolitan ... | 215 | 229 | 285 | 292 | 241 | 13.7 | 15.9 | 14.8 | 15.2 | 15.0 |
| South East Metropolitan ... | 243 | 221 | 254 | 269 | 181 | 15.0 | 14.9 | 14.1 | 14.9 | 12.3 |
| South West Metropolitan ... | 183 | 170 | 179 | 181 | 202 | 13.4 | 13.5 | 14.0 | 13.9 | 12.1 |
| Oxford | 133 | 117 | 113 | 115 | 103 | 14.7 | 14.1 | 12.2 | 12.3 | 11.2 |
| South Western | 192 | 194 | 226 | 234 | 190 | 14.6 | 16.0 | 16.7 | 17.3 | 14.4 |
| Welsh | 191 | 219 | 250 | 211 | 226 | 15.5 | 19.2 | 20.3 | 17.7 | 19.0 |
| Birmingham | 440 | 397 | 435 | 425 | 416 | 17.7 | 17.6 | 17.2 | 17.5 | 16.9 |
| Manchester | 384 | 347 | 378 | 372 | 382 | 18.1 | 17.4 | 17.7 | 18.0 | 18.4 |
| Liverpool | 223 | 192 | 217 | 204 | 212 | 18.9 | 17.8 | 19.0 | 18.3 | 18.7 |
| Wessex | 136 | 109 | 117 | 128 | 99 | 15.9 | 13.6 | 13.7 | 15.0 | 11.8 |

* See page 11.

TABLE III (continued)

| | NUMBERS | | | | | RATES | | | | |
|--|---------|---------|---------|---------|---------|-------|------|------|------|-------|
| | 1964 | | 1965 | | | 1964 | | 1965 | | |
| | Sept. | Dec. | Mar. | June | Sept. | Sept. | Dec. | Mar. | June | Sept. |
| DEATHS (excluding stillbirths): ALL AGES | | | | | | | | | | |
| ENGLAND AND WALES | 113,551 | 138,101 | 157,178 | 129,869 | 119,191 | 9.5 | 11.6 | 13.3 | 10.9 | 9.9 |
| Revised standard regions: | | | | | | | | | | |
| North | 8,233 | 10,001 | 11,053 | 9,553 | 8,157 | 9.9 | 12.1 | 13.5 | 11.6 | 9.8 |
| Yorkshire & Humberside ... | 11,576 | 14,186 | 16,278 | 13,309 | 12,007 | 9.8 | 12.0 | 14.0 | 11.3 | 10.1 |
| North West | 17,290 | 21,176 | 23,892 | 19,904 | 17,929 | 10.3 | 12.6 | 14.5 | 11.9 | 10.6 |
| East Midlands | 7,162 | 8,784 | 10,122 | 8,290 | 7,621 | 8.8 | 10.8 | 12.5 | 10.2 | 9.2 |
| West Midlands | 10,796 | 12,930 | 14,697 | 12,009 | 11,339 | 8.7 | 10.4 | 12.0 | 9.7 | 9.0 |
| East Anglia | 3,825 | 4,267 | 5,367 | 4,260 | 3,873 | 9.9 | 11.0 | 14.0 | 11.0 | 9.9 |
| South East | 38,705 | 47,606 | 53,958 | 44,443 | 41,192 | 9.2 | 11.3 | 12.9 | 10.5 | 9.6 |
| South West | 9,115 | 10,991 | 12,459 | 10,313 | 9,731 | 10.2 | 12.3 | 14.1 | 11.5 | 10.8 |
| Wales | 6,849 | 8,160 | 9,352 | 7,788 | 7,342 | 10.2 | 12.1 | 14.1 | 11.6 | 10.8 |
| Hospital regions | | | | | | | | | | |
| Newcastle | 7,494 | 9,131 | 10,116 | 8,785 | 7,499 | 9.7 | 11.9 | 13.4 | 11.5 | 9.7 |
| Leeds | 8,243 | 10,085 | 11,541 | 9,360 | 8,450 | 10.4 | 12.7 | 14.7 | 11.8 | 10.5 |
| Sheffield | 10,079 | 12,340 | 14,121 | 11,620 | 10,529 | 8.9 | 10.9 | 12.6 | 10.3 | 9.2 |
| East Anglian | 3,888 | 4,628 | 5,599 | 4,397 | 4,001 | 9.6 | 11.5 | 13.9 | 10.8 | 9.7 |
| North West Metropolitan ... | 8,758 | 10,631 | 12,331 | 10,258 | 9,199 | 8.3 | 10.0 | 11.6 | 9.5 | 8.5 |
| North East Metropolitan ... | 7,231 | 8,878 | 9,883 | 8,278 | 7,384 | 8.7 | 10.6 | 12.3 | 10.2 | 9.0 |
| South East Metropolitan ... | 8,874 | 11,034 | 12,121 | 10,001 | 9,177 | 10.3 | 12.8 | 14.7 | 12.0 | 10.9 |
| South West Metropolitan ... | 7,960 | 9,554 | 11,203 | 9,104 | 9,097 | 9.8 | 11.7 | 13.6 | 10.9 | 10.8 |
| Oxford | 3,563 | 4,395 | 4,985 | 4,040 | 3,935 | 8.1 | 10.0 | 11.3 | 9.1 | 8.8 |
| South Western | 7,714 | 9,403 | 10,667 | 8,783 | 8,297 | 10.3 | 12.6 | 14.4 | 11.7 | 11.0 |
| Welsh | 6,849 | 8,160 | 9,352 | 7,788 | 7,342 | 10.2 | 12.1 | 14.1 | 11.6 | 10.8 |
| Birmingham | 10,796 | 12,930 | 14,697 | 12,009 | 11,339 | 8.7 | 10.4 | 12.0 | 9.7 | 9.0 |
| Manchester | 12,334 | 15,034 | 16,967 | 14,000 | 12,471 | 10.9 | 13.3 | 15.2 | 12.4 | 10.9 |
| Liverpool | 5,134 | 6,324 | 7,130 | 6,077 | 5,597 | 9.2 | 11.4 | 13.0 | 10.9 | 10.0 |
| Wessex | 4,634 | 5,574 | 6,465 | 5,369 | 4,874 | 10.0 | 12.0 | 13.9 | 11.4 | 10.2 |
| INFANT MORTALITY | | | | | | | | | | |
| (deaths of infants under 1 year of age) | | | | | | | | | | |
| ENGLAND AND WALES | 3,870 | 4,291 | 4,601 | 4,020 | 3,700 | 17.4 | 21.0 | 20.6 | 18.3 | 16.9 |
| Revised standard regions: | | | | | | | | | | |
| North | 327 | 350 | 340 | 307 | 280 | 21.1 | 24.1 | 22.2 | 20.6 | 19.4 |
| Yorkshire and Humberside ... | 439 | 482 | 515 | 447 | 403 | 19.8 | 23.7 | 23.2 | 20.8 | 18.5 |
| North West | 655 | 698 | 762 | 648 | 602 | 20.4 | 23.3 | 23.8 | 20.9 | 19.2 |
| East Midlands | 247 | 255 | 292 | 277 | 233 | 16.3 | 18.4 | 18.7 | 17.9 | 15.9 |
| West Midlands | 414 | 472 | 514 | 425 | 441 | 17.0 | 21.3 | 20.6 | 17.8 | 18.2 |
| East Anglia | 89 | 109 | 106 | 108 | 89 | 12.7 | 17.2 | 15.7 | 15.7 | 13.2 |
| South East | 1,206 | 1,372 | 1,497 | 1,310 | 1,187 | 15.4 | 19.2 | 19.1 | 16.7 | 15.1 |
| South West | 248 | 275 | 311 | 269 | 243 | 15.8 | 19.0 | 19.5 | 16.9 | 15.6 |
| Wales | 245 | 278 | 264 | 229 | 222 | 20.2 | 24.8 | 21.9 | 19.6 | 19.0 |
| Hospital regions: | | | | | | | | | | |
| Newcastle | 303 | 335 | 319 | 284 | 268 | 21.1 | 24.6 | 22.3 | 20.5 | 19.4 |
| Leeds | 305 | 330 | 347 | 314 | 250 | 20.7 | 24.5 | 23.8 | 21.9 | 17.6 |
| Sheffield | 373 | 379 | 437 | 399 | 357 | 17.6 | 19.4 | 20.0 | 18.8 | 17.3 |
| East Anglian | 94 | 123 | 120 | 110 | 91 | 12.8 | 18.6 | 16.3 | 14.7 | 13.1 |
| North West Metropolitan ... | 282 | 337 | 376 | 325 | 300 | 13.8 | 18.4 | 24.1 | 21.1 | 15.8 |
| North East Metropolitan ... | 226 | 245 | 299 | 267 | 234 | 14.6 | 17.3 | 15.8 | 14.1 | 14.8 |
| South East Metropolitan ... | 257 | 286 | 279 | 246 | 246 | 16.1 | 19.5 | 15.8 | 13.8 | 17.0 |
| South West Metropolitan ... | 214 | 268 | 294 | 246 | 248 | 15.8 | 21.6 | 23.3 | 19.1 | 15.1 |
| Oxford | 160 | 165 | 150 | 151 | 130 | 17.9 | 20.2 | 16.4 | 16.3 | 14.3 |
| South Western | 199 | 219 | 267 | 222 | 200 | 15.3 | 18.3 | 20.0 | 16.7 | 15.4 |
| Welsh | 245 | 278 | 264 | 229 | 222 | 20.2 | 24.8 | 21.9 | 19.6 | 19.0 |
| Birmingham | 414 | 472 | 514 | 425 | 441 | 17.0 | 21.3 | 20.6 | 17.8 | 18.2 |
| Manchester | 437 | 450 | 492 | 438 | 414 | 21.0 | 22.9 | 23.4 | 21.5 | 20.3 |
| Liverpool | 224 | 251 | 274 | 215 | 193 | 19.4 | 23.7 | 24.5 | 19.7 | 17.4 |
| Wessex | 137 | 153 | 169 | 149 | 106 | 16.3 | 19.4 | 20.0 | 17.7 | 12.8 |

TABLE III (continued)

| | NUMBERS | | | | | RATES | | | | |
|--|---------|-------|-------|-------|-------|-------|------|------|------|-------|
| | 1964 | | 1965 | | | 1964 | | 1965 | | |
| | Sept. | Dec. | Mar. | June | Sept. | Sept. | Dec. | Mar. | June | Sept. |
| PERINATAL MORTALITY (stillbirths and deaths of infants under 1 week of age) | | | | | | | | | | |
| ENGLAND AND WALES ... | 6,133 | 5,922 | 6,083 | 6,033 | 5,777 | 27·2 | 28·5 | 26·8 | 27·0 | 26·0 |
| Revised standard regions: | | | | | | | | | | |
| North | 477 | 482 | 459 | 452 | 429 | 30·3 | 32·6 | 29·5 | 29·7 | 29·0 |
| Yorkshire and Humberside | 668 | 609 | 623 | 612 | 593 | 29·6 | 29·5 | 27·6 | 27·9 | 26·8 |
| North West | 1,031 | 950 | 1,005 | 979 | 982 | 31·5 | 31·1 | 30·8 | 30·9 | 30·8 |
| East Midlands | 414 | 378 | 398 | 409 | 389 | 26·9 | 26·7 | 25·1 | 26·0 | 26·1 |
| West Midlands | 712 | 691 | 717 | 686 | 697 | 28·6 | 30·7 | 28·3 | 28·3 | 28·3 |
| East Anglia | 152 | 160 | 151 | 161 | 168 | 21·4 | 24·8 | 22·1 | 23·1 | 24·5 |
| South East | 1,930 | 1,874 | 1,923 | 1,948 | 1,784 | 24·3 | 25·9 | 24·2 | 24·5 | 22·4 |
| South West | 394 | 390 | 431 | 435 | 363 | 24·8 | 26·5 | 26·5 | 26·8 | 23·0 |
| Wales | 355 | 388 | 376 | 351 | 372 | 28·8 | 34·0 | 30·5 | 29·5 | 31·3 |
| Hospital regions: | | | | | | | | | | |
| Newcastle | 452 | 454 | 440 | 426 | 414 | 30·9 | 32·7 | 30·2 | 30·1 | 29·4 |
| Leeds | 422 | 425 | 397 | 424 | 396 | 28·1 | 31·0 | 26·8 | 29·2 | 27·5 |
| Sheffield | 627 | 528 | 592 | 564 | 540 | 29·0 | 26·6 | 26·7 | 26·2 | 25·8 |
| East Anglian | 166 | 170 | 161 | 177 | 169 | 22·3 | 25·3 | 21·6 | 23·3 | 23·9 |
| North West Metropolitan | 454 | 466 | 437 | 405 | 437 | 22·0 | 25·1 | 27·7 | 26·0 | 22·6 |
| North East Metropolitan | 371 | 374 | 450 | 464 | 394 | 23·7 | 25·9 | 23·4 | 24·1 | 24·5 |
| South East Metropolitan | 398 | 386 | 409 | 412 | 346 | 24·4 | 25·9 | 22·8 | 22·8 | 23·6 |
| South West Metropolitan | 343 | 344 | 337 | 347 | 360 | 25·1 | 27·4 | 26·3 | 26·6 | 21·6 |
| Oxford | 243 | 222 | 194 | 215 | 188 | 26·8 | 26·7 | 21·0 | 22·9 | 20·5 |
| South Western | 313 | 320 | 364 | 364 | 311 | 23·8 | 26·3 | 26·9 | 26·9 | 23·6 |
| Welsh | 355 | 388 | 376 | 351 | 372 | 28·8 | 34·0 | 30·5 | 29·5 | 31·3 |
| Birmingham | 712 | 691 | 717 | 686 | 697 | 28·6 | 30·7 | 28·3 | 28·3 | 28·3 |
| Manchester | 676 | 613 | 632 | 665 | 663 | 31·9 | 30·7 | 29·5 | 32·1 | 31·9 |
| Liverpool | 366 | 341 | 376 | 319 | 323 | 31·5 | 31·7 | 32·9 | 28·6 | 28·5 |
| Wessex | 235 | 200 | 201 | 214 | 167 | 27·5 | 25·0 | 23·5 | 25·0 | 19·9 |

In this Table the constitution of the revised standard regions of England and Wales is as follows:

| | | |
|--|--------------------------------|------------------------------|
| North | West Midlands | South West |
| Cumberland | Herefordshire | Cornwall |
| Durham | Shropshire | Devon |
| Northumberland | Staffordshire | Dorset, Part of ⁶ |
| Westmorland | Warwickshire | Gloucestershire |
| Yorkshire, North Riding | Worcestershire | Somerset |
| | | Wiltshire |
| Yorkshire and Humberside | East Anglia | Wales |
| Lincolnshire | Cambridgeshire and Isle of Ely | Anglesey |
| Parts of Lindsey, Part of ¹ | Huntingdon and Peterborough | Breconshire |
| Yorkshire, East Riding | Norfolk | Caernarvonshire |
| Yorkshire, West Riding | Suffolk, East | Cardiganshire |
| | Suffolk, West | Carmarthenshire |
| North West | South East | Denbighshire |
| Cheshire | Bedfordshire | Flintshire |
| Derbyshire, Part of ² | Berkshire | Glamorgan |
| Lancashire | Buckinghamshire | Merionethshire |
| | Dorset, Part of ⁵ | Monmouthshire |
| East Midlands | Essex | Montgomeryshire |
| Derbyshire, Part of ³ | Greater London | Pembrokeshire |
| Leicestershire | Hampshire | Radnorshire |
| Lincolnshire | Hertfordshire | |
| Parts of Holland | Kent | |
| Parts of Kesteven | Oxfordshire | |
| Parts of Lindsey, Part of ⁴ | Surrey | |
| Northamptonshire | Sussex, East | |
| Nottinghamshire | Sussex, West | |
| Rutland | Wight, Isle of | |

1 All except Lincoln C.B.
2 Buxton M.B., Glossop M.B., New Mills U.D., Whaley Bridge U.D. and Chapel en le Frith R.D.
3 All except the areas stated in 2 above.
4 Lincoln C.B. only.
5 Poole M.B. only.
6 All except Poole M.B.

TABLE IV

Notifications of certain infectious diseases in the quarter ended 30th September 1965

England and Wales, counties (distinguishing aggregates of municipal boroughs and urban districts, and rural districts), county boroughs, Greater London, City of London, London boroughs and port health districts

Note: Total original and corrected notifications for England and Wales as a whole. Otherwise the figures refer to corrected notifications only.

(See General Notes on page 3)

| | Scarlet fever | Diphtheria | Typhoid fever | Paratyphoid fever | Acute pneumonia (prim'y or influenzal) | Dysentery | Acute | | Food poisoning | Tuberculosis | | |
|------------------------------------|---------------|------------|---------------|-------------------|--|-------------------------|-----------|---------------|----------------|--------------|---------------------|-------|
| | | | | | | | Paralytic | Non-paralytic | | Respiratory | Meninges and C.N.S. | Other |
| England and Wales | 3,678 | 3 | 61 | 715 | 962 | Original notifications | 47 | 38 | 1,972 | 3,213 | 39 | 677 |
| | | | | | | Corrected notifications | 41 | 30 | 1,423 | 3,204 | 38 | 663 |
| | | | | | | | 7 | — | 1 | 31 | — | 10 |
| England and Wales | 3,665 | 2 | 60 | 708 | 945 | | — | — | — | 13 | — | 7 |
| | | | | | | | — | — | — | 17 | — | 3 |
| | | | | | | | 5 | — | — | 1 | — | — |
| Bedfordshire | 22 | — | 1 | 6 | 6 | | — | — | — | 28 | — | 3 |
| | | | | | | | — | — | — | 11 | — | — |
| | | | | | | | — | — | — | 1 | — | — |
| Luton C.B. | 15 | — | — | — | — | | — | — | — | 9 | — | — |
| | | | | | | | — | — | — | 74 | — | — |
| | | | | | | | — | — | — | 8 | — | — |
| Total M.Bs. & U.Ds. | 7 | — | — | — | — | | — | — | — | 11 | — | — |
| | | | | | | | — | — | — | 57 | — | — |
| | | | | | | | 27 | 15 | 11 | 31 | — | 7 |
| Berkshire | 19 | — | — | 2 | 5 | | — | — | — | 19 | — | — |
| | | | | | | | — | — | — | 4 | — | — |
| | | | | | | | — | — | — | 13 | — | — |
| Reading C.B. | 6 | — | — | — | — | | — | — | — | 2 | — | — |
| | | | | | | | — | — | — | 11 | — | — |
| | | | | | | | — | — | — | 13 | — | — |
| Total M.Bs. & U.Ds. | 11 | — | — | 2 | 4 | | — | — | — | 11 | — | — |
| | | | | | | | — | — | — | 1 | — | — |
| | | | | | | | — | — | — | 1 | — | — |
| Buckinghamshire | 18 | — | 2 | — | 1 | | — | — | — | 1 | — | — |
| | | | | | | | — | — | — | 1 | — | — |
| | | | | | | | — | — | — | 1 | — | — |
| Total M.Bs. & U.Ds. | 11 | — | 2 | — | 1 | | — | — | — | 1 | — | — |
| | | | | | | | — | — | — | 1 | — | — |
| | | | | | | | — | — | — | 1 | — | — |
| Cambridgeshire and Isle of Ely ... | 31 | — | — | — | 4 | | — | — | — | — | — | — |
| | | | | | | | — | — | — | — | — | — |
| | | | | | | | — | — | — | — | — | — |
| Total M.Bs. & U.Ds. | 18 | — | — | — | — | | — | — | — | — | — | — |
| | | | | | | | — | — | — | — | — | — |
| | | | | | | | — | — | — | — | — | — |
| Cheshire | 147 | — | — | 11 | 16 | | — | — | — | — | — | — |
| | | | | | | | — | — | — | — | — | — |
| | | | | | | | — | — | — | — | — | — |
| Total C.Bs. | 43 | — | — | 5 | 11 | | — | — | — | — | — | — |
| | | | | | | | — | — | — | — | — | — |
| | | | | | | | — | — | — | — | — | — |
| Birkenhead C.B. ... | 9 | — | — | — | 6 | | — | — | — | — | — | — |
| | | | | | | | — | — | — | — | — | — |
| | | | | | | | — | — | — | — | — | — |
| Chester C.B. | 4 | — | — | — | — | | — | — | — | — | — | — |
| | | | | | | | — | — | — | — | — | — |
| | | | | | | | — | — | — | — | — | — |
| Stockport C.B. | 10 | — | — | 5 | 5 | | — | — | — | — | — | — |
| | | | | | | | — | — | — | — | — | — |
| | | | | | | | — | — | — | — | — | — |
| Wallasey C.B. | 20 | — | — | — | — | | — | — | — | — | — | — |
| | | | | | | | — | — | — | — | — | — |
| | | | | | | | — | — | — | — | — | — |

| | | | | | | | | | | | | | | | | | | |
|-----|---|----|-----|---|-----|--|-----|---|-----|----|----|-----|-----|---|-----|-----|----|----|
| 117 | 2 | 28 | 67 | 2 | 12 | Herefordshire Total M.Bs. & U.Ds. Total R.Ds. | 10 | 1 | 1 | 1 | 1 | 7 | 3 | 4 | 3 | 4 | 2 | 2 |
| 18 | — | — | 9 | — | 2 | Hertfordshire Total M.Bs. & U.Ds. Total R.Ds. | 32 | 1 | 3 | 7 | 7 | 40 | 32 | 8 | 23 | 43 | 11 | 11 |
| 88 | — | — | 39 | 2 | 7 | Huntingdon and Peterborough Total M.Bs. & U.Ds. Total R.Ds. | 3 | — | — | 5 | 3 | — | — | — | 22 | 8 | 7 | 7 |
| 11 | — | — | 19 | — | 3 | Kent Canterbury C.B. Total M.Bs. & U.Ds. Total R.Ds. | 86 | 1 | 7 | 30 | 1 | 71 | — | — | 37 | 61 | 14 | 14 |
| 59 | — | — | 51 | — | 12 | Lancashire Total C.Bs. Barrow-in-Furness C.B. | 522 | 1 | 476 | 74 | 55 | 519 | 262 | 2 | 138 | 325 | 65 | 3 |
| 15 | — | — | 18 | — | 8 | Blackburn C.B. | 268 | — | 276 | — | — | 2 | 28 | 2 | 97 | 230 | 38 | 38 |
| 13 | — | — | 16 | — | 6 | Blackpool C.B. | 1 | — | 4 | — | — | 2 | — | — | — | 1 | — | — |
| 2 | — | — | 2 | — | 5 | Bolton C.B. | 8 | — | 230 | 1 | 3 | 11 | 47 | — | 1 | 8 | 1 | 1 |
| 4 | — | — | 7 | — | 2 | Bootle C.B. | 17 | — | 2 | 6 | 3 | 23 | — | — | 21 | 14 | 1 | 1 |
| 40 | — | — | 26 | — | 3 | Burnley C.B. | 11 | — | 6 | 1 | 3 | 12 | — | — | 19 | 4 | 1 | 1 |
| 472 | — | — | 759 | 9 | 140 | Bury C.B. | 104 | — | 1 | — | — | 9 | — | — | 2 | 6 | 1 | 1 |
| — | — | — | 1 | — | — | Liverpool C.B. | 47 | — | 2 | 20 | 16 | 14 | — | 2 | 15 | 59 | 1 | 1 |
| — | — | — | 234 | — | — | Manchester C.B. | 268 | 1 | 476 | 55 | — | 262 | — | — | 26 | 70 | 5 | 5 |
| 13 | — | — | 20 | — | 1 | Oldham C.B. | 1 | — | — | — | — | — | — | — | 3 | 10 | 3 | 3 |
| 10 | — | — | 19 | — | 5 | Preston C.B. | 8 | — | 4 | — | — | 2 | — | — | 2 | 12 | 1 | 1 |
| 21 | — | — | 26 | 1 | 9 | Rochdale C.B. | 1 | — | — | — | — | 9 | — | — | 1 | 6 | 1 | 1 |
| 15 | — | — | 21 | — | 2 | St. Helens C.B. | 10 | — | 15 | — | — | 14 | — | — | 15 | 59 | 1 | 1 |
| 17 | — | — | 37 | — | 3 | Salford C.B. | 18 | — | 2 | 1 | — | 38 | — | — | 26 | 70 | 5 | 5 |
| 2 | — | — | 27 | 2 | 1 | Southport C.B. | 4 | — | 10 | — | — | 19 | — | — | 3 | 10 | 3 | 3 |
| 13 | — | — | 13 | — | 3 | Warrington C.B. | 10 | — | 2 | — | — | 51 | — | — | 2 | 12 | 1 | 1 |
| 28 | — | — | 28 | — | 12 | Wigan C.B. | 18 | — | — | — | — | 16 | — | — | 3 | 10 | 3 | 3 |
| 4 | — | — | 27 | — | 3 | Total M.Bs. & U.Ds. Total R.Ds. | 40 | — | 121 | 18 | — | 233 | — | — | 38 | 88 | 26 | 26 |
| 28 | — | — | 34 | — | 3 | Leicestershire Leicester C.B. Total M.Bs. & U.Ds. Total R.Ds. | 18 | — | 79 | 6 | — | 34 | — | — | 6 | 48 | 24 | 24 |
| 31 | — | — | 26 | 1 | 2 | Lincs. (Parts of Holland) | 2 | — | — | 10 | — | 3 | — | — | 1 | 4 | 2 | 2 |
| 17 | — | — | 31 | — | 7 | Total M.B. & U.D. Total R.Ds. | 2 | — | — | 7 | — | 3 | — | — | 1 | 1 | — | — |
| 9 | — | — | 11 | — | 5 | Lincs. (Parts of Kesteven) | 9 | — | 1 | 10 | — | 3 | — | — | 3 | 7 | 1 | 1 |
| 26 | — | — | 23 | — | 2 | Total M.Bs. & U.Ds. Total R.Ds. | 4 | — | — | 7 | — | 3 | — | — | 3 | 5 | — | — |
| 19 | — | — | 4 | — | 4 | Lincs. (Parts of Lindsey) | 5 | — | — | 5 | — | — | — | — | 3 | 2 | — | — |
| 18 | — | — | 15 | 3 | 8 | Total C.Bs. | 44 | — | 1 | 5 | — | 104 | — | — | 7 | 29 | 10 | 10 |
| 7 | — | — | 42 | 3 | 2 | Grimby C.B. | 17 | — | 1 | — | — | 54 | — | — | 2 | 11 | 3 | 3 |
| 27 | — | — | 5 | 2 | 1 | Lincoln C.B. | 8 | — | — | — | — | 34 | — | — | — | 10 | 2 | 2 |
| 19 | — | — | 27 | 1 | 5 | Total M.Bs. & U.Ds. Total R.Ds. | 12 | — | — | — | — | 36 | — | — | 2 | 1 | 1 | 1 |
| 12 | — | — | 12 | — | 1 | Greater London City of London | 15 | — | — | 4 | — | 14 | — | — | 4 | 8 | 3 | 3 |
| — | — | — | — | — | — | London Boroughs | — | — | — | — | — | — | — | — | — | — | — | — |
| 13 | — | — | 20 | — | 1 | Barking | 2 | — | — | — | — | — | — | — | — | — | — | — |
| 10 | — | — | 19 | — | — | Barnet | 9 | — | — | — | — | — | — | — | — | — | — | — |
| 21 | — | — | 26 | 1 | 9 | Bexley | 3 | — | — | — | — | — | — | — | — | — | — | — |
| 15 | — | — | 17 | — | — | Brent | 13 | — | — | — | — | — | — | — | — | — | — | — |
| 17 | — | — | 21 | — | — | Bromley | 19 | — | — | — | — | — | — | — | — | — | — | — |
| 2 | — | — | 37 | — | 5 | Camden | 1 | — | — | — | — | — | — | — | — | — | — | — |
| 29 | — | — | 27 | — | 2 | Croydon | 23 | — | — | — | — | — | — | — | — | — | — | — |
| 10 | — | — | 28 | — | 7 | Ealing | 51 | — | — | — | — | — | — | — | — | — | — | — |
| 12 | — | — | 27 | 1 | 3 | Enfield | 41 | — | — | — | — | — | — | — | — | — | — | — |
| 6 | — | — | 15 | — | 2 | Greenwich | 9 | — | — | — | — | — | — | — | — | — | — | — |
| 5 | — | — | 22 | — | 5 | Hackney | 15 | — | — | — | — | — | — | — | — | — | — | — |
| 28 | — | — | 27 | — | 12 | Hammersmith | 20 | — | — | — | — | — | — | — | — | — | — | — |
| 4 | — | — | 28 | — | 3 | Haringey | 6 | — | — | — | — | — | — | — | — | — | — | — |
| 28 | — | — | 13 | — | 3 | Harrow | 5 | — | — | — | — | — | — | — | — | — | — | — |
| 9 | — | — | 22 | — | 2 | Havering | 2 | — | — | — | — | — | — | — | — | — | — | — |
| 12 | — | — | 17 | — | 8 | Hillingdon | 8 | — | — | — | — | — | — | — | — | — | — | — |
| 18 | — | — | 42 | — | 10 | Hounslow | 5 | — | — | — | — | — | — | — | — | — | — | — |
| — | — | — | 36 | — | 3 | Islington | 61 | — | — | — | — | — | — | — | — | — | — | — |
| — | — | — | 2 | — | 3 | Kensington & Chelsea | 14 | — | — | — | — | — | — | — | — | — | — | — |
| 6 | — | — | 8 | — | — | Kingston upon Thames | 4 | — | — | — | — | — | — | — | — | — | — | — |
| 31 | — | — | 26 | — | 3 | Lambeth | 28 | — | — | — | — | — | — | — | — | — | — | — |
| 17 | — | — | 31 | — | 2 | Lewisham | 43 | — | — | — | — | — | — | — | — | — | — | — |
| 9 | — | — | 11 | — | 1 | Merton | 4 | — | — | — | — | — | — | — | — | — | — | — |
| 26 | — | — | 23 | — | 4 | Newham | 6 | — | — | — | — | — | — | — | — | — | — | — |
| 18 | — | — | 4 | — | 4 | Redbridge | 87 | — | — | — | — | — | — | — | — | — | — | — |
| 7 | — | — | 15 | — | 2 | Richmond upon Thames | 36 | — | — | — | — | — | — | — | — | — | — | — |
| 16 | — | — | 35 | — | 7 | Southwark | 36 | — | — | — | — | — | — | — | — | — | — | — |
| 18 | — | — | 14 | — | — | Sutton | 7 | — | — | — | — | — | — | — | — | — | — | — |
| 29 | — | — | 35 | — | 5 | Tower Hamlets | 6 | — | — | — | — | — | — | — | — | — | — | — |
| 25 | — | — | 26 | — | 2 | Waltham Forest | 3 | — | — | — | — | — | — | — | — | — | — | — |
| 20 | — | — | 32 | — | 11 | Wandsworth | 7 | — | — | — | — | — | — | — | — | — | — | — |
| 1 | — | — | 36 | — | 9 | Westminster | 36 | — | — | — | — | — | — | — | — | — | — | — |
| 79 | — | — | 73 | 3 | 8 | Hampshire | 137 | — | — | — | — | — | — | — | — | — | — | — |
| 40 | — | — | 42 | 3 | 2 | Total C.Bs. | 84 | — | — | — | — | — | — | — | — | — | — | — |
| 2 | — | — | 5 | — | 1 | Bournemouth C.B. | 2 | — | — | — | — | — | — | — | — | — | — | — |
| 20 | — | — | 10 | — | 1 | Portsmouth C.B. | 82 | — | — | — | — | — | — | — | — | — | — | — |
| 18 | — | — | 27 | — | 5 | Southampton C.B. | 22 | — | — | — | — | — | — | — | — | — | — | — |
| 27 | — | — | 19 | — | 1 | Total M.Bs. & U.Ds. Total R.Ds. | 31 | — | — | — | — | — | — | — | — | — | — | — |

TABLE IV (continued)

| | Scarlet fever | Diphtheria | Typhoid fever | Paratyphoid fever | Acute pneumonia (prim'y or influenzal) | Dysentery | Tuberculosis | | Scarlet fever | Diphtheria | Typhoid fever | Paratyphoid fever | Acute pneumonia (prim'y or influenzal) | Dysentery | Acute polio-myelitis | | Food poisoning | Tuberculosis | | |
|--------------------------|---------------|------------|---------------|-------------------|--|-----------|--------------|---------------------|---------------|------------|---------------|-------------------|--|-----------|----------------------|---------------|----------------|--------------|---------------------|-------|
| | | | | | | | Respiratory | Meninges and C.N.S. | | | | | | | Paralytic | Non-paralytic | | Respiratory | Meninges and C.N.S. | Other |
| Norfolk | 42 | — | — | 2 | 16 | 34 | 14 | 1 | 5 | — | — | — | — | — | — | — | 37 | 142 | 1 | 31 |
| Total C.Bs. ... | 14 | — | — | — | 6 | 2 | 6 | — | 3 | — | — | — | — | — | — | — | 25 | 71 | — | 24 |
| Great Yarmouth | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 3 | — | — |
| C.B. ... | — | — | — | — | — | — | 2 | — | 1 | — | — | 1 | — | — | — | — | — | 15 | — | 6 |
| Norwich C.B. | 3 | — | — | — | — | — | 4 | — | 2 | — | — | — | — | — | — | — | — | 14 | — | 2 |
| Total M.Bs. & U.Ds. | 25 | — | — | — | 10 | 8 | 4 | — | — | — | — | — | — | — | — | — | 23 | 19 | — | 4 |
| Total R.Ds. ... | — | — | — | 2 | — | — | — | — | 2 | — | — | — | — | — | — | — | — | 4 | — | 6 |
| Northamptonshire | 23 | — | — | 1 | 7 | 43 | 25 | — | 8 | — | — | — | — | — | — | — | 2 | 16 | — | 6 |
| Northampton C.B. | 7 | — | — | — | 1 | 20 | 4 | — | 2 | — | — | — | — | — | — | — | 10 | 57 | — | 6 |
| Total M.Bs. & U.Ds. | 5 | — | — | 1 | 4 | 15 | 12 | — | 2 | — | — | — | — | — | — | — | 2 | 14 | — | 6 |
| Total R.Ds. ... | 11 | — | — | — | 2 | 8 | 9 | — | 1 | — | — | 6 | 11 | 5 | — | — | 2 | 14 | — | 1 |
| Northumberland | 50 | — | — | 1 | 16 | 219 | 64 | 1 | — | — | — | — | 8 | 2 | — | — | 13 | 16 | — | 3 |
| Total C.Bs. ... | 21 | — | — | — | 10 | 12 | 34 | 1 | 20 | — | — | — | 2 | — | — | — | 4 | 5 | — | — |
| Newcastle upon Tyne C.B. | 21 | — | — | — | 10 | 11 | 31 | — | 8 | — | — | — | — | — | — | — | 5 | 4 | — | 1 |
| Tynemouth C.B. | — | — | — | — | — | 1 | 3 | — | 1 | — | — | — | — | — | — | — | 4 | 7 | — | 2 |
| Total M.Bs. & U.Ds. | 16 | — | — | 1 | 5 | 73 | 23 | — | 1 | — | — | — | — | — | — | — | 3 | 3 | — | 2 |
| Total R.Ds. ... | 13 | — | — | 2 | 1 | 134 | 7 | — | 10 | — | — | — | — | — | — | — | 1 | 1 | — | — |
| Nottinghamshire... | 149 | — | — | — | 17 | 73 | 63 | 2 | 15 | — | — | — | — | — | — | — | 34 | 36 | — | 10 |
| Nottingham C.B. | 52 | — | — | — | 5 | 19 | 35 | 1 | 5 | — | — | — | — | — | — | — | 31 | 29 | — | 7 |
| Total M.Bs. & U.Ds. | 73 | — | — | — | 11 | 38 | 21 | 1 | 8 | — | — | — | — | — | — | — | 3 | 7 | — | 3 |
| Total R.Ds. ... | 24 | — | — | 3 | 1 | 16 | 7 | — | 2 | — | — | — | — | — | — | — | — | — | — | — |
| Oxfordshire | 12 | — | — | 1 | 5 | 44 | 30 | — | — | — | — | — | — | — | — | — | 14 | 28 | — | 1 |
| Oxford C.B. | 1 | — | — | — | 4 | 43 | 13 | — | 2 | — | — | — | — | — | — | — | 4 | 14 | — | — |
| Total M.Bs. & U.Ds. | 8 | — | — | — | — | 1 | 6 | — | — | — | — | — | — | — | — | — | 4 | 9 | — | — |
| Total R.Ds. ... | 3 | — | — | 1 | 1 | — | 11 | — | — | — | — | — | — | — | — | — | — | 2 | — | — |
| Rutland | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 3 | — | — |
| Oakham U.D. | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | 5 | 9 | — | 1 |
| Total R.Ds. ... | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 5 | 5 | — | — |
| Shropshire | 33 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 8 | 19 | — | — |
| Total M.Bs. & U.Ds. | 18 | — | — | 1 | 9 | 2 | 6 | — | 3 | — | — | — | — | — | — | — | 1 | 13 | — | — |
| Total R.Ds. ... | 15 | — | — | — | 3 | — | 4 | — | — | — | — | — | — | — | — | — | 7 | 6 | — | — |
| Somerset | 31 | — | — | — | 4 | 37 | 27 | — | — | — | — | — | — | — | — | — | 38 | 197 | 1 | 52 |
| Bath C.B. | 4 | — | — | — | — | 3 | 1 | — | 5 | — | — | — | — | — | — | — | 37 | 168 | 1 | 42 |
| Total M.Bs. & U.Ds. | 10 | — | — | — | — | 21 | 14 | — | — | — | — | — | — | — | — | — | 23 | 138 | 1 | 34 |
| Total R.Ds. ... | 17 | — | — | — | 2 | 13 | 12 | — | 3 | — | — | — | — | — | — | — | 14 | 24 | — | 7 |
| | | | | | | | | | | | | | | | | | 1 | 6 | | 1 |
| | | | | | | | | | | | | | | | | | — | 13 | | 7 |
| | | | | | | | | | | | | | | | | | — | 16 | | 3 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Westmorland Total M.Bs. & U.Ds. Total R.Ds. | 2 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|

* Uncorrected figures for 13 weeks ended 1st October 1965, not included in totals for England and Wales.

TABLE IV (continued)

Original notifications of *Meningococcal infection* numbered 94, *Whooping cough* 3,739, and *Measles* 61,267. Corrected notifications were *Meningococcal infection* 82, *Whooping cough* 3,737 and *Measles* 61,194, distributed by counties as follows:—

| | Meningo- coccal infection | Whooping cough | Measles | | Meningo- coccal infection | Whooping cough | Measles | | Meningo- coccal infection | Whooping cough | Measles |
|---------------------|---------------------------------|-------------------|---------|--------------------|---------------------------------|-------------------|---------|---------------------|---------------------------------|-------------------|---------|
| Bedfordshire ... | — | 91 | 524 | Leicestershire ... | 1 | 92 | 1,438 | Wiltshire ... | — | 44 | |
| Berkshire ... | — | 37 | 1,266 | Lincs. (Holland) | — | 34 | 377 | Worcestershire ... | — | 18 | |
| Buckinghamshire ... | — | 42 | 969 | Lincs. (Kesteven) | — | 17 | 270 | Yorks, E. Riding | — | 53 | |
| Cambridgeshire | — | | | Lincs. (Lindsey) | 3 | 48 | 433 | Yorks, N. Riding | 1 | 31 | |
| Isle of Ely ... | — | 30 | 484 | Norfolk ... | — | 75 | 1,812 | Yorks, W. Riding | | | |
| Cheshire ... | 2 | 223 | 1,211 | Northamptonshire | 3 | 61 | 478 | (including York | | | |
| Cornwall ... | — | 117 | 1,537 | Northumberland | 2 | 15 | 874 | C.B.) ... | 8 | 703 | 4, |
| Cumberland ... | — | 3 | 468 | Nottinghamshire | 3 | 109 | 719 | Anglesey ... | — | — | |
| Derbyshire ... | 4 | 75 | 1,174 | Oxfordshire ... | — | 24 | 603 | Breconshire ... | — | — | |
| Devon ... | — | 59 | 2,124 | Rutland ... | — | 3 | 258 | Caernarvonshire | — | 1 | |
| Dorset ... | — | 18 | 1,011 | Shropshire ... | 1 | 4 | 473 | Cardiganshire ... | — | — | |
| Durham ... | 5 | 207 | 2,111 | Somerset ... | — | 10 | 575 | Carmarthenshire | — | 6 | |
| Essex ... | 1 | 122 | 2,622 | Staffordshire ... | 4 | 134 | 3,158 | Denbighshire ... | — | 4 | |
| Gloucestershire ... | — | 65 | 2,152 | Suffolk, East ... | — | 36 | 838 | Flintshire ... | 2 | 11 | |
| Greater London | 14 | 464 | 3,774 | Suffolk, West ... | 1 | 14 | 335 | Glamorgan ... | 1 | 30 | 1, |
| Hampshire ... | 4 | 108 | 1,727 | Surrey ... | — | 29 | 605 | Merionethshire | — | — | |
| Herefordshire ... | — | 12 | 55 | Sussex, East ... | — | 41 | 854 | Monmouthshire... | — | 13 | |
| Hertfordshire ... | — | 58 | 1,324 | Sussex, West ... | — | 21 | 687 | Montgomeryshire | — | 8 | |
| Huntingdon and | | | | Warwickshire ... | 4 | 201 | 3,209 | Pembrokeshire ... | — | — | |
| Peterborough ... | — | 18 | 198 | Westmorland ... | — | — | 71 | Radnorshire ... | — | 2 | |
| Kent ... | — | 74 | 1,159 | Wight, Isle of ... | 1 | 4 | 771 | | | | |
| Lancashire ... | 17 | 414 | 5,790 | | | | | Port Health Dists.* | — | — | |

Other diseases notified:—*Ophthalmia neonatorum*: Original 191, Corrected 188. *Acute encephalitis, Infective*: Original 36, Corrected 30. *Acute encephalitis Post infectious*: Original 13, Corrected 11. *Erysipelas*: Original 368, Corrected 364. *Puerperal pyrexia*: Original 1,273, Corrected 1,272. No cases of *Anthrax*, *Cholera*, *Plague*, *Smallpox* or *Typhus fever* were notified.

*Uncorrected figures for 13 weeks ended 1st October, 1965, not included in totals for England and Wales.

TABLE IV (a)
Corrected notifications of certain infectious diseases in the quarter ended 30th June 1965,
analysed by sex and age
England and Wales
(See General Notes on page 3)

| Age-group | Dysentery | | Scarlet fever | | Whooping cough | | Diphtheria | | Measles | | Meningo-coccal infection | | Acute poliomyelitis | |
|----------------|-----------|-------|---------------|-------|----------------|-------|------------|----|---------|--------|--------------------------|----|---------------------|---------------|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | Paralytic | Non-paralytic |
| All Ages ... | 3,779 | 3,909 | 3,456 | 3,589 | 1,304 | 1,431 | 5 | 1 | 75,501 | 72,695 | 56 | 50 | 1 | 3 |
| 0— ... | 189 | 159 | 18 | 12 | 150 | 144 | — | — | 3,155 | 3,006 | 19 | 12 | — | — |
| 1— ... | 339 | 293 | 73 | 71 | 168 | 130 | — | — | 9,120 | 8,691 | 7 | 11 | — | 1 |
| 2— ... | 329 | 294 | 217 | 181 | 175 | 198 | — | — | 10,909 | 10,503 | 7 | 3 | — | — |
| 3— ... | 305 | 277 | 324 | 266 | 181 | 215 | — | — | 11,479 | 11,018 | 1 | 4 | — | 2 |
| 4— ... | 280 | 221 | 443 | 441 | 143 | 192 | — | — | 11,294 | 11,034 | 2 | 2 | 1 | 1 |
| 5— ... | 1,071 | 958 | 1,805 | 1,944 | 417 | 450 | — | — | 26,952 | 25,912 | 10 | 3 | — | 1 |
| 10— ... | 284 | 222 | 385 | 477 | 53 | 65 | 3 | — | 1,487 | 1,352 | 3 | 2 | — | — |
| 15— ... | 223 | 376 | 133 | 112 | 6 | 11 | 1 | 1 | 563 | 585 | 3 | 4 | — | 1 |
| 25 and over... | 727 | 1,056 | 39 | 60 | 6 | 21 | 1 | — | 203 | 263 | 4 | 8 | — | — |
| Unknown ... | 32 | 53 | 19 | 25 | 5 | 5 | — | — | 339 | 331 | — | 1 | — | — |

| Age-group | Typhoid fever | | Paratyphoid fever | | Erysipelas | | Acute encephalitis | | | | Acute pneumonia | | Food poisoning | |
|-----------------|---------------|----|-------------------|----|------------|-----|--------------------|---|-----------------|----|-----------------|-----|----------------|----|
| | M. | F. | M. | F. | M. | F. | Infective | | Post-infectious | | M. | F. | M. | F. |
| All Ages ... | 13 | 12 | 21 | 22 | 214 | 269 | 8 | 7 | 16 | 15 | 1,100 | 852 | 699 | 6 |
| 0— ... | 3 | 6 | 4 | 1 | 2 | 5 | 3 | 1 | 4 | 6 | 140 | 122 | 104 | 1 |
| 5— ... | 4 | 1 | 6 | 3 | 7 | 5 | 2 | 1 | 9 | 5 | 126 | 88 | 193 | 1 |
| 15— ... | 5 | 4 | 8 | 14 | 41 | 59 | 2 | 4 | 3 | 3 | 222 | 198 | 226 | 1 |
| 45— ... | 1 | 1 | 3 | 1 | 113 | 119 | 1 | 1 | — | — | 315 | 180 | 99 | 1 |
| 65 and over ... | — | — | — | 3 | 43 | 77 | — | — | — | 1 | 282 | 251 | 15 | 1 |
| Unknown ... | — | — | — | — | 8 | 4 | — | — | — | — | 15 | 13 | 62 | 1 |

Tuberculosis

| Age-group | Respiratory | | Meninges and C.N.S. | | Other | | Age-group | Respiratory | | Meninges and C.N.S. | | Other |
|--------------|-------------|-------|---------------------|----|-------|-----|-------------|-------------|-----|---------------------|----|-------|
| | M. | F. | M. | F. | M. | F. | | M. | F. | M. | F. | |
| All Ages ... | 2,410 | 1,156 | 21 | 18 | 289 | 322 | 25— ... | 359 | 244 | 3 | 2 | 89 |
| 0— ... | 8 | 11 | 1 | — | — | — | 35— ... | 356 | 190 | 4 | 7 | 46 |
| 1— ... | 15 | 15 | 1 | 1 | — | 2 | 45— ... | 418 | 125 | — | 1 | 33 |
| 2— ... | 42 | 40 | 1 | 2 | 3 | 8 | 55— ... | 493 | 106 | 1 | — | 24 |
| 5— ... | 57 | 43 | 1 | 2 | 8 | 6 | 65— ... | 243 | 68 | — | — | 14 |
| 10— ... | 48 | 49 | 2 | 1 | 8 | 5 | 75 and over | 62 | 36 | — | — | 8 |
| 15— ... | 108 | 92 | 1 | 1 | 21 | 14 | Unknown ... | 21 | 2 | — | — | 4 |
| 20— ... | 180 | 135 | 6 | 1 | 31 | 29 | | | | | | |

TABLE V

Infant mortality: rates by quarters and each completed year, 1962 to 1965

England and Wales and various other countries

(Deaths under 1 year per 1,000 live births)

| Country | 1962 | 1963 | 1964 | 1962 | 1963 | | | | 1964 | | | | 1965 | | |
|-----------------------|------|------|------|------|------|------|-------|------|------|------|-------|------|------|------|-------|
| | | | | Dec. | Mar. | June | Sept. | Dec. | Mar. | June | Sept. | Dec. | Mar. | June | Sept. |
| England and Wales ... | 22 | 21 | 20 | 22 | 24 | 19 | 19 | 22 | 22 | 20 | 18 | 21 | 21 | 18 | 17 |
| Wales ... | 23 | 23 | 24 | 23 | 25 | 21 | 21 | 23 | 29 | 23 | 20 | 25 | 22 | 18 | 19 |
| Scotland ... | 27 | 26 | 24 | 26 | 29 | 24 | 21 | 28 | 27 | 23 | 22 | 23 | 24 | 22 | 21 |
| N. Ireland ... | 27 | 27 | 26 | 25 | 30 | 26 | 25 | 27 | 26 | 27 | 26 | 27 | 26 | 25 | † |
| Irish Republic | 29 | 27 | 27 | 28 | 30 | 26 | 24 | 27 | 29 | 26 | 25 | 27 | 25 | 27 | 23 |
| Australia ... | 20 | 20 | 19 | 20 | 19 | 20 | 20 | 19 | 18 | 20 | 21 | 18 | 17 | 19 | † |
| Canada ... | 28 | 26 | 25 | 29 | 29 | 25 | 24 | 27 | 26 | 24 | 24 | 25 | † | † | † |
| Chile ... | 121 | 111 | † | 133 | 130 | 100 | 99 | 116 | † | † | † | † | † | † | † |
| Denmark ... | 20 | 19 | 19 | 21 | 20 | 20 | 18 | 19 | 20 | 19 | 18 | 18 | † | † | † |
| France ... | 26 | 26 | 23 | 24 | 31 | 25 | 22 | 24 | 26 | 24 | 21 | 23 | 25 | 22 | † |
| Italy ... | 41 | 40 | 36 | 42 | 46 | 39 | 36 | 38 | 38 | 37 | 32 | 36 | 39 | 35 | † |
| Netherlands ... | 15 | 14 | 15 | 17 | 17 | 14 | 13 | 15 | 17 | 14 | 14 | 15 | 14 | 14 | 23 |
| New Zealand | 20 | 20 | 19 | 20 | 18 | 21 | 23 | 17 | 18 | 19 | 22 | 18 | 19 | 17 | † |
| Sweden ... | 15 | 15 | 14 | 15 | 17 | 14 | 13 | 16 | 14 | 12 | 14 | 15 | 13 | † | † |
| U.S.A. ... | 26 | 25 | 24 | 26 | 27 | 25 | 23 | 26 | 25 | 24 | 23 | 25 | 27 | 25 | 23 |

† Figures not yet available.

TABLE VI

Deaths by cause and sex in 1963 and 1964 and in the last nine available quarters, classified according to the International Abbreviated List (7th Revision, 1955), with certain sub-divisions

England and Wales

| Causes of Death | 1963 | 1964 | 1963 | | | 1964 | | | | 1965 † | |
|---|----------------|----------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| | | | June | Sept. | Dec. | March | June | Sept. | Dec. | March | June |
| CAUSES ... | 292,410 | 274,773 | 65,681 | 58,699 | 68,537 | 79,885 | 65,136 | 58,096 | 71,656 | 80,340 | 66,596 |
| | 280,458 | 259,964 | 63,332 | 55,219 | 64,525 | 76,187 | 61,877 | 55,455 | 66,445 | 76,838 | 63,273 |
| Deaths from non-violent causes | M 278,336 | 260,529 | 62,411 | 55,317 | 64,936 | 76,163 | 61,618 | 54,760 | 67,988 | 76,715 | 63,266 |
| | F 269,909 | 249,648 | 61,028 | 53,040 | 61,892 | 73,158 | 59,427 | 53,290 | 63,773 | 73,953 | 60,931 |
| Tuberculosis of respiratory system (001-008) | M 2,022 | 1,711 | 465 | 404 | 453 | 542 | 426 | 332 | 411 | 432 | 333 |
| | F 587 | 498 | 139 | 119 | 141 | 155 | 110 | 113 | 120 | 122 | 159 |
| Tuberculosis of meninges and C.N.S. (010) | M 37 | 26 | 12 | 11 | 6 | 7 | 7 | 8 | 4 | 6 | 3 |
| | F 34 | 18 | 8 | 7 | 9 | 5 | 6 | 5 | 2 | 6 | 9 |
| Tuberculosis, other forms (011-019) | M 132 | 116 | 29 | 22 | 36 | 27 | 31 | 31 | 27 | 32 | 31 |
| | F 148 | 115 | 35 | 39 | 44 | 30 | 32 | 34 | 19 | 35 | 20 |
| Syphilis and its sequelae (020-029) | M 485 | 496 | 102 | 111 | 114 | 131 | 116 | 105 | 144 | 149 | 110 |
| | F 335 | 295 | 83 | 69 | 86 | 81 | 51 | 72 | 91 | 111 | 60 |
| Typhoid fever (040) | M 3 | 1 | — | 1 | — | — | — | 1 | — | — | 1 |
| | F 1 | 1 | — | — | 1 | 1 | — | — | — | — | — |
| Paratyphoid fever (041) | M — | 1 | — | — | — | — | — | — | 1 | — | 1 |
| | F 1 | — | — | 1 | — | — | — | — | — | — | — |
| Cholera (043) | M — | — | — | — | — | — | — | — | — | — | — |
| | F — | — | — | — | — | — | — | — | — | — | — |
| Dysentery, all forms (045-048) | M 21 | 7 | 9 | 4 | 2 | 1 | 1 | 2 | 3 | 3 | 1 |
| | F 14 | 10 | 3 | 6 | 2 | 4 | 4 | 1 | 1 | 5 | 2 |
| Scarlet fever (050) | M 1 | 2 | — | 1 | — | 2 | — | — | — | 1 | — |
| | F 1 | — | — | 1 | — | — | — | — | — | — | — |
| Streptococcal sore throat (051) | M 6 | 6 | 1 | 1 | 1 | 2 | 3 | 1 | — | — | — |
| | F 2 | 2 | — | — | 1 | — | 1 | 1 | — | 1 | 1 |
| Diphtheria (055) | M 1 | — | — | — | 1 | — | — | — | — | — | — |
| | F 1 | — | — | — | 1 | — | — | — | — | — | — |
| Whooping cough (056) | M 15 | 22 | 1 | 6 | 7 | 7 | 4 | 8 | 3 | 2 | — |
| | F 21 | 22 | — | 4 | 12 | 7 | 4 | 3 | 8 | 4 | 4 |
| Meningococcal infections (057) | M 88 | 53 | 15 | 14 | 18 | 20 | 16 | 5 | 12 | 22 | 10 |
| | F 58 | 45 | 13 | 9 | 12 | 13 | 10 | 6 | 16 | 23 | 12 |
| Rabies (058) | M — | — | — | — | — | — | — | — | — | — | — |
| | F — | — | — | — | — | — | — | — | — | — | — |
| Acute poliomyelitis (080) | M 2 | 2 | — | 1 | — | 1 | — | — | 1 | — | — |
| | F 1 | 2 | — | 1 | — | 1 | 1 | — | — | — | — |
| Acute infectious encephalitis (082) | M 52 | 55 | 8 | 14 | 16 | 15 | 13 | 11 | 16 | 14 | 10 |
| | F 35 | 43 | 8 | 7 | 6 | 10 | 9 | 13 | 11 | 8 | 10 |
| Smallpox (084) | M — | — | — | — | — | — | — | — | — | — | — |
| | F — | — | — | — | — | — | — | — | — | — | — |
| Measles (085) | M 62 | 30 | 22 | 8 | 6 | 7 | 8 | 3 | 12 | 27 | 12 |
| | F 65 | 43 | 16 | 9 | 3 | 9 | 7 | 10 | 17 | 30 | 16 |
| Typhus and other rickettsial diseases (100-108) | M 1 | — | — | — | — | — | — | — | — | — | — |
| | F 1 | — | — | 1 | — | — | — | — | — | — | — |
| Malaria (110-117) | M 4 | 2 | — | 1 | 3 | 1 | — | 1 | — | — | 1 |
| | F 2 | — | — | 2 | — | — | — | — | — | — | 2 |
| Other diseases classified as infective or parasitic (Rem. of 001-138) | M 396 | 374 | 87 | 91 | 87 | 105 | 89 | 76 | 104 | 111 | 74 |
| | F 391 | 401 | 88 | 88 | 93 | 116 | 96 | 83 | 106 | 111 | 110 |

Provisional.

TABLE VI (continued)

| Causes of Death | 1963 | 1964 | 1963 | | | 1964 | | | | 1965† | |
|---|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | | June | Sept. | Dec. | March | June | Sept. | Dec. | March | June |
| Deaths from non-violent causes—cont. | | | | | | | | | | | |
| Malignant neoplasm of stomach (151) ... {M | 7,744 | 7,500 | 1,955 | 1,900 | 1,961 | 1,897 | 1,878 | 1,844 | 1,881 | 1,888 | 1,888 |
| ... {F | 5,937 | 5,569 | 1,413 | 1,480 | 1,522 | 1,425 | 1,329 | 1,402 | 1,413 | 1,372 | 1,372 |
| Malignant neoplasm of intestines and rectum (152-154) ... {M | 6,593 | 6,701 | 1,579 | 1,696 | 1,700 | 1,672 | 1,675 | 1,660 | 1,694 | 1,671 | 1,671 |
| ... {F | 8,036 | 8,186 | 1,987 | 2,033 | 1,988 | 2,013 | 1,978 | 2,121 | 2,074 | 2,010 | 1,978 |
| Malignant neoplasm of other digestive organs (Rem. of 150-159) ... {M | 4,730 | 4,849 | 1,159 | 1,203 | 1,234 | 1,169 | 1,171 | 1,216 | 1,293 | 1,231 | 1,231 |
| ... {F | 4,470 | 4,636 | 1,053 | 1,152 | 1,092 | 1,151 | 1,101 | 1,174 | 1,210 | 1,149 | 1,149 |
| Malignant neoplasm of trachea, bronchus, lung (162-163) ... {M | 20,757 | 21,476 | 4,974 | 5,030 | 5,570 | 5,469 | 5,109 | 5,266 | 5,632 | 5,539 | 5,539 |
| ... {F | 3,677 | 3,895 | 838 | 929 | 984 | 926 | 934 | 1,026 | 1,009 | 1,000 | 929 |
| Malignant neoplasm of other respiratory organs (Rem. of 160-165) ... {M | 806 | 760 | 214 | 192 | 197 | 202 | 178 | 180 | 200 | 223 | 178 |
| ... {F | 271 | 286 | 54 | 77 | 72 | 71 | 72 | 83 | 60 | 77 | 77 |
| Malignant neoplasm of breast (170) ... {M | 70 | 84 | 23 | 13 | 16 | 24 | 19 | 13 | 28 | 19 | 19 |
| ... {F | 9,442 | 9,860 | 2,357 | 2,256 | 2,411 | 2,508 | 2,395 | 2,407 | 2,550 | 2,466 | 2,466 |
| Malignant neoplasm of uterus (171-174) ... {F | 3,969 | 3,989 | 995 | 998 | 1,007 | 1,008 | 992 | 981 | 1,008 | 1,041 | 1,041 |
| Leukaemia and aleukaemia (204) ... {M | 1,511 | 1,564 | 346 | 366 | 395 | 412 | 351 | 373 | 428 | 374 | 374 |
| ... {F | 1,319 | 1,303 | 329 | 338 | 334 | 336 | 290 | 321 | 356 | 346 | 346 |
| Malignant neoplasm of other sites (Rem. of 140-205) ... {M | 12,981 | 13,313 | 3,085 | 3,291 | 3,368 | 3,276 | 3,238 | 3,274 | 3,525 | 3,317 | 3,317 |
| ... {F | 10,103 | 10,727 | 2,480 | 2,496 | 2,633 | 2,636 | 2,578 | 2,683 | 2,830 | 2,784 | 2,784 |
| Benign and unspecified neoplasms (210-239) ... {M | 654 | 712 | 146 | 168 | 161 | 187 | 169 | 156 | 200 | 177 | 177 |
| ... {F | 740 | 784 | 171 | 171 | 191 | 182 | 205 | 198 | 199 | 205 | 205 |
| Thyrototoxicosis with or without goitre (252) ... {M | 31 | 39 | 11 | 7 | 5 | 12 | 10 | 7 | 10 | 17 | 17 |
| ... {F | 264 | 207 | 66 | 55 | 50 | 62 | 57 | 44 | 44 | 69 | 69 |
| Diabetes mellitus (260) ... {M | 1,371 | 1,409 | 288 | 252 | 323 | 430 | 317 | 307 | 355 | 425 | 425 |
| ... {F | 2,433 | 2,522 | 543 | 519 | 557 | 740 | 604 | 511 | 667 | 762 | 762 |
| Pernicious and other hyperchromic anaemias (290) ... {M | 214 | 186 | 58 | 51 | 46 | 48 | 40 | 51 | 47 | 44 | 44 |
| ... {F | 487 | 449 | 132 | 125 | 108 | 107 | 104 | 124 | 114 | 124 | 124 |
| Anaemias, other (291-293) ... {M | 344 | 379 | 73 | 82 | 75 | 96 | 87 | 98 | 98 | 115 | 115 |
| ... {F | 700 | 629 | 191 | 161 | 136 | 141 | 146 | 172 | 170 | 195 | 195 |
| Vascular lesions affecting the central nervous system (330-334) ... {M | 32,264 | 29,818 | 7,375 | 6,352 | 7,399 | 8,600 | 7,127 | 6,287 | 7,804 | 9,065 | 7,444 |
| ... {F | 48,076 | 44,147 | 10,903 | 9,616 | 11,100 | 12,688 | 10,752 | 9,353 | 11,354 | 13,528 | 10,888 |
| Non-meningococcal meningitis (340) ... {M | 212 | 251 | 63 | 37 | 42 | 64 | 72 | 53 | 62 | 86 | 86 |
| ... {F | 183 | 204 | 42 | 32 | 50 | 60 | 52 | 39 | 53 | 67 | 67 |
| Rheumatic fever (400-402) ... {M | 52 | 30 | 15 | 10 | 12 | 5 | 8 | 10 | 7 | 16 | 16 |
| ... {F | 45 | 31 | 10 | 11 | 4 | 8 | 9 | 5 | 9 | 8 | 8 |
| Chronic rheumatic heart disease (410-416) ... {M | 2,382 | 2,126 | 525 | 507 | 549 | 598 | 515 | 439 | 574 | 618 | 618 |
| ... {F | 4,542 | 4,045 | 1,044 | 832 | 1,073 | 1,194 | 926 | 869 | 1,056 | 1,240 | 1,240 |
| Coronary and arteriosclerotic heart disease (420) ... {M | 65,840 | 65,082 | 15,175 | 13,927 | 16,200 | 17,730 | 15,613 | 14,123 | 17,616 | 19,017 | 16,444 |
| ... {F | 42,016 | 41,208 | 9,440 | 8,528 | 10,464 | 11,626 | 9,745 | 8,807 | 11,030 | 12,382 | 10,888 |
| Chronic endocarditis and other myocardial degeneration (421, 422) ... {M | 17,719 | 14,617 | 3,912 | 3,166 | 3,719 | 4,735 | 3,527 | 2,742 | 3,613 | 4,480 | 3,333 |
| ... {F | 29,240 | 24,519 | 6,569 | 5,154 | 6,146 | 7,833 | 5,842 | 4,916 | 5,928 | 7,421 | 5,888 |
| Other diseases of heart (430-434) ... {M | 6,602 | 6,031 | 1,520 | 1,133 | 1,419 | 1,868 | 1,404 | 1,234 | 1,525 | 1,925 | 1,444 |
| ... {F | 8,399 | 7,671 | 1,884 | 1,550 | 1,792 | 2,368 | 1,869 | 1,520 | 1,914 | 2,479 | 1,888 |
| Hypertension with heart disease (440-443) ... {M | 4,082 | 3,427 | 977 | 701 | 925 | 1,100 | 805 | 660 | 861 | 1,081 | 888 |
| ... {F | 6,201 | 5,232 | 1,413 | 1,130 | 1,355 | 1,607 | 1,259 | 1,021 | 1,345 | 1,539 | 1,244 |
| Hypertension without mention of heart (444-447) ... {M | 2,574 | 2,171 | 574 | 511 | 527 | 657 | 506 | 438 | 570 | 661 | 544 |
| ... {F | 2,901 | 2,365 | 653 | 545 | 632 | 695 | 572 | 529 | 569 | 723 | 644 |
| Other diseases of circulatory system (Rem. of 400-468) ... {M | 9,262 | 8,472 | 2,088 | 1,814 | 2,184 | 2,429 | 2,067 | 1,725 | 2,251 | 2,622 | 2,111 |
| ... {F | 11,762 | 11,226 | 2,773 | 2,314 | 2,678 | 3,155 | 2,756 | 2,291 | 3,024 | 3,448 | 2,933 |
| Influenza (480-483) ... {M | 1,442 | 494 | 183 | 21 | 104 | 329 | 69 | 11 | 85 | 185 | 185 |
| ... {F | 1,772 | 549 | 232 | 18 | 94 | 382 | 78 | 15 | 74 | 187 | 187 |
| Pneumonia (except of newborn) (490-493) ... {M | 16,945 | 13,830 | 3,369 | 2,261 | 3,316 | 5,010 | 3,145 | 2,182 | 3,493 | 4,922 | 3,333 |
| ... {F | 19,118 | 15,679 | 3,708 | 2,431 | 3,765 | 5,822 | 3,475 | 2,506 | 3,876 | 5,658 | 3,333 |
| Pneumonia of newborn (763) ... {M | 401 | 354 | 105 | 82 | 90 | 114 | 84 | 83 | 73 | 93 | 93 |
| ... {F | 278 | 229 | 48 | 63 | 66 | 65 | 56 | 45 | 63 | 72 | 72 |
| Bronchitis (500-502) ... {M | 24,832 | 20,773 | 4,338 | 2,861 | 5,086 | 8,312 | 4,155 | 2,891 | 5,415 | 7,643 | 4,444 |
| ... {F | 10,500 | 7,967 | 1,853 | 949 | 1,927 | 3,498 | 1,625 | 930 | 1,914 | 3,007 | 1,914 |
| Other respiratory diseases (Rem. 470-527) ... {M | 3,651 | 3,413 | 755 | 614 | 746 | 1,204 | 740 | 565 | 904 | 1,102 | 746 |
| ... {F | 1,805 | 1,672 | 378 | 315 | 387 | 578 | 364 | 295 | 435 | 538 | 387 |
| Ulcer of stomach and duodenum (540, 541) ... {M | 2,799 | 2,568 | 562 | 509 | 609 | 834 | 618 | 479 | 637 | 788 | 609 |
| ... {F | 1,542 | 1,376 | 337 | 300 | 316 | 435 | 331 | 277 | 333 | 440 | 316 |
| Appendicitis (550-553) ... {M | 299 | 274 | 69 | 57 | 74 | 61 | 70 | 66 | 77 | 80 | 74 |
| ... {F | 257 | 224 | 65 | 61 | 63 | 49 | 48 | 59 | 68 | 67 | 63 |
| Intestinal obstruction and hernia (560, 561, 570) ... {M | 1,472 | 1,401 | 349 | 339 | 334 | 378 | 335 | 329 | 359 | 382 | 334 |
| ... {F | 1,661 | 1,638 | 388 | 366 | 401 | 468 | 378 | 383 | 409 | 472 | 401 |
| Gastritis, duodenitis, enteritis and colitis, except diarrhoea of the newborn (543, 571, 572) ... {M | 1,031 | 1,046 | 231 | 224 | 252 | 303 | 240 | 211 | 292 | 262 | 231 |
| ... {F | 1,566 | 1,611 | 378 | 377 | 376 | 410 | 392 | 396 | 413 | 391 | 378 |
| Gastro-enteritis and colitis, except ulcerative, aged 4 wks.-2 yrs., and diarrhoea of newborn (571.0, 764) ... {M | 272 | 295 | 53 | 57 | 56 | 124 | 62 | 41 | 68 | 76 | 53 |
| ... {F | 185 | 207 | 32 | 36 | 44 | 78 | 51 | 28 | 50 | 57 | 44 |

† Provisional.

TABLE VI (continued)

| Causes of Death | 1963 | 1964 | 1963 | | | 1964 | | | | 1965† | |
|---|--------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | | June | Sept. | Dec. | March | June | Sept. | Dec. | March | June |
| Deaths from non-violent causes—cont. | | | | | | | | | | | |
| Cirrhosis of liver (581) ... {M | 701 | 657 | 176 | 154 | 171 | 174 | 145 | 135 | 203 | 176 | 162 |
| ... {F | 621 | 652 | 143 | 140 | 165 | 142 | 169 | 162 | 179 | 171 | 169 |
| Other diseases of diges- tive system (Rem. of 530-587) ... {M | 1,412 | 1,467 | 339 | 319 | 366 | 386 | 376 | 348 | 357 | 371 | 341 |
| ... {F | 2,020 | 1,994 | 516 | 445 | 505 | 543 | 465 | 497 | 489 | 533 | 491 |
| Nephritis and nephrosis (590-594) ... {M | 1,695 | 1,518 | 401 | 391 | 399 | 422 | 381 | 348 | 367 | 428 | 393 |
| ... {F | 1,484 | 1,404 | 371 | 299 | 339 | 384 | 379 | 321 | 320 | 372 | 330 |
| Hyperplasia of prostate (610) ... M | 2,479 | 2,338 | 583 | 516 | 602 | 664 | 558 | 531 | 585 | 556 | 482 |
| Other diseases of genito- urinary system (Rem. of 590-637) ... {M | 1,772 | 1,794 | 425 | 406 | 439 | 458 | 446 | 427 | 463 | 471 | 430 |
| ... {F | 2,542 | 2,610 | 632 | 576 | 645 | 641 | 662 | 619 | 688 | 688 | 634 |
| Sepsis of pregnancy, childbirth and puerperium; abortion with sepsis (640, 641, 651, 681, 682, 684) ... F | 60 | 61 | 10 | 16 | 17 | 21 | 12 | 9 | 19 | 17 | 15 |
| Other complications of pregnancy, childbirth and puerperium including abortion (Rem. 640-689) ... F | 183 | 166 | 48 | 45 | 50 | 43 | 48 | 41 | 34 | 39 | 52 |
| Congenital malforma- tions (750-759) ... {M | 2,783 | 2,741 | 668 | 664 | 710 | 710 | 714 | 667 | 650 | 667 | 642 |
| ... {F | 2,466 | 2,417 | 621 | 553 | 594 | 626 | 595 | 574 | 622 | 622 | 553 |
| Birth injuries, postnatal asphyxia and atelectasis (760-762) ... {M | 2,705 | 2,765 | 698 | 643 | 631 | 710 | 737 | 641 | 677 | 629 | 621 |
| ... {F | 1,753 | 1,816 | 452 | 412 | 433 | 473 | 462 | 458 | 423 | 420 | 419 |
| Infections of the newborn (763-768) ... {M | 489 | 431 | 124 | 106 | 111 | 139 | 101 | 104 | 87 | 111 | 99 |
| ... {F | 335 | 283 | 56 | 82 | 80 | 85 | 72 | 56 | 70 | 84 | 76 |
| Other diseases peculiar to early infancy, and immaturity unqualified (769-776) ... {M | 2,406 | 2,199 | 609 | 584 | 586 | 536 | 562 | 540 | 561 | 561 | 576 |
| ... {F | 1,727 | 1,656 | 448 | 407 | 411 | 409 | 456 | 394 | 397 | 391 | 420 |
| Senility without mention of psychosis, ill-defined and unknown causes (780-795) ... {M | 2,173 | 1,725 | 490 | 340 | 456 | 549 | 401 | 342 | 433 | 474 | 377 |
| ... {F | 4,092 | 3,444 | 910 | 802 | 839 | 1,077 | 843 | 728 | 796 | 991 | 791 |
| All other natural causes (Rem. 001-795) ... {M | 5,127 | 5,194 | 1,156 | 1,209 | 1,167 | 1,436 | 1,224 | 1,203 | 1,331 | 1,497 | 1,231 |
| ... {F | 7,494 | 7,244 | 1,749 | 1,581 | 1,695 | 2,100 | 1,675 | 1,632 | 1,837 | 1,974 | 1,802 |
| Deaths by violence ... {M | 14,074 | 14,244 | 3,270 | 3,382 | 3,601 | 3,722 | 3,518 | 3,336 | 3,668 | 3,625 | 3,330 |
| ... {F | 10,549 | 10,316 | 2,304 | 2,179 | 2,633 | 3,029 | 2,450 | 2,165 | 2,672 | 2,885 | 2,342 |
| Motor vehicle accidents (E810-E835) ... {M | 4,589 | 5,238 | 996 | 1,153 | 1,443 | 1,245 | 1,173 | 1,221 | 1,599 | 1,356 | 1,225 |
| ... {F | 1,762 | 2,033 | 370 | 415 | 553 | 555 | 419 | 448 | 611 | 609 | 443 |
| Other transport accidents (E800 - E802, E840 - E866) ... {M | 489 | 471 | 114 | 134 | 113 | 103 | 129 | 112 | 127 | 81 | 95 |
| ... {F | 66 | 81 | 13 | 19 | 19 | 19 | 21 | 14 | 27 | 15 | 9 |
| Accidental poisoning (E870-E895) ... {M | 928 | 780 | 186 | 142 | 199 | 284 | 184 | 124 | 188 | 249 | 161 |
| ... {F | 1,144 | 982 | 201 | 181 | 271 | 344 | 231 | 149 | 258 | 293 | 158 |
| Accidental falls (E900-E904) ... {M | 2,073 | 1,873 | 494 | 444 | 460 | 538 | 446 | 434 | 455 | 511 | 458 |
| ... {F | 3,613 | 3,441 | 796 | 735 | 800 | 1,013 | 813 | 724 | 891 | 989 | 820 |
| Accidents caused by fire or hot substance (E916, E917) ... {M | 374 | 358 | 89 | 62 | 57 | 134 | 89 | 42 | 93 | 128 | 65 |
| ... {F | 612 | 505 | 97 | 64 | 116 | 227 | 107 | 49 | 122 | 213 | 101 |
| All other accidents (Rem. E800-E962) ... {M | 2,126 | 2,193 | 516 | 576 | 477 | 515 | 603 | 623 | 452 | 501 | 545 |
| ... {F | 818 | 747 | 177 | 167 | 184 | 201 | 180 | 176 | 190 | 234 | 195 |
| Suicide and self-inflicted injury (E963, E970-E979) ... {M | 3,308 | 3,175 | 831 | 841 | 797 | 860 | 862 | 744 | 709 | 753 | 734 |
| ... {F | 2,407 | 2,391 | 623 | 574 | 652 | 626 | 644 | 577 | 544 | 510 | 581 |
| Homicide and operations of war (E964, E965, E980-E999) ... {M | 187 | 156 | 44 | 30 | 55 | 43 | 32 | 36 | 45 | 46 | 47 |
| ... {F | 127 | 136 | 27 | 24 | 38 | 44 | 35 | 28 | 29 | 22 | 35 |

Provisional.

TABLE VII
Accidental deaths registered in the quarter ended 30th September 1965
analysed by sex and age, with totals for the corresponding quarter of the previous year
England and Wales

(Classified according to the International Classification of Diseases (7th Revision 1955))

| | | | All ages September quarter | | 0— | 1— | 5— | 10-14 | Total under 15 | 15— | 25— | 45— | 65 & over | Total age 15 over |
|---|---------|--------------|----------------------------------|----------|----------|----------|----------|-----------|----------------------|-----------|------------|------------|--------------|----------------------------|
| | | | 1964 | 1965 | | | | | | | | | | |
| Home accidents*: | | | | | | | | | | | | | | |
| Coal gas poisoning (E890) | {M F | 51 50 | 68 59 | — — | 1 — | — — | 1 — | 2 — | 7 — | 5 5 | 16 12 | 38 42 | 6 5 | |
| Other poisoning (E870-E888, E891-E895) ... | {M F | 47 65 | 69 87 | — — | 5 2 | — — | — — | 5 2 | 5 1 | 18 17 | 30 41 | 11 26 | 6 8 | |
| Falls (E900-E904) | {M F | 254 589 | 275 598 | 2 1 | 9 5 | 1 1 | 1 — | 13 7 | 2 — | 10 5 | 45 29 | 205 557 | 2 5 | |
| Burns and scalds (E916-E917)... .. | {M F | 24 47 | 35 71 | 1 4 | 6 9 | 4 1 | 2 4 | 13 18 | 3 1 | 2 3 | 3 10 | 14 39 | 2 2 | |
| Choking and suffocation (E921, E922, E924, E925) ... | {M F | 53 50 | 71 44 | 45 26 | 5 2 | 1 1 | — — | 51 29 | 4 1 | 5 1 | 5 5 | 6 8 | 2 2 | |
| Other (Remainder of E870-E936) | {M F | 64 36 | 57 48 | 10 13 | 11 6 | 2 1 | 3 1 | 26 21 | 4 1 | 9 4 | 10 2 | 8 20 | 2 2 | |
| Total home accidents (E870-E936) | {M F | 493 837 | 575 907 | 58 44 | 37 24 | 8 4 | 7 5 | 110 77 | 25 4 | 49 35 | 109 99 | 282 692 | 4 8 | |
| Transport accidents: | | | | | | | | | | | | | | |
| Motor vehicle road accidents involving injury to: | | | | | | | | | | | | | | |
| Motor cyclist† (E814, E815, E821) ... | {M F | 358 35 | 318 36 | — — | — — | — — | — 1 | — 1 | 225 24 | 43 4 | 43 7 | 7 — | 3 — | |
| Pedal cyclist (E813) | {M F | 81 19 | 85 18 | — — | 2 1 | 5 — | 14 5 | 21 6 | 18 2 | 9 2 | 25 6 | 12 2 | 1 — | |
| Pedestrian (E812) | {M F | 315 226 | 332 243 | — 1 | 35 26 | 50 19 | 14 7 | 99 53 | 10 6 | 27 9 | 60 51 | 136 124 | 2 1 | |
| Occupant of motor vehicle‡ (Remainder of E810- E825) | {M F | 431 160 | 477 194 | — 2 | 7 3 | 6 4 | 3 6 | 16 15 | 170 56 | 147 30 | 108 56 | 36 37 | 4 1 | |
| Other road accidents involving injury to: | | | | | | | | | | | | | | |
| Pedal cyclist (E843) | {M F | 18 2 | 16 1 | — — | — — | — — | 5 — | 5 — | — — | 2 — | 5 — | 4 1 | — — | |
| Pedestrian (E840-E842, E844) ... | {M F | 3 5 | 2 4 | — — | — — | — — | — — | — — | — — | — — | — 2 | 2 2 | — — | |
| All other transport accidents including rail, air, water (Remainder of E800-E866) | {M F | 111 8 | 157 16 | — — | — 3 | 4 1 | 2 1 | 6 5 | 52 5 | 63 2 | 29 2 | 7 2 | 1 — | |
| Total transport accidents (E800-E866)... .. | {M F | 1,317 455 | 1,387 512 | — 3 | 44 33 | 65 24 | 38 20 | 147 80 | 475 93 | 291 47 | 270 124 | 204 168 | 1,2 4 | |
| Other accidents: | | | | | | | | | | | | | | |
| Poisonings (E870-E895)... .. | {M F | 22 29 | 33 31 | — — | — — | 1 — | — — | 1 — | 5 1 | 6 9 | 14 6 | 7 15 | — — | |
| Falls (E900-E904)... .. | {M F | 156 56 | 151 75 | 2 1 | 3 2 | 6 — | 10 1 | 21 4 | 18 4 | 24 4 | 40 9 | 48 54 | 1 — | |
| Burns (E916-E917)... .. | {M F | 15 1 | 16 2 | — — | — — | 1 1 | 2 — | 3 1 | 4 1 | 5 — | 3 — | 1 — | — — | |
| Drowning (E929) | {M F | 235 48 | 185 28 | — 1 | 23 2 | 26 1 | 21 8 | 70 12 | 35 2 | 24 3 | 39 5 | 17 6 | 1 — | |
| Other (Remainder of E870-E936) | {M F | 237 17 | 182 24 | 2 5 | 3 4 | 4 1 | 8 1 | 17 11 | 29 — | 65 4 | 65 5 | 6 4 | 1 — | |
| Total other accidents (E870-E936) | {M F | 665 151 | 567 160 | 4 7 | 29 8 | 38 3 | 41 10 | 112 28 | 91 8 | 124 20 | 161 25 | 79 79 | 4 1 | |
| §Total, all accidents September quarter 1965 (E800-E936) | {M F | | 2,529 | 62 | 110 | 111 | 86 | 369 | 591 | 464 | 540 | 565 | 2, 1, | |
| §Total, all accidents September quarter 1964 (E800-E936)... .. | {M F | 2,475 | | 51 | 89 | 103 | 100 | 343 | 581 | 504 | 525 | 522 | 2, 1, | |

* Including deaths in residential institutions. † Including passengers. ‡ Including a few deaths of other and unspecified persons.
§ Excluding deaths from therapeutic misadventure, etc., (E940-E959), and late effects of injury and poisoning (E960-E962).

TABLE VIII

Numbers of insured persons absent from work owing to certified sickness or industrial injury (or prescribed disease)

England and Wales; standard regions*

(Supplied by the Ministry of Pensions and National Insurance)

(Figures to nearest hundred)

| Area | 20th July 1965 | | 17th August 1965 | | 21st September 1965 | |
|------------------------------|----------------|--------|------------------|--------|---------------------|--------|
| | Sickness | Injury | Sickness | Injury | Sickness | Injury |
| England and Wales | 796,600 | 63,900 | 798,400 | 61,000 | 829,500 | 62,600 |
| Northern | 71,300 | 9,300 | 72,400 | 8,800 | 75,900 | 9,500 |
| East and West Ridings | 84,900 | 10,600 | 84,800 | 10,600 | 89,200 | 10,300 |
| North Western... .. | 158,000 | 9,600 | 157,100 | 9,000 | 164,400 | 9,300 |
| North Midland | 55,000 | 5,800 | 54,700 | 5,500 | 57,800 | 5,700 |
| Midland | 78,000 | 5,400 | 79,100 | 4,900 | 81,400 | 5,100 |
| Eastern | 41,900 | 2,100 | 41,600 | 2,100 | 43,000 | 2,300 |
| London and South Eastern: | | | | | | |
| Greater London | 109,500 | 4,600 | 109,300 | 4,600 | 114,200 | 4,700 |
| Remainder | 40,300 | 2,000 | 40,200 | 1,900 | 41,000 | 1,900 |
| Southern | 34,500 | 1,600 | 33,800 | 1,600 | 35,100 | 1,700 |
| South Western... .. | 51,400 | 2,600 | 51,600 | 2,600 | 52,800 | 2,700 |
| Wales | 71,700 | 10,300 | 73,900 | 9,500 | 75,000 | 9,500 |

Notes: (1) Periodical checks of the proportion of males included in the total figures of persons absent from work have shown a fairly constant level of about 70 or 71 per cent for absence caused by sickness and about 87 per cent for absence caused by industrial injury.

(2) Broadly, the whole of the civilian *working* population aged 15 and over can now qualify under the National Insurance Act for sickness benefit without limit of income, including not only those employed under contract of service but also the self-employed. There are, however, about 3½ million employed persons who do not qualify including about 3 million married women who elect not to be insured in their own right.

(3) The National Insurance (Industrial Injuries) Act applies, generally speaking, to all civilians working for an employer under contract of service or apprenticeship, corresponding closely with the class of "employed persons" under the main scheme.

(4) It is not practicable to make a straightforward count of the number of persons who are absent from work on a given day owing to sickness or industrial injury. The method followed has accordingly been to take the number of long-term certificates then current, and to add to it the number of first and intermediate certificates of incapacity received during the week ended on the given day. (The figure so obtained includes a small proportion of persons whose incapacity in fact ended before that day, and excludes a small proportion of persons whose incapacity in fact began on or before that day. Sample enquiries indicate that these factors do not produce on balance any significant effect on the national and regional totals.)

*The constitution of the standard regions of England and Wales in this Table is as follows:

| Northern | Midland | Southern | Wales II (remainder) |
|----------------------------------|------------------------------|------------------------------|----------------------|
| Cumberland | Herefordshire | Berkshire | Anglesey |
| Durham | Shropshire | Buckinghamshire | Caernarvonshire |
| Northumberland | Staffordshire | Dorset, Part of ³ | Cardiganshire |
| Westmorland | Warwickshire | Hampshire | Denbighshire |
| Yorkshire, North Riding | Worcestershire | Oxfordshire | Flintshire |
| | | Wight, Isle of | Merionethshire |
| East and West Ridings | Eastern | | Montgomeryshire |
| Yorkshire, East Riding | Bedfordshire | South Western | Pembrokeshire |
| Yorkshire, West Riding | Cambridgeshire & Isle of Ely | Cornwall | Radnorshire |
| | Essex | Devon | |
| North Western | Hertfordshire | Dorset, Part of ⁴ | |
| Cheshire | Huntingdonshire | Gloucestershire | |
| Derbyshire, Part of ¹ | Norfolk | Somerset | |
| Lancashire | Suffolk, East | Wiltshire | |
| | Suffolk, West | | |
| North Midland | | Wales I (South East) | |
| Derbyshire, Part of ² | London and South Eastern | Breconshire | |
| Leicestershire | City of London and | Cardiganshire | |
| Lincolnshire | London Boroughs | Glamorgan | |
| Parts of Holland | Kent | Monmouthshire | |
| Parts of Kesteven | Surrey | | |
| Parts of Lindsey | Sussex, East | | |
| Northamptonshire | Sussex, West | | |
| Nottinghamshire | | | |
| Peterborough, Soke of | | | |
| Rutland | | | |

¹ Buxton M.B., Glossop M.B., New Mills U.D., Whaley Bridge U.D. and Chapel en le Frith R.D.

² All except the areas stated in ¹ above.

³ Poole M.B. only.

⁴ All areas except Poole M.B.

TABLE IX

Populations, births (distinguishing stillbirths) and deaths (distinguishing deaths from certain causes) registered in the second quarter 1965 and, where available, third quarter 1965

Greater London and certain cities abroad

| CITIES | POPULATION (enumerated or estimated) | LIVE BIRTHS | STILLBIRTHS | DEATHS (excluding Stillbirths) | Rate per 1,000 living | | Deaths from | | | | | | | |
|---------------------|--|-------------|-------------|--------------------------------------|--------------------------|--|--------------------------------------|----------|-------------------|------------|-----------------------------|-----------|------------------------|--|
| | | | | | Live Births | Deaths (exclud- ing Still- births) | Typhoid and paratyphoid fevers | Smallpox | Whooping cough | Diphtheria | Tuberculosis (all forms) | Influenza | Acute poliomyelitis | Enteritis and diarrhoea (under 2 yrs.) |
| Second Quarter 1965 | | | | | | | | | | | | | | |
| GREATER LONDON | 7,948,800 | 37,272 | 553 | 20,949 | 18.7 | 10.5 | — | — | — | — | 83 | 50 | — | 3 |
| AUCKLAND ... | 515,100 | 2,887 | 39 | 1,101 | 22.4 | 8.5 | † | † | † | † | † | † | † | † |
| BRISBANE ... | 670,500 | 3,352 | 35 | 1,575 | 20.0 | 9.4 | — | — | — | — | 6 | — | — | † |
| CHRISTCHURCH ... | 243,900 | 1,074 | 18 | 583 | 17.6 | 9.6 | † | † | † | † | † | † | † | † |
| COPENHAGEN ... | 717,000 | 2,867 | 33 | 2,106 | 16.0 | 11.8 | † | † | † | † | 16 | 4 | † | † |
| GOTHENBURG ... | 418,600 | † | † | 943 | † | 9.0 | † | † | † | † | 3 | † | † | † |
| HELSINKI ... | 499,700 | 2,340 | 30 | 1,200 | 18.7 | 9.6 | † | † | † | † | 12 | 1 | † | † |
| OSLO ... | 485,000 | 1,878 | 14 | 1,293 | 15.5 | 10.7 | † | † | † | † | 4 | 5 | — | † |
| ROME ... | 2,481,966 | 13,897 | 233 | 4,979 | 22.5 | 8.0 | 1 | † | — | — | 82 | 5 | 5 | 19 |
| STOCKHOLM ... | 791,500 | 2,761 | 21 | 2,060 | 14.0 | 10.4 | — | — | — | — | 14 | — | — | 1 |
| WELLINGTON ... | 273,000 | 1,584 | 17 | 521 | 23.2 | 7.6 | † | † | † | † | † | † | † | † |
| Third Quarter 1965 | | | | | | | | | | | | | | |
| GREATER LONDON | 7,948,800 | 38,153 | 537 | 19,126 | 19.0 | 9.5 | 1 | — | — | — | 83 | 3 | — | 6 |
| AUCKLAND ... | 515,000 | 3,107 | 38 | 1,377 | 24.1 | 10.7 | † | † | † | † | † | † | † | † |
| CHRISTCHURCH ... | 243,900 | 1,074 | 18 | 583 | 17.6 | 9.6 | † | † | † | † | † | † | † | † |
| COPENHAGEN ... | 717,000 | 3,183 | 49 | 1,928 | 17.6 | 10.7 | † | † | † | † | 5 | 1 | † | † |
| GOTHENBURG ... | 418,600 | † | † | 938 | † | 8.9 | † | † | † | † | 2 | 1 | † | † |
| HELSINKI ... | 501,100 | 2,125 | 20 | 1,189 | 17.0 | 9.5 | † | † | † | † | † | † | † | † |
| OSLO ... | 485,000 | 1,660 | 20 | 1,168 | 13.6 | 9.6 | † | † | † | † | 2 | † | † | † |
| ROME ... | 2,491,728 | 13,832 | 197 | 4,301 | 22.0 | 6.8 | 4 | † | 3 | † | 72 | † | 10 | † |
| STOCKHOLM ... | 793,196 | 2,337 | 20 | 2,110 | 11.8 | 10.6 | — | — | — | — | 11 | — | — | — |
| WELLINGTON ... | 273,000 | 1,650 | 20 | 606 | 24.2 | 8.9 | † | † | † | † | † | † | † | † |

† Figures not available.

TABLE X

Meteorology: values of air temperature, rainfall and sunshine for the third quarter 1965 expressed as differences from, or percentages of, the average values†

Districts of England and Wales

(Supplied by the Director-General of the Meteorological Office)

| District | Air Temperature | | | Rainfall | | Sunshine |
|-----------------------------------|-----------------|--------|------------------------------------|-----------------------|--|-----------------------|
| | Highest | Lowest | Difference from average daily mean | Percentage of average | Number of days difference from average | Percentage of average |
| | °F. | °F. | °F. | % | | % |
| JULY 1965 | | | | | | |
| England N.E. | 72 | 29 | —4.9 | 113 | + 3 | 54 |
| England E. | 77 | 34 | —4.1 | 123 | + 6 | 59 |
| Midland Counties | 74 | 31 | —4.3 | 141 | + 3 | 60 |
| England S.E. | 75 | 36 | —3.2 | 128 | + 3 | 63 |
| England N.W., and N. Wales | 74 | 31 | —3.4 | 98 | 0 | 78 |
| England S.W., and S. Wales | 76 | 33 | —3.2 | 140 | + 4 | 76 |
| Mean | — | — | —3.9 | 124 | + 3 | 65 |
| AUGUST 1965 | | | | | | |
| England N.E. | 77 | 32 | —2.3 | 96 | + 2 | 96 |
| England E. | 80 | 36 | —2.0 | 110 | + 1 | 101 |
| Midland Counties | 79 | 35 | —1.8 | 78 | 0 | 104 |
| England S.E. | 79 | 39 | —1.4 | 100 | 0 | 95 |
| England N.W., and N. Wales | 82 | 31 | —1.6 | 83 | — 1 | 111 |
| England S.W., and S. Wales | 81 | 36 | —1.6 | 81 | + 2 | 100 |
| Mean | — | — | —1.8 | 91 | + 1 | 101 |
| SEPTEMBER 1965 | | | | | | |
| England N.E. | 73 | 32 | —1.6 | 234 | + 6 | 63 |
| England E. | 73 | 31 | —2.5 | 188 | + 1 | 91 |
| Midland Counties | 73 | 32 | —2.7 | 209 | + 4 | 84 |
| England S.E. | 72 | 33 | —2.9 | 215 | + 3 | 92 |
| England N.W., and N. Wales | 72 | 31 | —2.5 | 174 | + 1 | 74 |
| England S.W., and S. Wales | 70 | 32 | —3.4 | 138 | + 4 | 77 |
| Mean | — | — | —2.6 | 193 | + 3 | 80 |
| 3rd QUARTER 1965 | | | | | | |
| England N.E. | 77 | 29 | —2.9 | 148 | + 11 | 71 |
| England E. | 80 | 31 | —2.9 | 140 | + 8 | 84 |
| Midland Counties | 79 | 31 | —2.9 | 143 | + 7 | 83 |
| England S.E. | 79 | 33 | —2.5 | 148 | + 6 | 83 |
| England N.W., and N. Wales | 82 | 31 | —2.5 | 118 | 0 | 88 |
| England S.W., and S. Wales | 81 | 32 | —2.7 | 120 | + 10 | 84 |
| Mean | — | — | —2.7 | 136 | + 7 | 82 |

† The averages used for rainfall and raindays are for the period 1916-50, while those for sunshine and temperatures are for 1931-60.

APPENDIX A

Estimated population, total, home and civilian, by sex and age, as at 30th June 1965

England and Wales

(Figures in thousands)

Note: The estimates of population described as "home", "total" and "civilian" have the following content:

Home population—the population, of all types, actually in England and Wales.

Total population—the home population *plus* members of H.M. Forces belonging to England and Wales and serving overseas but *minus* the Forces of other countries temporarily in England and Wales.

Civilian population—the total population *minus* members of H.M. Forces belonging to England and Wales at home or overseas.

| Age | Total | | | Home | | | Civilian | | |
|-------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | Persons | Males | Females | Persons | Males | Females | Persons | Males | Females |
| All ages | 47,884.3 | 23,346.7 | 24,537.6 | 47,762.8 | 23,227.0 | 34,535.8 | 47,513.4 | 22,989.3 | 24,524.1 |
| 0 | 851.3 | 436.9 | 414.4 | 851.3 | 436.9 | 414.4 | 851.3 | 436.9 | 414.4 |
| 1 | 844.6 | 433.3 | 411.3 | 844.6 | 433.3 | 411.3 | 844.6 | 433.3 | 411.3 |
| 2 | 828.5 | 424.8 | 403.7 | 828.5 | 424.8 | 403.7 | 828.5 | 424.8 | 403.7 |
| 3 | 810.6 | 415.6 | 395.0 | 810.6 | 415.6 | 395.0 | 810.6 | 415.6 | 395.0 |
| 4 | 778.4 | 399.5 | 378.9 | 778.4 | 399.5 | 378.9 | 778.4 | 399.5 | 378.9 |
| 5 | 741.6 | 380.6 | 361.0 | 741.6 | 380.6 | 361.0 | 741.6 | 380.6 | 361.0 |
| 6 | 727.1 | 372.7 | 354.4 | 727.1 | 372.7 | 354.4 | 727.1 | 372.7 | 354.4 |
| 7 | 711.7 | 364.8 | 346.9 | 711.7 | 364.8 | 346.9 | 711.7 | 364.8 | 346.9 |
| 8 | 684.5 | 350.8 | 333.7 | 684.5 | 350.8 | 333.7 | 684.5 | 350.8 | 333.7 |
| 9 | 660.3 | 338.4 | 321.9 | 660.3 | 338.4 | 321.9 | 660.3 | 338.4 | 321.9 |
| 10 | 646.3 | 330.8 | 315.5 | 646.3 | 330.8 | 315.5 | 646.3 | 330.8 | 315.5 |
| 11 | 656.8 | 335.7 | 321.1 | 656.8 | 335.7 | 321.1 | 656.8 | 335.7 | 321.1 |
| 12 | 650.6 | 332.7 | 317.9 | 650.6 | 332.7 | 317.9 | 650.6 | 332.7 | 317.9 |
| 13 | 649.3 | 332.1 | 317.2 | 649.3 | 332.1 | 317.2 | 649.3 | 332.1 | 317.2 |
| 14 | 663.0 | 339.4 | 323.6 | 663.0 | 339.4 | 323.6 | 663.0 | 339.4 | 323.6 |
| 15 | 692.6 | 354.9 | 337.7 | 692.7 | 355.0 | 337.7 | 691.7 | 354.0 | 337.7 |
| 16 | 724.5 | 372.3 | 352.2 | 725.0 | 372.8 | 352.2 | 715.8 | 363.6 | 352.2 |
| 17 | 790.1 | 405.2 | 384.9 | 789.7 | 404.8 | 384.9 | 774.2 | 390.3 | 383.9 |
| 18 | 841.2 | 431.8 | 409.4 | 834.9 | 425.5 | 409.4 | 818.2 | 411.1 | 407.1 |
| 19 | 693.0 | 355.4 | 337.6 | 684.1 | 346.7 | 337.4 | 670.5 | 335.0 | 335.5 |
| 20 | 687.8 | 352.1 | 335.7 | 676.3 | 341.0 | 335.3 | 662.7 | 328.9 | 333.8 |
| All ages under 21 | 15,333.8 | 7,859.8 | 7,474.0 | 15,307.3 | 7,833.9 | 7,473.4 | 15,237.7 | 7,771.0 | 7,466.7 |
| 0-4 | 4,113.4 | 2,110.1 | 2,003.3 | 4,113.4 | 2,110.1 | 2,003.3 | 4,113.4 | 2,110.1 | 2,003.3 |
| 5-9 | 3,525.2 | 1,807.3 | 1,717.9 | 3,525.2 | 1,807.3 | 1,717.9 | 3,525.2 | 1,807.3 | 1,717.9 |
| 10-14 | 3,266.0 | 1,670.7 | 1,595.3 | 3,266.0 | 1,670.7 | 1,595.3 | 3,266.0 | 1,670.7 | 1,595.3 |
| 15-19 | 3,741.4 | 1,919.6 | 1,821.8 | 3,726.4 | 1,904.8 | 1,821.6 | 3,670.4 | 1,854.0 | 1,816.4 |
| 20-24 | 3,222.8 | 1,639.6 | 1,583.2 | 3,173.7 | 1,591.5 | 1,582.2 | 3,107.7 | 1,529.5 | 1,578.2 |
| 25-29 | 3,027.0 | 1,548.0 | 1,479.0 | 3,001.7 | 1,523.0 | 1,478.7 | 2,952.6 | 1,474.7 | 1,477.9 |
| 30-34 | 2,944.8 | 1,520.0 | 1,424.8 | 2,931.1 | 1,506.5 | 1,424.6 | 2,904.1 | 1,479.9 | 1,424.2 |
| 35-39 | 3,025.7 | 1,538.2 | 1,487.5 | 3,015.8 | 1,528.4 | 1,487.4 | 2,995.5 | 1,508.4 | 1,487.1 |
| 40-44 | 3,334.5 | 1,673.7 | 1,660.8 | 3,329.5 | 1,668.7 | 1,660.8 | 3,313.0 | 1,652.6 | 1,660.4 |
| 45-49 | 2,924.2 | 1,447.3 | 1,476.9 | 2,921.7 | 1,444.8 | 1,476.9 | 2,912.2 | 1,435.6 | 1,476.6 |
| 50-54 | 3,190.0 | 1,550.7 | 1,639.3 | 3,189.1 | 1,549.8 | 1,639.3 | 3,184.6 | 1,545.5 | 1,639.1 |
| 55-59 | 3,046.4 | 1,464.5 | 1,581.9 | 3,046.3 | 1,464.4 | 1,581.9 | 3,045.8 | 1,464.0 | 1,581.8 |
| 60-64 | 2,694.3 | 1,254.3 | 1,440.0 | 2,694.3 | 1,254.3 | 1,440.0 | 2,694.3 | 1,254.3 | 1,440.0 |
| 65-69 | 2,112.3 | 885.8 | 1,226.5 | 2,112.3 | 885.8 | 1,226.5 | 2,112.3 | 885.8 | 1,226.5 |
| 70-74 | 1,609.7 | 619.1 | 990.6 | 1,609.7 | 619.1 | 990.6 | 1,609.7 | 619.1 | 990.6 |
| 75-79 | 1,116.9 | 392.3 | 724.6 | 1,116.9 | 392.3 | 724.6 | 1,116.9 | 392.3 | 724.6 |
| 80-84 | 637.7 | 205.9 | 431.8 | 637.7 | 205.9 | 431.8 | 637.7 | 205.9 | 431.8 |
| 85 and over | 352.0 | 99.6 | 252.4 | 352.0 | 99.6 | 252.4 | 352.0 | 99.6 | 252.4 |

APPENDIX B

Migration¹ into and out from the United Kingdom² during 1964, by sex, citizenship and route travelled (Figures in thousands)

Note: Figures derived from the International Passenger Survey³.

| Route/citizenship | Into United Kingdom | | | Out from United Kingdom | | | Balance | | |
|-------------------|---------------------|-------|---------|-------------------------|-------|---------|---------|-------|---------|
| | Persons | Males | Females | Persons | Males | Females | Persons | Males | Females |
| All routes | | | | | | | | | |
| British | 71.5 | 33.0 | 38.5 | 202.3 | 98.1 | 104.2 | -130.8 | -65.1 | -65.7 |
| Commonwealth | 73.1 | 39.2 | 33.9 | 29.8 | 15.9 | 14.0 | +43.3 | +23.3 | +19.9 |
| Alien | 67.2 | 30.8 | 36.3 | 39.6 | 16.1 | 23.5 | +27.6 | +14.8 | +12.8 |
| Total | 211.7 | 103.0 | 108.7 | 271.7 | 130.1 | 141.6 | -60.0 | -27.0 | -32.9 |
| Long sea routes | | | | | | | | | |
| British | 28.6 | 13.0 | 15.6 | 85.8 | 40.8 | 45.0 | -57.2 | -27.8 | -29.5 |
| Commonwealth | 15.4 | 6.8 | 8.6 | 14.3 | 6.7 | 7.6 | +1.1 | +0.1 | +0.9 |
| Alien | 6.1 | 3.1 | 3.0 | 5.7 | 2.9 | 2.8 | +0.4 | +0.2 | +0.2 |
| Total | 50.1 | 22.9 | 27.2 | 105.8 | 50.3 | 55.5 | -55.7 | -27.4 | -28.3 |
| Short sea routes | | | | | | | | | |
| British | 14.9 | 6.7 | 8.2 | 16.5 | 7.5 | 8.9 | -1.6 | -0.9 | -0.7 |
| Commonwealth | 11.5 | 5.3 | 6.1 | 3.3 | 1.2 | 2.0 | +8.2 | +4.1 | +4.1 |
| Alien | 34.0 | 14.7 | 19.3 | 19.1 | 6.2 | 12.8 | +15.0 | +8.5 | +6.5 |
| Total | 60.4 | 26.7 | 33.7 | 38.8 | 15.0 | 23.8 | -21.6 | -11.7 | -9.9 |
| Long air routes | | | | | | | | | |
| British | 18.1 | 9.0 | 9.1 | 84.6 | 42.8 | 41.8 | -66.6 | -33.8 | -32.7 |
| Commonwealth | 40.0 | 22.4 | 17.5 | 10.6 | 7.1 | 3.5 | +29.4 | +15.3 | +14.1 |
| Alien | 9.8 | 5.3 | 4.5 | 8.4 | 4.5 | 3.9 | +1.4 | +0.8 | +0.6 |
| Total | 67.8 | 36.8 | 31.1 | 103.6 | 54.5 | 49.2 | -35.8 | -17.7 | -18.1 |
| Short air routes | | | | | | | | | |
| British | 10.0 | 4.3 | 5.7 | 15.4 | 7.0 | 8.4 | -5.4 | -2.7 | -2.7 |
| Commonwealth | 6.2 | 4.6 | 1.6 | 1.6 | 0.8 | 0.8 | +4.6 | +3.8 | +0.8 |
| Alien | 17.2 | 7.7 | 9.5 | 6.4 | 2.5 | 4.0 | +10.8 | +5.3 | +5.5 |
| Total | 33.4 | 16.6 | 16.8 | 23.4 | 10.3 | 13.2 | -10.0 | -6.4 | -3.6 |

¹ A declared intention by the passenger to reside in or leave the country for at least a year.

² Excluding routes between the United Kingdom and the Irish Republic.

³ These are grossed sample items and are accordingly subject to error. For the complex nature of the sample, reference may be made to the *Board of Trade Journal* of 10th September 1965.

APPENDIX C

Migration into and out from the United Kingdom during 1964, by sex, age and marital condition
(Figures in thousands)

Note: Figures derived from the International Passenger Survey.

| Age/marital condition | Into United Kingdom | | | Out from United Kingdom | | | Balance | | |
|-----------------------|---------------------|-------|---------|-------------------------|-------|---------|---------|-------|---------|
| | Persons | Males | Females | Persons | Males | Females | Persons | Males | Females |
| All Ages | | | | | | | | | |
| Single ... | 156.8 | 80.3 | 76.5 | 192.7 | 96.2 | 96.4 | 35.8 | 15.9 | 19.9 |
| Married ... | 46.1 | 21.2 | 24.9 | 69.5 | 30.4 | 39.1 | 23.4 | 9.2 | 14.2 |
| Other ... | 8.8 | 1.5 | 7.3 | 9.5 | 3.5 | 6.1 | 0.7 | 2.0 | 1.3 |
| Total ... | 211.7 | 103.0 | 108.7 | 271.7 | 130.1 | 141.6 | 60.0 | 27.0 | 32.9 |
| Under 15 | | | | | | | | | |
| Single ... | 43.0 | 20.5 | 22.5 | 66.9 | 34.6 | 32.3 | 23.9 | 14.1 | 9.8 |
| Married ... | — | — | — | — | — | — | — | — | — |
| Other ... | — | — | — | — | — | — | — | — | — |
| Total ... | 43.0 | 20.5 | 22.5 | 66.9 | 34.6 | 32.3 | 23.9 | 14.1 | 9.8 |
| 15-24 | | | | | | | | | |
| Single ... | 58.9 | 28.1 | 30.8 | 53.7 | 22.2 | 31.5 | 5.3 | 5.9 | 0.6 |
| Married ... | 11.6 | 3.9 | 7.7 | 20.5 | 5.8 | 14.8 | 8.9 | 1.9 | 7.0 |
| Other ... | 1.3 | 0.3 | 1.0 | 0.8 | 0.4 | 0.4 | — | 0.1 | 0.6 |
| Total ... | 71.9 | 32.3 | 39.6 | 75.0 | 28.4 | 46.7 | 3.1 | 3.9 | 7.1 |
| 25-44 | | | | | | | | | |
| Single ... | 44.1 | 25.0 | 19.1 | 57.4 | 31.2 | 26.2 | 13.3 | 6.2 | 7.1 |
| Married ... | 29.6 | 14.9 | 14.7 | 43.3 | 21.5 | 21.7 | 13.7 | 6.7 | 7.0 |
| Other ... | 3.5 | 0.6 | 2.9 | 2.4 | 1.2 | 1.2 | 1.1 | 0.6 | 1.6 |
| Total ... | 77.2 | 40.5 | 36.7 | 103.1 | 54.0 | 49.2 | 25.9 | 13.4 | 12.5 |
| 45-64 | | | | | | | | | |
| Single ... | 8.7 | 5.7 | 3.0 | 12.1 | 7.0 | 5.1 | 3.4 | 1.2 | 2.1 |
| Married ... | 4.3 | 2.2 | 2.1 | 4.8 | 2.6 | 2.2 | 0.4 | 0.4 | 0.0 |
| Other ... | 1.7 | 0.2 | 1.5 | 3.3 | 1.0 | 2.3 | 1.6 | 0.8 | 0.8 |
| Total ... | 14.7 | 8.1 | 6.6 | 20.2 | 10.6 | 9.6 | 5.4 | 2.5 | 3.0 |
| 65 and over | | | | | | | | | |
| Single ... | 2.0 | 1.0 | 1.1 | 2.5 | 1.2 | 1.3 | 0.5 | 0.2 | 0.3 |
| Married ... | 0.6 | 0.3 | 0.3 | 1.0 | 0.5 | 0.4 | 0.4 | 0.2 | 0.1 |
| Other ... | 2.3 | 0.3 | 2.0 | 3.0 | 0.8 | 2.1 | 0.7 | 0.5 | 0.2 |
| Total ... | 4.9 | 1.6 | 3.3 | 6.4 | 2.6 | 3.9 | 1.5 | 1.0 | 0.6 |

See footnotes to Appendix B

APPENDIX D Migration into and out from the United Kingdom during 1964, by sex, occupation and citizenship (Figures in thousands)

Note: Figures derived from the International Passenger Survey.

| Occupation ¹ /citizenship | Into United Kingdom | | | Out from United Kingdom | | | Balance | |
|--|---------------------|-------|---------|-------------------------|-------|---------|---------|---------|
| | Persons | Males | Females | Persons | Males | Females | Persons | Females |
| Professional and managerial ² | | | | | | | | |
| British | 13.9 | 9.0 | 4.9 | 30.5 | 19.2 | 11.3 | — 10.2 | — 6.3 |
| Commonwealth | 12.2 | 7.7 | 4.5 | 7.2 | 4.6 | 2.7 | + 3.1 | + 1.8 |
| Alien | 10.7 | 7.6 | 3.2 | 6.7 | 3.7 | 3.0 | + 3.8 | + 0.2 |
| Total | 36.8 | 24.2 | 12.6 | 44.4 | 27.5 | 16.9 | — 3.3 | — 4.3 |
| Manual and clerical ³ | | | | | | | | |
| British | 18.3 | 10.5 | 7.8 | 75.5 | 44.1 | 31.4 | — 33.6 | — 23.6 |
| Commonwealth | 19.0 | 12.3 | 6.7 | 9.5 | 5.0 | 4.5 | + 7.3 | + 2.2 |
| Alien | 22.6 | 10.8 | 11.8 | 14.0 | 5.0 | 9.0 | + 5.8 | + 2.8 |
| Total | 59.9 | 33.6 | 26.3 | 99.1 | 54.1 | 44.9 | — 20.6 | — 18.6 |
| Armed Forces, students | | | | | | | | |
| British | 5.8 | 2.9 | 2.8 | 6.5 | 3.8 | 2.6 | — 0.7 | — 0.2 |
| Commonwealth | 14.1 | 9.7 | 4.4 | 3.0 | 2.4 | 0.6 | + 11.0 | + 3.8 |
| Alien | 13.0 | 6.5 | 6.5 | 7.3 | 2.9 | 4.5 | + 5.7 | + 2.0 |
| Total | 32.9 | 19.1 | 13.7 | 16.8 | 9.1 | 7.7 | + 16.0 | + 6.0 |
| Housewives ⁴ | | | | | | | | |
| British | 12.0 | 0.1 | 11.9 | 31.4 | 0.1 | 31.2 | — 19.4 | — 19.4 |
| Commonwealth | 9.0 | 0.0 | 9.0 | 3.1 | 0.0 | 3.1 | + 5.9 | + 5.9 |
| Alien | 7.0 | — | 7.0 | 2.9 | — | 2.9 | + 4.1 | + 4.1 |
| Total | 28.0 | 0.1 | 27.9 | 37.4 | 0.2 | 37.2 | — 0.0 | — 9.4 |
| No occupation (i.e. almost all children) and 'not known' | | | | | | | | |
| British | 21.6 | 10.5 | 11.1 | 58.5 | 30.8 | 27.7 | — 36.9 | — 16.6 |
| Commonwealth | 18.8 | 9.5 | 9.3 | 6.9 | 3.9 | 3.1 | + 11.9 | + 6.2 |
| Alien | 13.8 | 6.0 | 7.9 | 8.6 | 4.5 | 4.1 | + 5.2 | + 3.8 |
| Total | 54.2 | 26.0 | 28.2 | 74.0 | 39.2 | 34.8 | — 13.2 | — 6.6 |

¹ Selected from interviewer's list by migrant.

² Administrators, managers and persons with professional and technological qualifications.

³ All occupations not defined elsewhere.

⁴ Persons who are responsible for most of the domestic duties in a household.

See footnotes to Appendix B.

© *Crown copyright* 1966

Published by

HER MAJESTY'S STATIONERY OFFICE

To be purchased from

49 High Holborn, London W.C.1

423 Oxford Street, London W.1

13A Castle Street, Edinburgh 2

109 St. Mary Street, Cardiff

Brazennose Street, Manchester 2

50 Fairfax Street, Bristol 1

35 Smallbrook, Ringway, Birmingham 5

80 Chichester Street, Belfast 1

or through any bookseller

Printed in England for Her Majesty's Stationery Office
by Stephenson Newspapers Limited

No. 468

4th Quarter 1965

GENERAL REGISTER OFFICE

THE REGISTRAR GENERAL'S
QUARTERLY RETURN FOR
ENGLAND AND WALES

**BIRTHS, DEATHS AND
MARRIAGES
INFECTIOUS DISEASES
WEATHER
POPULATION ESTIMATES**

Quarter ended 31st December 1965



LONDON

HER MAJESTY'S STATIONERY OFFICE
1966

PRICE 2s. 6d. NET

TABLE OF CONTENTS

| | Pag |
|---|-----|
| General Notes | |
| Special Notes | |
| Non-Quarterly Statistics..... | |
| Notes on the Quarter..... | |
| Notes on the Year 1965..... | |
| Births, Deaths, Marriages and Infectious Diseases | |
| Table I Live births and stillbirths—occurrences during the period. Marriages and deaths—total numbers registered. Years 1955 to 1965 and each quarter of those years. England and Wales | |
| Table II Persons marrying, live births—annual rates per 1,000 total population. Deaths—annual rates per 1,000 home population. Stillbirths and perinatal mortality—rates per 1,000 total live and still birth occurrences. Deaths under 1 year and deaths under 4 weeks—rates per 1,000 live birth occurrences. Years 1955 to 1965 and each quarter of those years. England and Wales..... | |
| Table IIa Seasonally adjusted quarterly live birth occurrences—numbers (in thousands) and annual rates per 1,000 population, 1951 to 1965. England and Wales..... | |
| Table III Live births, stillbirths and deaths—total numbers registered. Live births and deaths—annual rates per 1,000 population. Stillbirths and perinatal mortality—rates per 1,000 total live and still births. Infant mortality rates per 1,000 live births. Last five quarters. England and Wales, revised standard regions and hospital regions | |
| Table IV Notifications of certain infectious diseases in the quarter. England and Wales, counties, county boroughs, Greater London, City of London, London boroughs and port health districts..... | 1 |
| Table IVa Corrected notifications of certain infectious diseases in the preceding quarter, analysed by sex and age. England and Wales | 1 |
| Table V Infant mortality. Rates by quarters and each completed year, 1963 to 1965. England and Wales and various other countries | 1 |
| Table VI Deaths by cause and sex, 1963 and 1964, and each of the last nine available quarters, classified according to the International Abbreviated List with certain sub-divisions. England and Wales | 1 |
| Table VII Accidental deaths registered in the quarter, analysed by sex and age, with totals for the corresponding quarter of the previous year. England and Wales..... | 2 |
| Table VIII Numbers of insured persons absent from work owing to certified sickness or industrial injury (or prescribed disease). England and Wales and standard regions... | 2 |
| Table IX Population, births (distinguishing stillbirths) and deaths (distinguishing deaths from certain causes) registered in the last two quarters. Greater London and certain cities abroad | 2 |
| Meteorology | |
| Table X Values of air temperature, rainfall and sunshine for the quarter, expressed as differences from, or percentages of, the average values. Districts of England and Wales | 2 |
| Appendices | |
| A. Estimated population as at 30th June 1965 of children aged under 1 year, 1-4 years and 5-14 years, in England and Wales and in administrative counties, county boroughs, Greater London, City of London and London boroughs..... | 2 |
| B. Total population, projections from mid-1965, by sex and age, England and Wales..... | 2 |
| C. Notes on the population projections in Appendix B..... | 2 |
| D. Congenital malformations, Numbers notified in respect of live and still born infants born during 1964, with distribution by site of malformation, England and Wales, county boroughs and administrative counties..... | 3 |
| E. Congenital malformations. Numbers notified in respect of infants born during 1964, by site of malformation, sex and type of birth: rates per 10,000 births of each sex and type..... | 3 |

| Appendices (continued) | Page |
|--|------|
| F. Migration into and out from the United Kingdom during 1964 by sex, age and citizenship... | 34 |
| G. Migration between the United Kingdom and countries overseas during 1964..... | 35 |
| H. Changes in boundaries, names, etc., of counties, boroughs, urban and rural districts during the six months ended 31st December, 1965..... | 35 |

GENERAL NOTES

- 1. The figures in this Return are provisional until confirmed in the Statistical Reviews. Births and deaths are tabulated from returns furnished to the Registrar General by Registrars of Births and Deaths; marriages from returns furnished by the Clergy, Authorised Persons, Registrars of Marriages and others; and notifications of infectious diseases (Tables IV and IVa) from special quarterly statements furnished to the Registrar General by Medical Officers of Health. Owing to the time required to obtain complete marriage returns for a quarter, the latest marriage figures available for inclusion in this return relate to the *preceding* quarter.
- 2. Definitions of areas. "Counties"=administrative counties together with their associated county boroughs; "Greater London"=the Greater London administrative area as defined under the London Government Act, 1963, comprising 32 London boroughs, and the City of London (including the Inner and Middle Temple); "C.B."=county borough; "M.B."=municipal borough; "U.D."=urban district; "R.D."=rural district.
- 3. The **home** population comprises the population, of all types, actually in England and Wales, distributed by area according to residence. The **total** population comprises the **home** population plus members of H.M. Forces belonging to England and Wales and serving overseas but minus the forces of other countries temporarily in England and Wales.
- 4. Non-civilians are included in all figures except where otherwise stated.
- 5. Except in Table III and unless otherwise stated, the births recorded are those which **occurred** during the period using estimated figures for the latest quarter. Births are assigned to the area of the mother's usual residence if this is within England and Wales; if not, to the area of occurrence.
In Table III the births relate to the number **registered** during the period. Those recorded for the current quarter only relate to the area in which the birth occurred.
- 6. The deaths recorded for England and Wales are those registered during the period. Except for the current quarter of Table III the deaths are assigned to the area of usual residence of the deceased if this is within England and Wales; if not, to the area of occurrence.
- 7. The notifications of infectious diseases have been corrected for changes in diagnosis by the notifying medical practitioner or the medical superintendent of the infectious diseases hospital.

SPECIAL NOTES

Congenital Malformations. As a result of a scheme introduced by the Ministry of Health with effect from 1st January, 1964, the General Register Office receives notifications from local health authorities of all congenital malformations observable at the time of birth (live or still).

Appendix D shows the notifications in respect of births in 1964, analysed according to the site of malformation and the area of mother's usual residence. Appendix E shows the numbers of notifications and the rates per 10,000 births according to the site of malformation, sex, and type of birth.

One new migration table has been introduced and one other modified in this Return. They appear as Appendices F and G respectively.

The projections of the total populations are shown as usual in Appendix B, and Appendix C contains a note discussing these projections and in particular the assumptions on which they are based.

The adoption of revised Standard Regions in the Quarterly Return (see Special Note, page 3, in the return for the September Quarter, 1965) has delayed production of the estimates of the mid-1965 populations, by sex and age, in the revised Standard Regions, Conurbations, and Hospital Regions, which would normally have appeared as Appendices A and B of this Return. These tables will be published in the Return for the March Quarter 1966.

Readers who are anxious to have the details of these Appendices before the publication of the next Return should write to the General Register Office, Somerset House, Strand, London, W.C.2; copies will be supplied to them as soon as they become available.

NON-QUARTERLY STATISTICS

Certain non-quarterly information is published in the Quarterly Return as stated below:

Half-Yearly

June and December Returns

Lists of the changes in boundaries, names, etc., of local authority areas during the six months ending 30th June and 31st December respectively.

Yearly

March Return

- (1) Estimated home population as at 30th June, marriages, births (distinguishing stillbirths) and deaths (distinguishing deaths of infants under 1 year of age) registered in England and Wales during the preceding year, showing those assigned to each administrative county (with associated county boroughs).
- (2) Estimated home population as at 30th June for the preceding year, births (distinguishing stillbirths), deaths (distinguishing deaths of infants under 1 year of age and deaths from certain causes) registered in England and Wales during the preceding year, showing those assigned to municipal boroughs and urban districts with a resident population of 25,000 and over at the Census, 1961, county boroughs, Greater London, City of London and London boroughs, with comparative figures for four Scottish and Irish towns.
- (3) Deaths registered during the preceding year and assigned to Greater London, analysed by cause and age.
- (4) Infant mortality in England and Wales, planning regions and certain large towns in the preceding three years.
- (5) Populations, births (distinguishing stillbirths) and deaths (distinguishing deaths from certain causes) for the preceding year in Greater London and certain cities abroad.
- (6) Births registered in the preceding year by sex and legitimacy and the illegitimacy rate.

June Return

- (1) A presentation of mortality from certain causes in the preceding year in terms of the resulting loss in expected years of life.
- (2) Deaths registered in the preceding year in England and Wales distinguishing 36 causes of death (Registrar General's Abridged List) by sex and age.
- (3) An abridged life table constructed from the estimated home population and deaths in England and Wales for the preceding three years.

September Return

- (1) Estimates of the sex and age distribution of the total, home and civilian populations of England and Wales as a whole as at 30th June.
- (2) Migration into and out from the United Kingdom by sex, citizenship and route travelled.
- (3) Migration into and out from the United Kingdom by sex, age and marital condition.
- (4) Migration into and out from the United Kingdom by sex, occupation and citizenship.

December Return

- (1) A textual summary of the vital statistics of England and Wales for the year then ended.
- (2) A table showing the home population of England and Wales and each revised standard region and conurbation by sex and age as at 30th June.
- (3) Projections of the total populations for England and Wales by sex and age as at 30th June.
- (4) Home populations of each hospital region in England and Wales by sex and age as at 30th June.
- (5) Migration into and out from the United Kingdom by sex, age and citizenship.
- (6) Migration between the United Kingdom and countries overseas.
- (7) Estimated population, as at 30th June, of children aged under 1 year, 1-4 years and 5-14 years, in England and Wales and in administrative counties, county boroughs, Greater London, City of London and London boroughs.

NOTES ON THE FOURTH QUARTER OF 1965, ENGLAND AND WALES

Live Births

There were an estimated 207,000 live births during this quarter, representing a live birth rate based on the total population for mid-1965 of 17.2 per thousand. Table II(a) indicates that the number of seasonally adjusted births was slightly higher in the second half of 1965 than in the first half. However, it was still lower than the corresponding figure for 1964.

Stillbirths

The 3,300 stillbirth occurrences represent 15.7 per 1,000 of the total live and still births. This rate is 0.5 lower than that for the fourth quarter of 1964.

Deaths

The number of deaths registered was 143,090, representing a death rate, based on the 1965 home population, of 11.9 per 1,000; it compares with 11.6 for the corresponding quarter of 1964, and an average death rate for the fourth quarters of the five years 1959-63 of 11.7.

The deaths of children under one year of age numbered 4,080* representing an infant mortality rate of 19.7 per 1,000 live births; this was 1.0 per 1,000 lower than that for the fourth quarter of 1964. This compares with a rate of 24.8 for the corresponding quarter of 1955.

The death rates from tuberculosis (all forms), pneumonia and influenza per million population, with comparative rates for the preceding five quarters, were as follows:—

| Quarter | Tuberculosis (all forms) | | Pneumonia | | Influenza | |
|---------|-----------------------------|-------------------|--------------|-------------------|--------------|-------------------|
| | Un-corrected | Corrected | Un-corrected | Corrected | Un-corrected | Corrected |
| 1964 | | | | | | |
| Third | 43 | 44 | 495 | 404 | 2 | 2 |
| Fourth | 50 | 49 | 745 | 630 | 13 | 13 |
| 1965 | | | | | | |
| First | 53 | 54 | 1,026 | 911 | 31 | 32 |
| Second | 47 | 47 | 723 | 627 | 19 | 20 |
| Third | 39 | 40 | 525 | 438 | 3 | 3 |
| Fourth | 50 | Not yet available | 777 | Not yet available | 12 | Not yet available |

There were no cases of smallpox notified and no deaths from this cause registered during the quarter.

Natural Increase

Births exceeded deaths by about 64,000. Corresponding figures for the fourth quarters of 1964, 1963 and 1962 were 69,227, 68,852 and 59,204 respectively.

* The number of infant deaths in provisional returns has recently tended to be understated; the figure has been adjusted by an estimate of the amount of the deficiency.

NOTES ON THE YEAR 1965, ENGLAND AND WALES

Live births

The estimated number of live birth occurrences in 1965 was 864,000 which represents a live birth rate per 1,000 total population of 18.0. This is the first year since 1955 that births have fallen compared with the previous year. In 1964 there were 875,972 births, giving a rate of 18.4 per 1,000 total population.

Stillbirths

The provisional stillbirth rate was 15.7 per 1,000 total live and still births compared with 16.3 for 1964.

Deaths

The death rate was 11.5 per 1,000 home population. This was 0.2 higher than that for 1964. Infant mortality was 19.0 per 1,000 live births and was the lowest ever recorded in this country. It was 0.9 per 1,000 below that for 1964.

Natural Increase

Births exceeded deaths by about 315,000. The corresponding increase for the preceding year was 341,235 and the average for 1959-63 was 260,281.

Population Estimates

The estimated total population, as at 30th June, was 47,884,300 which was 373,300 greater than the estimate for 1964. The estimated home population for 1965 was 47,762,800.

TABLE I

Live births and stillbirths: occurrences during the period

Marriages, deaths: total numbers registered

Years 1955 to 1965 and each quarter of those years, England and Wales

| — | 1955 | 1956 | 1957 | 1958 | 1959 | 1960 | 1961 | 1962 | 1963 | 1964 | 1965(a) |
|--|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|------------|
| MARRIAGES | | | | | | | | | | | |
| Year ... | 357,918 | 352,944 | 346,903 | 339,913 | 340,126 | 343,614 | 346,678 | 347,732 | 351,329 | 358,548 | |
| March Qtr. | 100,696 | 107,122 | 110,092 | 102,629 | 101,430 | 88,944 | 84,448 | 100,925 | 97,309 | 97,493 | 97,403 |
| June " | 74,763 | 68,821 | 65,804 | 66,211 | 63,281 | 72,895 | 76,169 | 63,072 | 63,564 | 68,380 | 73,590 |
| September " | 106,691 | 106,923 | 103,617 | 101,698 | 102,591 | 103,580 | 112,367 | 107,677 | 110,985 | 110,936 | 113,367 |
| December " | 75,768 | 70,078 | 67,390 | 69,375 | 72,824 | 78,195 | 73,694 | 76,058 | 79,471 | 81,739 | (b) |
| LIVE BIRTHS | | | | | | | | | | | |
| Year ... | 667,811 | 700,335 | 723,381 | 740,715 | 748,501 | 785,005 | 811,281 | 838,736 | 854,055 | 875,972 | 864,000(c) |
| March Qtr. | 168,382 | 178,893 | 181,794 | 189,942 | 193,202 | 197,614 | 203,306 | 213,590 | 218,830 | 222,986 | 219,328 |
| June " | 172,483 | 181,375 | 187,797 | 189,019 | 194,103 | 200,374 | 207,540 | 216,914 | 221,054 | 225,880 | 220,733 |
| September " | 165,670 | 174,445 | 179,112 | 180,266 | 185,684 | 196,674 | 204,067 | 208,971 | 212,257 | 219,778 | 216,920 |
| December " | 161,276 | 165,622 | 174,678 | 181,488 | 175,512 | 190,343 | 196,368 | 199,261 | 201,914 | 207,328 | 207,000(c) |
| STILLBIRTHS | | | | | | | | | | | |
| Year ... | 15,829 | 16,405 | 16,615 | 16,288 | 15,901 | 15,819 | 15,727 | 15,464 | 14,989 | 14,546 | 13,800(c) |
| March Qtr. | 4,058 | 4,340 | 4,289 | 4,195 | 4,226 | 4,017 | 4,004 | 4,106 | 4,039 | 3,794 | 3,604 |
| June " | 3,948 | 4,199 | 4,249 | 4,041 | 4,171 | 4,118 | 3,862 | 3,936 | 3,768 | 3,771 | 3,488 |
| September " | 3,909 | 3,969 | 4,046 | 3,992 | 3,876 | 3,869 | 3,846 | 3,767 | 3,542 | 3,564 | 3,404 |
| December " | 3,914 | 3,897 | 4,031 | 4,060 | 3,628 | 3,815 | 4,015 | 3,655 | 3,640 | 3,417 | 3,300(c) |
| DEATHS (excluding stillbirths): ALL AGES | | | | | | | | | | | |
| Year ... | 518,864 | 521,331 | 514,870 | 526,843 | 527,651 | 526,268 | 551,752 | 557,636 | 572,868 | 534,737 | 549,320 |
| March Qtr. | 168,645 | 170,292 | 134,557 | 163,595 | 176,880 | 149,037 | 177,043 | 178,210 | 196,875 | 156,072 | 157,196 |
| June " | 124,230 | 120,059 | 118,122 | 124,169 | 120,172 | 124,338 | 125,194 | 128,681 | 129,013 | 127,013 | 129,867 |
| September " | 101,677 | 104,131 | 110,037 | 105,629 | 103,397 | 112,477 | 110,747 | 110,688 | 113,918 | 113,551 | 119,167 |
| December " | 124,312 | 126,849 | 152,154 | 133,450 | 127,202 | 140,416 | 138,768 | 140,057 | 133,062 | 138,101 | 143,090 |
| INFANT MORTALITY (deaths of infants under 1 year of age) | | | | | | | | | | | |
| Year ... | 16,613 | 16,554 | 16,720 | 16,685 | 16,629 | 17,118 | 17,393 | 18,187 | 18,042 | 17,445 | 16,414(d) |
| March Qtr. | 4,852 | 4,939 | 4,467 | 4,851 | 4,810 | 4,598 | 4,908 | 5,397 | 5,330 | 4,802 | 4,600 |
| June " | 4,155 | 4,083 | 4,062 | 4,090 | 4,103 | 4,143 | 4,244 | 4,527 | 4,288 | 4,482 | 4,021 |
| September " | 3,605 | 3,525 | 3,873 | 3,651 | 3,631 | 3,850 | 3,851 | 3,854 | 3,946 | 3,870 | 3,713 |
| December " | 4,001 | 4,007 | 4,318 | 4,093 | 4,085 | 4,527 | 4,390 | 4,409 | 4,478 | 4,291 | 4,080(d) |
| NEONATAL MORTALITY (deaths of infants under 4 weeks of age) | | | | | | | | | | | |
| Year ... | 11,516 | 11,779 | 11,904 | 11,970 | 11,881 | 12,191 | 12,443 | 12,656 | 12,173 | 12,106 | |
| March Qtr. | 3,081 | 3,210 | 3,028 | 3,134 | 3,153 | 3,154 | 3,229 | 3,433 | 3,260 | 3,105 | 2,864 |
| June " | 2,970 | 2,981 | 2,987 | 3,026 | 3,034 | 2,997 | 3,140 | 3,246 | 3,100 | 3,194 | 2,894 |
| September " | 2,760 | 2,706 | 2,902 | 2,853 | 2,792 | 2,959 | 2,971 | 2,917 | 2,910 | 2,922 | 2,729 |
| December " | 2,705 | 2,882 | 2,987 | 2,957 | 2,902 | 3,081 | 3,103 | 3,060 | 2,903 | 2,885 | (b) |
| PERINATAL MORTALITY (stillbirths and deaths of infants under 1 week of age) | | | | | | | | | | | |
| Year ... | 25,579 | 26,334 | 26,792 | 26,502 | 26,070 | 26,292 | 26,495 | 26,352 | 25,487 | 25,083 | 23,606 |
| March Qtr. | 6,563 | 6,976 | 6,822 | 6,793 | 6,851 | 6,676 | 6,766 | 7,021 | 6,792 | 6,454 | 6,064 |
| June " | 6,461 | 6,737 | 6,836 | 6,616 | 6,803 | 6,693 | 6,611 | 6,737 | 6,456 | 6,555 | 5,988 |
| September " | 6,350 | 6,297 | 6,553 | 6,468 | 6,280 | 6,451 | 6,423 | 6,323 | 6,097 | 6,135 | 5,799 |
| December " | 6,205 | 6,324 | 6,581 | 6,625 | 6,136 | 6,472 | 6,695 | 6,271 | 6,142 | 5,939 | 5,755 |

(a) Provisional.

(b) Not yet available.

(c) Estimated births.

(d) The number of infant deaths in provisional returns has recently tended to be understated; the figure has been adjusted by an estimated amount of the deficiency.

TABLE II

Persons marrying, live births: annual rates per 1,000 total population
 Deaths: annual rates per 1,000 home population
 Stillbirths, perinatal mortality: rates per 1,000 total live and stillbirth occurrences
 Infant mortality, neonatal mortality: rates per 1,000 live birth occurrences*

Years 1955 to 1965 and each quarter of those years. England and Wales

| | | | | | | | | | | | |
|--|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|----------|
| Estimated populations in thousands | | | | | | | | | | | |
| Total ... | 44,623 | 44,821 | 45,043 | 45,244 | 45,504 | 45,862 | 46,308 | 46,807 | 47,129 | 47,511 | 47,884 |
| Home ... | 44,441 | 44,667 | 44,907 | 45,109 | 45,386 | 45,755 | 46,205 | 46,709 | 47,028 | 47,401 | 47,763 |
| — | 1955 | 1956 | 1957 | 1958 | 1959 | 1960 | 1961 | 1962 | 1963 | 1964 | 1965 (a) |
| PERSONS MARRYING | | | | | | | | | | | |
| Year ... | 16.0 | 15.7 | 15.4 | 15.0 | 14.9 | 15.0 | 15.0 | 14.9 | 14.9 | 15.1 | |
| March Qtr. | 18.3 | 19.2 | 19.8 | 18.4 | 18.1 | 15.6 | 14.8 | 17.5 | 16.7 | 16.5 | 16.5 |
| June " | 13.4 | 12.4 | 11.7 | 11.7 | 11.2 | 12.8 | 13.2 | 10.8 | 10.8 | 11.6 | 12.3 |
| September " | 19.0 | 19.0 | 18.3 | 17.8 | 17.9 | 18.0 | 19.3 | 18.3 | 18.7 | 18.6 | 18.8 |
| December " | 13.5 | 12.4 | 11.9 | 11.2 | 12.7 | 13.6 | 12.6 | 12.9 | 13.4 | 13.7 | (b) |
| LIVE BIRTHS | | | | | | | | | | | |
| Year ... | 15.0 | 15.6 | 16.1 | 16.4 | 16.4 | 17.1 | 17.5 | 17.9 | 18.1 | 18.4 | 18.0(c) |
| March Qtr. | 15.3 | 16.1 | 16.4 | 17.0 | 17.2 | 17.3 | 17.8 | 18.5 | 18.8 | 18.9 | 18.6 |
| June " | 15.5 | 16.3 | 16.7 | 16.8 | 17.1 | 17.6 | 18.0 | 18.6 | 18.8 | 19.1 | 18.5 |
| September " | 14.7 | 15.5 | 15.8 | 15.8 | 16.2 | 17.1 | 17.5 | 17.7 | 17.9 | 18.4 | 18.0 |
| December " | 14.3 | 14.7 | 15.4 | 15.9 | 15.3 | 16.5 | 16.8 | 16.9 | 17.0 | 17.4 | 17.2(c) |
| STILLBIRTHS | | | | | | | | | | | |
| Year ... | 23.2 | 22.9 | 22.5 | 21.5 | 20.8 | 19.8 | 19.0 | 18.1 | 17.2 | 16.3 | 15.7(c) |
| March Qtr. | 23.5 | 23.7 | 23.0 | 21.6 | 21.4 | 19.9 | 19.3 | 18.9 | 18.1 | 16.7 | 16.2 |
| June " | 22.4 | 22.6 | 22.1 | 20.9 | 21.0 | 20.1 | 18.3 | 17.8 | 16.8 | 16.4 | 15.6 |
| September " | 23.1 | 22.2 | 22.1 | 21.7 | 20.4 | 19.3 | 18.5 | 17.7 | 16.4 | 16.0 | 15.4 |
| December " | 23.7 | 23.0 | 22.6 | 21.9 | 20.3 | 19.6 | 20.0 | 18.0 | 17.7 | 16.2 | 15.7(c) |
| DEATHS (excluding stillbirths): ALL AGES | | | | | | | | | | | |
| Year ... | 11.7 | 11.7 | 11.5 | 11.7 | 11.6 | 11.5 | 11.9 | 11.9 | 12.2 | 11.3 | 11.5 |
| March Qtr. | 15.4 | 15.3 | 12.2 | 14.7 | 15.8 | 13.1 | 15.5 | 15.5 | 17.0 | 13.2 | 13.3 |
| June " | 11.2 | 10.8 | 10.6 | 11.0 | 10.6 | 10.9 | 10.9 | 11.1 | 11.0 | 10.8 | 10.9 |
| September " | 9.1 | 9.3 | 9.7 | 9.3 | 9.0 | 9.8 | 9.5 | 9.4 | 9.6 | 9.5 | 9.9 |
| December " | 11.1 | 11.3 | 13.4 | 11.7 | 11.1 | 12.2 | 11.9 | 11.9 | 11.2 | 11.6 | 11.9 |
| INFANT MORTALITY (deaths of infants under 1 year of age) | | | | | | | | | | | |
| Year ... | 24.9 | 23.8 | 23.1 | 22.5 | 22.2 | 21.8 | 21.4 | 21.7 | 21.1 | 19.9 | 19.0(d) |
| March Qtr. | 28.8 | 27.6 | 24.6 | 25.5 | 24.9 | 23.3 | 24.1 | 25.3 | 24.4 | 21.5 | 21.0 |
| June " | 24.1 | 22.5 | 21.6 | 21.6 | 21.1 | 20.7 | 20.4 | 20.9 | 19.4 | 19.8 | 18.2 |
| September " | 21.8 | 20.2 | 21.6 | 20.3 | 19.6 | 19.6 | 18.9 | 18.4 | 18.6 | 17.6 | 17.1 |
| December " | 24.8 | 24.2 | 24.7 | 22.6 | 23.3 | 23.8 | 22.4 | 22.1 | 22.2 | 20.7 | 19.7(d) |
| NEONATAL MORTALITY (deaths of infants under 4 weeks of age) | | | | | | | | | | | |
| Year ... | 17.3 | 16.8 | 16.5 | 16.2 | 15.9 | 15.5 | 15.3 | 15.1 | 14.3 | 13.8 | |
| March Qtr. | 18.3 | 18.0 | 16.7 | 16.5 | 16.3 | 16.0 | 15.9 | 16.1 | 14.9 | 13.9 | 13.1 |
| June " | 17.2 | 16.4 | 15.9 | 16.0 | 15.6 | 15.0 | 15.1 | 15.0 | 14.0 | 14.1 | 13.2 |
| September " | 16.7 | 15.5 | 16.2 | 15.8 | 15.0 | 15.0 | 14.6 | 14.0 | 13.7 | 13.3 | 12.6 |
| December " | 16.8 | 17.4 | 17.1 | 16.3 | 16.5 | 16.2 | 15.8 | 15.4 | 14.4 | 13.9 | (b) |
| PERINATAL MORTALITY (stillbirths and deaths of infants under 1 week of age) | | | | | | | | | | | |
| Year ... | 37.4 | 36.7 | 36.2 | 35.0 | 34.1 | 32.8 | 32.0 | 30.8 | 29.3 | 28.2 | 26.9 |
| March Qtr. | 38.1 | 38.1 | 36.7 | 35.0 | 34.7 | 33.1 | 32.6 | 32.3 | 30.5 | 28.5 | 27.2 |
| June " | 36.6 | 36.3 | 35.6 | 34.3 | 34.3 | 32.7 | 31.3 | 30.5 | 28.7 | 28.5 | 26.7 |
| September " | 37.4 | 35.3 | 35.8 | 35.1 | 33.1 | 32.2 | 30.9 | 29.7 | 28.3 | 27.5 | 26.3 |
| December " | 37.6 | 37.3 | 36.8 | 35.7 | 34.3 | 33.3 | 33.4 | 30.9 | 29.9 | 28.2 | 27.4 |

*Based on related live births up to and including 1956. Rates for subsequent periods are based on the live births of the period.

a) Provisional.

b) Not yet available.

c) Based on estimated births.

d) See footnote (d) to Table I.

TABLE II (a)

Seasonally adjusted * quarterly live birth occurrences : numbers (in thousands) and annual rates per 1,000 population, 1951 to 1965

England and Wales

| Year | QUARTER | | | | | | | |
|-------|---------|------|--------|------|-------|------|--------|------|
| | First | | Second | | Third | | Fourth | |
| | No. | Rate | No. | Rate | No. | Rate | No. | Rate |
| 1951 | 170.8 | 15.6 | 172.4 | 15.7 | 168.7 | 15.4 | 165.6 | 15.1 |
| 1952 | 167.9 | 15.3 | 166.5 | 15.2 | 169.1 | 15.4 | 170.2 | 15.5 |
| 1953 | 168.7 | 15.3 | 173.1 | 15.7 | 173.5 | 15.7 | 169.1 | 15.3 |
| 1954 | 169.8 | 15.3 | 169.0 | 15.3 | 167.2 | 15.1 | 167.6 | 15.1 |
| 1955 | 165.4 | 14.9 | 165.2 | 14.9 | 166.7 | 15.0 | 170.5 | 15.3 |
| 1956 | 173.9 | 15.6 | 174.8 | 15.6 | 176.5 | 15.8 | 175.2 | 15.7 |
| 1957 | 177.9 | 15.8 | 180.6 | 16.1 | 181.0 | 16.1 | 183.9 | 16.4 |
| 1958 | 185.7 | 16.5 | 182.2 | 16.2 | 182.0 | 16.1 | 190.9 | 16.9 |
| 1959 | 189.2 | 16.7 | 187.6 | 16.5 | 187.0 | 16.5 | 184.7 | 16.3 |
| 1960 | 191.7 | 16.8 | 194.3 | 17.0 | 198.1 | 17.3 | 200.9 | 17.6 |
| 1961 | 198.9 | 17.2 | 200.7 | 17.4 | 204.7 | 17.7 | 207.0 | 17.9 |
| 1962 | 208.8 | 17.9 | 209.8 | 18.0 | 209.6 | 18.0 | 210.4 | 18.0 |
| 1963 | 214.2 | 18.2 | 214.0 | 18.2 | 212.7 | 18.1 | 213.2 | 18.1 |
| 1964 | 216.8 | 18.3 | 219.6 | 18.5 | 220.3 | 18.6 | 219.2 | 18.5 |
| 1965† | 215 | 18.1 | 214 | 17.9 | 217 | 18.1 | 218 | 18.2 |

* The original figures for occurrences have been adjusted by removing the estimated regular seasonal fluctuations so that the trend and any random variations are left. Some refinement of the method of seasonal adjustment has produced slight revisions in the figures shown throughout the table, when compared with the corresponding table in the Quarterly Return for the Quarter ended 31st December 1964.

† The 1965 figures are only approximate. The number of registrations for the year, themselves provisional, have been roughly adjusted and the resulting figures are liable to considerable revision.

The rates shown above are illustrated in the following diagram—




TABLE III

Live births, stillbirths, deaths: total numbers registered

Live births, deaths: annual rates per 1,000 population

Stillbirths, perinatal mortality: rates per 1,000 total live and still births

Infant mortality: rates per 1,000 live births

Last five quarters. England and Wales, revised standard regions and hospital regions*

| | NUMBERS | | | | | RATES | | | | |
|------------------------------|---------|---------|---------|---------|---------|-------|------|------|-------|------|
| | 1964 | 1965 | | | | 1964 | 1965 | | | |
| | Dec. | Mar. | June | Sept. | Dec. | Dec. | Mar. | June | Sept. | Dec. |
| LIVE BIRTHS | | | | | | | | | | |
| ENGLAND AND WALES | 204,220 | 222,991 | 219,708 | 219,007 | 203,994 | 17.1 | 18.9 | 18.5 | 18.2 | 16.9 |
| Revised standard regions: | | | | | | | | | | |
| North | 14,498 | 15,282 | 14,919 | 14,750 | 14,058 | 17.5 | 18.7 | 18.1 | 17.7 | 16.9 |
| Yorkshire and Humberside ... | 20,306 | 22,160 | 21,535 | 21,711 | 20,339 | 17.2 | 19.1 | 18.3 | 18.3 | 17.1 |
| North West | 29,991 | 32,026 | 31,072 | 31,240 | 29,420 | 17.9 | 19.4 | 18.6 | 18.5 | 17.4 |
| East Midlands | 13,893 | 15,615 | 15,489 | 14,870 | 14,040 | 17.1 | 19.4 | 19.0 | 18.0 | 17.0 |
| West Midlands | 22,114 | 24,902 | 23,838 | 24,082 | 22,829 | 17.9 | 20.3 | 19.2 | 19.2 | 18.2 |
| East Anglia | 6,347 | 6,734 | 6,870 | 6,667 | 6,318 | 16.4 | 17.5 | 17.7 | 17.0 | 16.1 |
| South East | 71,381 | 78,222 | 78,341 | 78,310 | 71,570 | 16.9 | 18.7 | 18.5 | 18.3 | 16.7 |
| South West | 14,500 | 15,988 | 15,944 | 15,662 | 14,500 | 16.3 | 18.1 | 17.8 | 17.3 | 16.0 |
| Wales | 11,190 | 12,062 | 11,700 | 11,715 | 10,920 | 16.6 | 18.2 | 17.4 | 17.3 | 16.1 |
| Hospital regions: | | | | | | | | | | |
| Newcastle | 13,591 | 14,286 | 13,876 | 13,789 | 13,424 | 17.7 | 18.9 | 18.2 | 17.8 | 17.4 |
| Leeds... .. | 13,452 | 14,567 | 14,313 | 14,346 | 13,114 | 16.9 | 18.6 | 18.1 | 17.9 | 16.4 |
| Sheffield | 19,538 | 21,820 | 21,214 | 20,848 | 19,576 | 17.3 | 19.5 | 18.8 | 18.2 | 17.1 |
| East Anglian | 6,619 | 7,055 | 7,172 | 6,981 | 6,532 | 16.4 | 17.5 | 17.6 | 17.0 | 15.9 |
| North West Metropolitan ... | 18,286 | 20,743 | 20,410 | 20,573 | 17,294 | 17.2 | 19.5 | 19.0 | 18.9 | 15.9 |
| North East Metropolitan ... | 14,192 | 14,945 | 15,226 | 15,027 | 14,257 | 17.1 | 18.7 | 18.8 | 18.3 | 17.4 |
| South East Metropolitan ... | 14,658 | 14,658 | 14,747 | 14,795 | 13,236 | 17.0 | 17.8 | 17.7 | 17.5 | 15.7 |
| South West Metropolitan ... | 12,384 | 14,846 | 14,936 | 15,062 | 14,772 | 15.2 | 18.0 | 17.9 | 17.9 | 17.5 |
| Oxford | 8,184 | 9,122 | 9,269 | 8,967 | 8,398 | 18.6 | 20.8 | 20.9 | 20.0 | 18.7 |
| South Western | 11,953 | 13,328 | 13,312 | 13,020 | 12,280 | 16.0 | 18.0 | 17.8 | 17.2 | 16.2 |
| Welsh | 11,190 | 12,062 | 11,700 | 11,715 | 10,920 | 16.6 | 18.2 | 17.4 | 17.3 | 16.1 |
| Birmingham | 22,114 | 24,902 | 23,838 | 24,082 | 22,829 | 17.9 | 20.3 | 19.2 | 19.2 | 18.2 |
| Manchester | 19,609 | 21,017 | 20,338 | 20,622 | 19,097 | 17.3 | 18.8 | 18.0 | 18.1 | 16.7 |
| Liverpool | 10,571 | 11,199 | 10,932 | 10,804 | 10,544 | 19.0 | 20.4 | 19.7 | 19.2 | 18.8 |
| Wessex | 7,879 | 8,441 | 8,425 | 8,376 | 7,721 | 16.9 | 18.1 | 17.9 | 17.6 | 16.2 |
| STILLBIRTHS | | | | | | | | | | |
| ENGLAND AND WALES | 3,396 | 3,622 | 3,534 | 3,407 | 3,295 | 16.4 | 16.0 | 15.8 | 15.3 | 15.9 |
| Revised standard regions: | | | | | | | | | | |
| North | 291 | 276 | 282 | 244 | 269 | 19.7 | 17.7 | 18.6 | 16.3 | 18.8 |
| Yorkshire and Humberside ... | 352 | 375 | 327 | 347 | 347 | 17.0 | 16.6 | 15.0 | 15.7 | 16.8 |
| North West | 535 | 593 | 573 | 585 | 528 | 17.5 | 18.2 | 18.1 | 18.4 | 17.6 |
| East Midlands | 241 | 244 | 239 | 247 | 225 | 17.1 | 15.4 | 15.2 | 16.3 | 15.8 |
| West Midlands | 397 | 435 | 425 | 407 | 425 | 17.6 | 17.2 | 17.5 | 16.6 | 18.3 |
| East Anglia | 92 | 88 | 89 | 104 | 72 | 14.3 | 12.9 | 12.8 | 15.4 | 11.3 |
| South East | 1,038 | 1,093 | 1,116 | 1,022 | 1,040 | 14.3 | 13.8 | 14.0 | 12.9 | 14.3 |
| South West | 231 | 268 | 272 | 220 | 205 | 15.7 | 16.5 | 16.8 | 13.9 | 13.9 |
| Wales | 219 | 250 | 211 | 231 | 184 | 19.2 | 20.3 | 17.7 | 19.3 | 16.6 |
| Hospital regions: | | | | | | | | | | |
| Newcastle | 273 | 264 | 269 | 229 | 261 | 19.7 | 18.1 | 19.0 | 16.3 | 19.1 |
| Leeds... .. | 250 | 243 | 217 | 243 | 224 | 18.2 | 16.4 | 14.9 | 16.7 | 16.8 |
| Sheffield | 327 | 356 | 327 | 330 | 321 | 16.5 | 16.1 | 15.2 | 15.6 | 16.1 |
| East Anglian | 97 | 93 | 94 | 107 | 72 | 14.4 | 13.0 | 12.9 | 15.1 | 10.9 |
| North West Metropolitan ... | 254 | 301 | 277 | 293 | 233 | 13.7 | 14.3 | 13.4 | 14.0 | 13.3 |
| North East Metropolitan ... | 229 | 211 | 234 | 211 | 223 | 15.9 | 13.9 | 15.1 | 13.8 | 15.4 |
| South East Metropolitan ... | 221 | 215 | 227 | 189 | 212 | 14.9 | 14.5 | 15.2 | 12.6 | 15.8 |
| South West Metropolitan ... | 170 | 203 | 200 | 183 | 212 | 13.5 | 13.5 | 13.2 | 12.0 | 14.1 |
| Oxford | 117 | 113 | 115 | 111 | 110 | 14.1 | 12.2 | 12.3 | 12.2 | 12.9 |
| South Western | 194 | 226 | 234 | 191 | 177 | 16.0 | 16.7 | 17.3 | 14.5 | 14.2 |
| Welsh | 219 | 250 | 211 | 231 | 184 | 19.2 | 20.3 | 17.7 | 19.3 | 16.6 |
| Birmingham | 397 | 435 | 425 | 407 | 425 | 17.6 | 17.2 | 17.5 | 16.6 | 18.3 |
| Manchester | 347 | 378 | 372 | 394 | 350 | 17.4 | 17.7 | 18.0 | 18.7 | 18.0 |
| Liverpool | 192 | 217 | 204 | 194 | 181 | 17.8 | 19.0 | 18.3 | 17.6 | 16.9 |
| Wessex | 109 | 117 | 128 | 94 | 110 | 13.6 | 13.7 | 15.0 | 11.1 | 14.0 |

See page 11.

TABLE III (continued)

| | NUMBERS | | | | | RATES | | | | |
|---|---------|---------|---------|---------|---------|-------|------|------|-------|------|
| | 1964 | 1965 | | | | 1964 | 1965 | | | |
| | Dec. | Mar. | June | Sept. | Dec. | Dec. | Mar. | June | Sept. | Dec. |
| DEATHS (excluding stillbirths): ALL AGES | | | | | | | | | | |
| ENGLAND AND WALES | 138,101 | 157,196 | 129,867 | 119,167 | 143,090 | 11.6 | 13.3 | 10.9 | 9.9 | 11.9 |
| Revised standard regions: | | | | | | | | | | |
| North | 10,001 | 11,054 | 9,554 | 8,234 | 10,270 | 12.1 | 13.5 | 11.6 | 9.9 | 12.3 |
| Yorkshire & Humberside ... | 14,186 | 16,276 | 13,305 | 12,057 | 14,584 | 12.0 | 14.0 | 11.3 | 10.2 | 12.3 |
| North West | 21,176 | 23,902 | 19,902 | 17,908 | 21,804 | 12.6 | 14.5 | 11.9 | 10.6 | 12.9 |
| East Midlands | 8,784 | 10,121 | 8,287 | 7,751 | 9,127 | 10.8 | 12.5 | 10.2 | 9.4 | 11.1 |
| West Midlands | 12,930 | 14,697 | 12,612 | 11,353 | 13,619 | 10.4 | 12.0 | 9.7 | 9.1 | 10.9 |
| East Anglia | 4,267 | 5,367 | 4,260 | 3,873 | 4,669 | 11.0 | 14.0 | 11.0 | 9.9 | 11.9 |
| South East | 47,606 | 53,968 | 44,445 | 41,100 | 49,295 | 11.3 | 12.9 | 10.5 | 9.6 | 11.5 |
| South West | 10,991 | 12,459 | 10,313 | 9,537 | 11,282 | 12.3 | 14.1 | 11.5 | 10.6 | 12.5 |
| Wales | 8,160 | 9,352 | 7,789 | 7,354 | 8,440 | 12.1 | 14.1 | 11.6 | 10.8 | 12.4 |
| Hospital regions: | | | | | | | | | | |
| Newcastle | 9,131 | 10,117 | 8,786 | 7,527 | 9,536 | 11.9 | 13.4 | 11.5 | 9.7 | 12.3 |
| Leeds... .. | 10,085 | 11,539 | 9,357 | 8,551 | 10,343 | 12.7 | 14.7 | 11.8 | 10.7 | 12.9 |
| Sheffield | 12,340 | 14,120 | 11,617 | 10,664 | 12,662 | 10.9 | 12.6 | 10.3 | 9.3 | 11.1 |
| East Anglian | 4,628 | 5,598 | 4,395 | 3,923 | 4,842 | 11.5 | 13.9 | 10.8 | 9.5 | 11.8 |
| North West Metropolitan ... | 10,631 | 12,334 | 10,255 | 9,591 | 10,954 | 10.0 | 11.6 | 9.5 | 8.8 | 10.1 |
| North East Metropolitan ... | 8,878 | 9,886 | 8,276 | 7,331 | 9,258 | 10.6 | 12.3 | 10.2 | 9.0 | 11.3 |
| South East Metropolitan ... | 11,034 | 12,122 | 10,006 | 9,276 | 10,832 | 12.8 | 14.7 | 12.0 | 11.0 | 12.8 |
| South West Metropolitan ... | 9,554 | 11,207 | 9,106 | 8,618 | 10,618 | 11.7 | 13.6 | 10.9 | 10.2 | 12.6 |
| Oxford | 4,395 | 4,984 | 4,040 | 3,941 | 4,647 | 10.0 | 11.3 | 9.1 | 8.8 | 10.3 |
| South Western | 9,403 | 10,668 | 8,784 | 8,128 | 9,719 | 12.6 | 14.4 | 11.7 | 10.7 | 12.8 |
| Welsh | 8,160 | 9,352 | 7,789 | 7,354 | 8,440 | 12.1 | 14.1 | 11.6 | 10.8 | 12.4 |
| Birmingham | 12,930 | 14,697 | 12,012 | 11,353 | 13,619 | 10.4 | 12.0 | 9.7 | 9.1 | 10.9 |
| Manchester | 15,034 | 16,973 | 13,998 | 12,640 | 15,250 | 13.3 | 15.2 | 12.4 | 11.1 | 13.4 |
| Liverpool | 6,324 | 7,134 | 6,077 | 5,402 | 6,694 | 11.4 | 13.0 | 10.9 | 9.6 | 11.9 |
| Wessex | 5,574 | 6,465 | 5,369 | 4,868 | 5,676 | 12.0 | 13.9 | 11.4 | 10.2 | 11.9 |
| INFANT MORTALITY (deaths of infants under 1 year of age) | | | | | | | | | | |
| ENGLAND AND WALES | 4,291 | 4,600 | 4,021 | 3,713 | 4,080 | 21.0 | 20.6 | 18.3 | 17.0 | 20.0 |
| Revised standard regions: | | | | | | | | | | |
| North | 350 | 340 | 307 | 290 | 256 | 24.1 | 22.2 | 20.6 | 19.7 | 18.2 |
| Yorkshire and Humberside ... | 482 | 514 | 447 | 390 | 460 | 23.7 | 23.2 | 20.8 | 18.0 | 22.6 |
| North West | 698 | 763 | 648 | 598 | 705 | 23.3 | 23.8 | 20.9 | 19.1 | 24.0 |
| East Midlands | 255 | 291 | 277 | 254 | 275 | 18.4 | 18.6 | 17.9 | 17.1 | 19.6 |
| West Midlands | 472 | 514 | 425 | 441 | 474 | 21.3 | 20.6 | 17.8 | 18.3 | 20.8 |
| East Anglia | 109 | 106 | 108 | 87 | 114 | 17.2 | 15.7 | 15.7 | 13.0 | 18.0 |
| South East | 1,372 | 1,497 | 1,311 | 1,210 | 1,310 | 19.2 | 19.1 | 16.7 | 15.5 | 18.3 |
| South West | 275 | 311 | 269 | 250 | 242 | 19.0 | 19.5 | 16.9 | 16.0 | 16.7 |
| Wales | 278 | 264 | 229 | 193 | 244 | 24.8 | 21.9 | 19.6 | 16.5 | 22.3 |
| Hospital regions: | | | | | | | | | | |
| Newcastle | 335 | 319 | 284 | 267 | 239 | 24.6 | 22.3 | 20.5 | 19.4 | 17.8 |
| Leeds... .. | 330 | 346 | 314 | 260 | 311 | 24.5 | 23.8 | 21.9 | 18.1 | 23.7 |
| Sheffield | 379 | 436 | 399 | 362 | 407 | 19.4 | 20.0 | 18.8 | 17.4 | 20.8 |
| East Anglian | 123 | 120 | 110 | 93 | 115 | 18.6 | 17.0 | 15.3 | 13.3 | 17.6 |
| North West Metropolitan ... | 337 | 376 | 325 | 309 | 331 | 18.4 | 18.1 | 15.9 | 15.0 | 19.1 |
| North East Metropolitan ... | 245 | 299 | 267 | 219 | 263 | 17.3 | 20.0 | 17.5 | 14.6 | 18.4 |
| South East Metropolitan ... | 286 | 278 | 247 | 255 | 237 | 19.5 | 19.0 | 16.7 | 17.2 | 17.9 |
| South West Metropolitan ... | 268 | 294 | 246 | 235 | 304 | 21.6 | 19.8 | 16.5 | 15.6 | 20.6 |
| Oxford | 165 | 150 | 151 | 143 | 119 | 20.2 | 16.4 | 16.3 | 15.9 | 14.2 |
| South Western | 219 | 268 | 222 | 208 | 195 | 18.3 | 20.1 | 16.7 | 16.0 | 15.9 |
| Welsh | 278 | 264 | 229 | 193 | 244 | 24.8 | 21.9 | 19.6 | 16.5 | 22.3 |
| Birmingham | 472 | 514 | 425 | 441 | 474 | 21.3 | 20.6 | 17.8 | 18.3 | 20.8 |
| Manchester | 450 | 493 | 438 | 426 | 457 | 22.9 | 23.5 | 21.5 | 20.7 | 23.9 |
| Liverpool | 251 | 274 | 215 | 181 | 252 | 23.7 | 24.5 | 19.7 | 16.8 | 23.9 |
| Wessex | 153 | 169 | 149 | 121 | 132 | 19.4 | 20.0 | 17.7 | 14.4 | 17.1 |

TABLE III (continued)

| | NUMBERS | | | | | RATES | | | | |
|--|---------|-------|-------|-------|-------|-------|------|------|-------|------|
| | 1964 | 1965 | | | | 1964 | 1965 | | | |
| | Dec. | Mar. | June | Sept. | Dec. | Dec. | Mar. | June | Sept. | Dec. |
| PERINATAL MORTALITY (stillbirths and deaths of infants under 1 week of age) | | | | | | | | | | |
| ENGLAND AND WALES | 5,922 | 6,082 | 6,034 | 5,802 | 5,676 | 28.5 | 26.8 | 27.0 | 26.1 | 27.4 |
| Revised standard regions: | | | | | | | | | | |
| North | 482 | 459 | 452 | 439 | 410 | 32.6 | 29.5 | 29.7 | 29.3 | 28.6 |
| Yorkshire and Humberside ... | 609 | 623 | 612 | 593 | 611 | 29.5 | 27.6 | 28.0 | 26.9 | 29.5 |
| North West | 950 | 1,006 | 979 | 980 | 926 | 31.1 | 30.8 | 30.9 | 30.8 | 30.9 |
| East Midlands | 378 | 397 | 409 | 404 | 395 | 26.7 | 25.0 | 26.0 | 26.7 | 27.7 |
| West Midlands | 691 | 717 | 686 | 688 | 704 | 30.7 | 28.3 | 28.3 | 28.1 | 30.3 |
| East Anglia | 160 | 151 | 161 | 166 | 145 | 24.8 | 22.1 | 23.1 | 24.5 | 22.7 |
| South East | 1,874 | 1,922 | 1,949 | 1,807 | 1,796 | 25.9 | 24.2 | 24.5 | 22.8 | 24.7 |
| South West | 390 | 431 | 435 | 375 | 357 | 26.5 | 26.5 | 26.8 | 23.6 | 24.3 |
| Wales | 388 | 376 | 351 | 350 | 332 | 34.0 | 30.5 | 29.5 | 29.3 | 29.9 |
| Hospital regions: | | | | | | | | | | |
| Newcastle | 454 | 440 | 426 | 407 | 395 | 32.7 | 30.2 | 30.1 | 29.0 | 28.9 |
| Leeds... .. | 425 | 397 | 424 | 413 | 398 | 31.0 | 26.8 | 29.2 | 28.3 | 29.8 |
| Sheffield | 528 | 591 | 564 | 553 | 568 | 26.6 | 26.7 | 26.2 | 26.1 | 28.5 |
| East Anglian | 170 | 159 | 170 | 169 | 146 | 25.3 | 22.2 | 23.4 | 23.8 | 22.1 |
| North West Metropolitan ... | 466 | 528 | 493 | 504 | 419 | 25.1 | 25.1 | 23.8 | 24.2 | 23.9 |
| North East Metropolitan ... | 374 | 376 | 406 | 353 | 368 | 25.9 | 24.8 | 26.3 | 23.2 | 25.4 |
| South East Metropolitan ... | 386 | 369 | 371 | 359 | 348 | 25.9 | 24.8 | 24.8 | 24.0 | 25.9 |
| South West Metropolitan ... | 344 | 361 | 366 | 331 | 384 | 27.4 | 24.0 | 24.2 | 21.7 | 25.6 |
| Oxford | 222 | 194 | 215 | 199 | 194 | 26.7 | 21.0 | 22.9 | 21.9 | 22.8 |
| South Western | 320 | 364 | 364 | 321 | 297 | 26.3 | 26.9 | 26.9 | 24.3 | 23.8 |
| Welsh | 388 | 376 | 351 | 350 | 332 | 34.0 | 30.5 | 29.5 | 29.3 | 29.9 |
| Birmingham | 691 | 717 | 686 | 688 | 704 | 30.7 | 28.3 | 28.3 | 28.1 | 30.3 |
| Manchester | 613 | 633 | 665 | 681 | 607 | 30.7 | 29.6 | 32.1 | 32.4 | 31.2 |
| Liverpool | 341 | 376 | 319 | 307 | 323 | 31.7 | 32.9 | 28.6 | 27.9 | 30.1 |
| Wessex | 200 | 201 | 214 | 167 | 193 | 25.0 | 23.5 | 25.0 | 19.7 | 24.6 |

In this Table the constitution of the revised standard regions of England and Wales is as follows:

| | | |
|--|--------------------------------|------------------------------|
| North | West Midlands | South West |
| Cumberland | Herefordshire | Cornwall |
| Durham | Shropshire | Devon |
| Northumberland | Staffordshire | Dorset, Part of ⁶ |
| Westmorland | Warwickshire | Gloucestershire |
| Yorkshire, North Riding | Worcestershire | Somerset |
| | | Wiltshire |
| Yorkshire and Humberside | East Anglia | Wales |
| Lincolnshire | Cambridgeshire and Isle of Ely | Anglesey |
| Parts of Lindsey, Part of ¹ | Huntingdon and Peterborough | Breconshire |
| Yorkshire, East Riding | Norfolk | Caernarvonshire |
| Yorkshire, West Riding | Suffolk, East | Cardiganshire |
| | Suffolk, West | Carmarthenshire |
| North West | | Denbighshire |
| Cheshire | South East | Flintshire |
| Derbyshire, Part of ² | Bedfordshire | Glamorgan |
| Lancashire | Berkshire | Merionethshire |
| | Buckinghamshire | Monmouthshire |
| East Midlands | Dorset, Part of ⁵ | Montgomeryshire |
| Derbyshire, Part of ³ | Essex | Pembrokeshire |
| Leicestershire | Greater London | Radnorshire |
| Lincolnshire | Hampshire | |
| Parts of Holland | Hertfordshire | |
| Parts of Kesteven | Kent | |
| Parts of Lindsey, Part of ⁴ | Oxfordshire | |
| Northamptonshire | Surrey | |
| Nottinghamshire | Sussex, East | |
| Rutland | Sussex, West | |
| | Wight, Isle of | |

1 All except Lincoln C.B.
2 Buxton M.B., Glossop M.B., New Mills U.D., Whaley Bridge U.D. and Chapel en le Frith R.D.
3 All except the areas stated in 2 above.
4 Lincoln C.B. only.
5 Poole M.B. only.
6 All except Poole M.B.

TABLE IV

Notifications of certain infectious diseases in the quarter ended 31st December 1965

England and Wales, counties (distinguishing aggregates of municipal boroughs and urban districts, and rural districts), county boroughs, Greater London, City of London, London boroughs and port health districts

Note: Total original and corrected notifications are distinguished for England and Wales as a whole. Otherwise the figures refer to corrected notifications only.

(See General Notes on page 3)

| | Scarlet fever | Diphtheria | Typhoid fever | Paratyphoid fever | Acute pneumonia (prim'y or influenzal) | Dysentery | Tuberculosis | | | Food poisoning | Tuberculosis | | | Respiratory | Meninges and C.N.S. | Other |
|------------------------------------|---------------|------------|---------------|-------------------|--|-----------|--------------|---------------|----------|----------------|--------------|---------------|----------|-------------|---------------------|-------|
| | | | | | | | Paralytic | Non-paralytic | myelitis | | Paralytic | Non-paralytic | myelitis | | | |
| England and Wales | 6,286 | — | 35 | 50 | 1,760 | 7,332 | 7 | — | 2,199 | 3,223 | 31 | 556 | — | — | — | — |
| England and Wales | 6,265 | — | 36 | 49 | 1,728 | 6,682 | 6 | — | 1,622 | 3,226 | 30 | 555 | — | — | — | — |
| Bedfordshire | 39 | — | 1 | — | 4 | 17 | — | — | 4 | 30 | — | 11 | — | — | — | 3 |
| Luton C.B. | 7 | — | — | — | 1 | 1 | — | — | 3 | 15 | — | 9 | — | — | — | 2 |
| Total M.Bs. & U.Ds. ... | 19 | — | 1 | — | 1 | 4 | — | — | — | 10 | — | 1 | — | — | — | 1 |
| Total R.Ds. | 13 | — | — | — | 2 | 12 | — | — | 1 | 5 | — | — | — | — | — | — |
| Berkshire | 44 | — | 2 | 2 | 4 | 21 | — | — | 17 | 52 | 1 | 11 | — | — | — | 9 |
| Reading C.B. | 7 | — | 2 | — | — | 8 | — | — | — | 18 | 1 | 5 | — | — | — | 3 |
| Total M.Bs. & U.Ds. ... | 15 | — | — | 1 | 3 | 1 | — | — | 9 | 17 | — | 1 | — | — | — | 3 |
| Total R.Ds. | 22 | — | — | 1 | 1 | 12 | — | — | 8 | 17 | — | — | — | — | — | 3 |
| Buckinghamshire | 39 | — | — | 1 | 13 | 192 | — | — | 1 | 25 | — | 7 | — | — | — | 11 |
| Total M.Bs. & U.Ds. ... | 16 | — | — | 1 | 5 | 86 | — | — | — | 16 | — | 3 | — | — | — | 3 |
| Total R.Ds. | 23 | — | — | — | 8 | 106 | — | — | 1 | 9 | — | 4 | — | — | — | 3 |
| Cambridgeshire and Isle of Ely ... | 44 | — | — | — | 1 | 59 | — | — | 8 | 7 | — | — | — | — | — | 2 |
| Total M.Bs. & U.Ds. ... | 21 | — | — | — | — | 49 | — | — | — | 2 | — | — | — | — | — | 1 |
| Total R.Ds. | 23 | — | — | — | 1 | 10 | — | — | 8 | 5 | — | — | — | — | — | 1 |
| Cheshire | 224 | — | 3 | 1 | 31 | 187 | — | — | 20 | 77 | — | 10 | — | — | — | 18 |
| Total C.Bs. | 59 | — | 2 | 1 | 20 | 67 | — | — | 13 | 26 | — | 4 | — | — | — | 12 |
| Birkenhead C.B. | 9 | — | 2 | 1 | 13 | 7 | — | — | 2 | 11 | — | 1 | — | — | — | 3 |
| Chester C.B. | 6 | — | — | — | 5 | 59 | — | — | 4 | 3 | — | — | — | — | — | 2 |
| Stockport C.B. | 16 | — | — | — | 1 | — | — | — | — | 6 | — | — | — | — | — | 7 |
| Wallasey C.B. | 28 | — | — | — | — | — | — | — | 7 | 6 | — | — | — | — | — | — |
| West Hartlepool C.B. ... | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Warrington C.B. | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Sunderland C.B. | 14 | — | — | — | 11 | — | — | — | — | — | — | 2 | — | — | — | — |
| South Shields C.B. ... | 9 | — | — | — | 32 | — | — | — | — | — | — | — | — | — | — | — |
| Gateshead C.B. | 10 | — | — | — | 19 | — | — | — | — | — | — | — | — | — | — | — |
| Darlington C.B. | 3 | — | — | — | 66 | — | — | — | — | — | — | — | — | — | — | — |
| Total C.Bs. | 38 | — | — | — | 107 | — | — | — | — | — | — | — | — | — | — | — |
| Durham | 156 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Total M.Bs. & U.Ds. ... | 15 | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — |
| Total R.Ds. | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Dorset | 17 | — | — | — | 2 | 1 | — | — | — | — | — | — | — | — | — | — |
| Total M.Bs. & U.Ds. ... | 15 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Total R.Ds. | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Derbyshire | 144 | — | — | — | 37 | 41 | — | — | 19 | 42 | — | 11 | — | — | — | — |
| Derby C.B. | 27 | — | — | — | 25 | 30 | — | — | 13 | 16 | — | 3 | — | — | — | — |
| Total M.Bs. & U.Ds. ... | 80 | — | — | — | 8 | — | — | — | — | — | — | — | — | — | — | — |
| Total R.Ds. | 37 | — | — | — | 12 | 14 | — | — | 1 | 20 | — | — | — | — | — | — |
| Devon | 54 | — | — | — | 37 | 41 | — | — | 19 | 42 | — | 11 | — | — | — | — |
| Total C.Bs. | 25 | — | — | — | 25 | 30 | — | — | 13 | 16 | — | 3 | — | — | — | — |
| Exeter C.B. | 8 | — | — | — | 1 | 7 | — | — | 4 | 7 | — | 1 | — | — | — | — |
| Plymouth C.B. | 17 | — | — | — | 24 | 23 | — | — | 9 | 9 | — | 2 | — | — | — | — |
| Total M.Bs. & U.Ds. ... | 11 | — | — | — | 10 | — | — | — | 3 | 14 | — | 4 | — | — | — | — |
| Total R.Ds. | 18 | — | — | — | 2 | 10 | — | — | 3 | 12 | — | 4 | — | — | — | — |

[illegible]

TABLE IV (continued)

| | Scarlet fever | Diphtheria | Typhoid fever | Paratyphoid fever | Acute pneumonia (prim'y or influenzal) | Dysentery | Acute polio-myelitis | | Food poisoning | Tuberculosis | | |
|--------------------------|---------------|------------|---------------|-------------------|--|-----------|----------------------|---------------|----------------|--------------|---------------------|-------|
| | | | | | | | Paralytic | Non-paralytic | | Respiratory | Meninges and C.N.S. | Other |
| Norfolk | 53 | — | — | — | 30 | 285 | — | — | 3 | 13 | — | 5 |
| Total C.Bs. ... | 33 | — | — | — | 7 | 263 | — | — | 2 | 5 | — | 1 |
| Great Yarmouth | | — | — | — | | | — | — | | | — | |
| C.B. ... | 3 | — | — | — | 1 | — | — | — | — | 1 | — | 1 |
| Norwich C.B. | 30 | — | — | — | 6 | 263 | — | — | 2 | 4 | — | — |
| Total M.Bs. & U.Ds. | 5 | — | — | — | 2 | 6 | — | — | — | 4 | — | — |
| Total R.Ds. ... | 15 | — | — | — | 21 | 16 | — | — | 1 | 4 | — | — |
| Northamptonshire | 49 | — | — | — | 11 | 38 | — | — | 7 | 14 | — | — |
| Northampton C.B. | 10 | — | — | — | — | 7 | — | — | 4 | 3 | — | — |
| Total M.Bs. & U.Ds. | 15 | — | — | — | 4 | 24 | — | — | 2 | 6 | — | — |
| Total R.Ds. ... | 24 | — | — | — | 7 | 7 | — | — | 1 | 5 | — | — |
| Northumberland | 75 | — | 1 | — | 33 | 56 | — | — | 19 | 76 | — | — |
| Total C.Bs. ... | 38 | — | 1 | — | 15 | 17 | — | — | 7 | 46 | — | — |
| Newcastle upon Tyne C.B. | 37 | — | 1 | — | 15 | 17 | — | — | 6 | 39 | — | — |
| Tynemouth C.B. ... | 1 | — | — | — | — | — | — | — | 1 | 7 | — | — |
| Total M.Bs. & U.Ds. | 14 | — | — | — | 11 | 2 | — | — | 11 | 27 | — | — |
| Total R.Ds. ... | 23 | — | — | — | 7 | 37 | — | — | 1 | 3 | — | — |
| Nottinghamshire... | 189 | — | — | 1 | 34 | 247 | — | — | 7 | 58 | — | — |
| Nottingham C.B. ... | 68 | — | — | — | 14 | 25 | — | — | 1 | 31 | — | — |
| Total M.Bs. & U.Ds. | 90 | — | — | — | 17 | 173 | — | — | 1 | 20 | — | — |
| Total R.Ds. ... | 31 | — | — | — | 3 | 49 | — | — | 4 | 7 | — | — |
| Oxfordshire | 11 | — | — | — | 3 | 79 | — | — | 7 | 52 | — | — |
| Oxford C.B. ... | 5 | — | — | — | — | 64 | — | — | 1 | 23 | — | — |
| Total M.Bs. & U.Ds. | 3 | — | — | — | — | 1 | — | — | — | 7 | — | — |
| Total R.Ds. ... | 3 | — | — | — | 3 | 14 | — | — | 6 | 22 | — | — |
| Rutland | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Oakham U.D. | — | — | — | — | — | — | — | — | — | — | — | — |
| Total R.Ds. ... | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Shropshire ... | 49 | — | — | — | 13 | 4 | — | — | — | 9 | — | — |
| Total M.Bs. & U.Ds. | 13 | — | — | — | 6 | 3 | — | — | — | 7 | — | — |
| Total R.Ds. ... | 36 | — | — | — | 7 | 1 | — | — | — | 2 | — | — |
| Somerset | 51 | — | — | — | 6 | 14 | — | — | 40 | 19 | — | — |
| Bath C.B. ... | 1 | — | — | — | — | 1 | — | — | 7 | 14 | — | — |
| Total M.Bs. & U.Ds. | 14 | — | — | — | — | 8 | — | — | — | 5 | — | — |
| Total R.Ds. ... | 36 | — | — | — | 5 | 5 | — | — | 33 | — | — | — |
| Staffordshire | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Total C.Bs. ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Burton upon Trent C.B. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Smethwick C.B. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Stoke on Trent C.B. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Walsall C.B. ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| West Bromwich C.B. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Wolverhampton C.B. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Total M.Bs. & U.Ds. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Total R.Ds. ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Suffolk, East | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Ipswich C.B. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Total M.Bs. & U.Ds. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Total R.Ds. ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Suffolk, West | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Total M.Bs. & U.Ds. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Total R.Ds. ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Surrey | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Total M.Bs. & U.Ds. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Total R.Ds. ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Sussex, East | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Total C.Bs. ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Brighton C.B. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Eastbourne C.B. ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Hastings C.B. ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Total M.Bs. & U.Ds. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Total R.Ds. ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Sussex, West | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Total M.Bs. & U.Ds. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Total R.Ds. ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Warwickshire | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Total C.Bs. ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Birmingham C.B. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Coventry C.B. ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Solihull C.B. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Total M.Bs. & U.Ds. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Total R.Ds. ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

TABLE IV (continued)

Original notifications of *Meningococcal infection* numbered 92. *Whooping cough* 3,411, and *Measles* 43,221. Corrected notifications were *Meningococcal infection* 92, *Whooping cough* 3,437 and *Measles* 43,229, distributed by counties as follows:—

| | Meningo- coccal infection | Whooping cough | Measles | | Meningo- coccal infection | Whooping cough | Measles | | Meningo- coccal infection | Whooping cough | Measles |
|---------------------|---------------------------------|-------------------|---------|-----------------------|---------------------------------|-------------------|---------|----------------------|---------------------------------|-------------------|---------|
| Bedfordshire ... | — | 35 | 218 | Leicestershire ... | — | 73 | 1,356 | Wiltshire ... | 1 | 23 | 18 |
| Berkshire ... | — | 26 | 118 | Lincs. (Holland) ... | — | 13 | 290 | Worcestershire ... | — | 23 | 8 |
| Buckinghamshire ... | — | 45 | 355 | Lincs. (Kesteven) ... | 2 | 3 | 36 | Yorks. E. Riding ... | 1 | 26 | 1 |
| Cambridgeshire ... | — | 15 | 748 | Lincs. (Lindsey) ... | — | 19 | 303 | Yorks. N. Riding ... | — | 11 | 6 |
| Isle of Ely ... | — | — | — | Norfolk ... | 1 | 36 | 3,531 | Yorks. W. Riding ... | — | — | — |
| Cheshire ... | 1 | 108 | 935 | Northamptonshire ... | 3 | 40 | 642 | (including York ... | — | — | — |
| Cornwall ... | 1 | 54 | 199 | Northumberland ... | — | 20 | 442 | C.B.) ... | 7 | 371 | 2,40 |
| Cumberland ... | — | 11 | 189 | Nottinghamshire ... | — | 106 | 1,989 | Anglesey ... | — | — | 1 |
| Derbyshire ... | — | 68 | 1,128 | Oxfordshire ... | 1 | 12 | 108 | Breconshire ... | — | — | — |
| Devon ... | 1 | 58 | 899 | Rutland ... | — | — | 15 | Caernarvonshire ... | — | — | — |
| Dorset ... | — | 17 | 30 | Shropshire ... | 1 | 13 | 449 | Cardiganshire ... | — | — | — |
| Durham ... | 9 | 112 | 1,191 | Somerset ... | — | 63 | 1,128 | Carmarthenshire ... | 1 | 1 | 1 |
| Essex ... | 1 | 119 | 458 | Staffordshire ... | 1 | 133 | 1,164 | Denbighshire ... | — | 3 | 3 |
| Gloucestershire ... | 2 | 118 | 3,209 | Suffolk, East ... | 4 | 12 | 1,016 | Flintshire ... | — | 23 | 10 |
| Greater London ... | 21 | 428 | 2,244 | Suffolk, West ... | — | 15 | 128 | Glamorgan ... | — | 70 | 2,20 |
| Hampshire ... | 4 | 69 | 140 | Surrey ... | 2 | 78 | 198 | Merionethshire ... | — | — | — |
| Herefordshire ... | 1 | 3 | 97 | Sussex, East ... | 1 | 30 | 115 | Monmouthshire ... | — | 48 | 1,20 |
| Hertfordshire ... | 1 | 43 | 328 | Sussex, West ... | — | 18 | 47 | Montgomeryshire ... | — | 7 | — |
| Huntingdon and ... | — | — | — | Warwickshire ... | 8 | 211 | 2,298 | Pembrokeshire ... | — | 15 | — |
| Peterborough ... | — | 33 | 133 | Westmorland ... | — | 13 | 299 | Radnorshire ... | — | — | — |
| Kent ... | 5 | 80 | 492 | Wight, Isle of ... | — | 26 | 34 | Port Health Dists.* | — | — | — |
| Lancashire ... | 11 | 440 | 5,836 | | | | | | | | |

Other diseases notified:—*Ophthalmia neonatorum*: Original 174, Corrected 167. *Acute enccephalitis, Infective*: Original 25 Corrected 25. *Acute encephalitis Post infectious*: Original 7, Corrected 9. *Erysipelas*: Original 334, Corrected 336. *Puerperal pyrexia*: Original 1,286, Corrected 1,276. No cases of *Anthrax*, *Cholera*, *Plague*, *Smallpox* or *Typhus fever* were notified.

*Uncorrected figures for 13 weeks ended 31st December 1965, not included in totals for England and Wales.

TABLE IV (a)
Corrected notifications of certain infectious diseases in the quarter ended 30th September 1965,
analysed by sex and age
England and Wales
(See General Notes on page 3)

| Age-group | Dysentery | | Scarlet fever | | Whooping cough | | Diphtheria | | Measles | | Meningo- coccal infection | | Acute poliomyelitis | | | |
|-----------------|-----------|-------|---------------|-------|----------------|-------|------------|----|---------|--------|---------------------------------|----|---------------------|----|---------------|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | Paralytic | | Non-paralytic | |
| All Ages ... | 2,523 | 2,635 | 1,757 | 1,908 | 1,788 | 1,949 | 1 | — | 31,305 | 29,889 | 45 | 37 | 18 | 23 | 22 | — |
| 0— ... | 126 | 108 | 15 | 4 | 190 | 209 | — | — | 1,516 | 1,432 | 12 | 8 | — | — | — | — |
| 1— ... | 216 | 162 | 52 | 38 | 236 | 243 | — | — | 4,023 | 3,838 | 4 | 5 | — | — | 1 | — |
| 2— ... | 286 | 201 | 110 | 112 | 243 | 238 | — | — | 4,724 | 4,513 | 2 | — | — | — | 1 | — |
| 3— ... | 204 | 200 | 204 | 190 | 283 | 319 | — | — | 4,775 | 4,582 | 2 | 1 | 2 | 1 | — | — |
| 4— ... | 168 | 157 | 269 | 241 | 202 | 255 | — | — | 4,541 | 4,425 | 1 | 2 | 1 | 1 | — | — |
| 5— ... | 641 | 567 | 877 | 1,070 | 535 | 573 | — | — | 10,709 | 9,960 | 7 | 3 | 4 | 1 | 1 | — |
| 10— ... | 168 | 169 | 154 | 161 | 57 | 57 | — | — | 601 | 647 | 10 | 3 | 2 | 2 | 2 | — |
| 15— ... | 168 | 267 | 52 | 59 | 14 | 19 | 1 | — | 186 | 212 | 2 | 6 | 4 | 9 | 9 | — |
| 25 and over ... | 509 | 769 | 15 | 22 | 16 | 31 | — | — | 75 | 129 | 5 | 9 | 5 | 9 | 8 | — |
| Unknown ... | 37 | 35 | 9 | 11 | 12 | 5 | — | — | 155 | 151 | — | — | — | — | — | — |

| Age-group | Typhoid fever | | Paratyphoid fever | | Erysipelas | | Acute encephalitis | | | | Acute pneumonia | | Food poisoning | |
|-----------------|---------------|----|-------------------|-----|------------|-----|--------------------|----|-----------------|---|-----------------|-----|----------------|----|
| | M. | F. | M. | F. | M. | F. | Infective | | Post-infectious | | M. | F. | M. | F. |
| All Ages ... | 20 | 40 | 302 | 406 | 151 | 213 | 18 | 12 | 8 | 3 | 518 | 427 | 720 | 70 |
| 0— ... | 3 | 4 | 45 | 43 | 2 | 3 | 5 | 5 | 3 | 1 | 87 | 62 | 165 | 13 |
| 5— ... | 2 | 3 | 69 | 69 | 3 | 4 | 6 | 1 | 3 | — | 57 | 51 | 139 | 9 |
| 15— ... | 10 | 11 | 106 | 162 | 34 | 40 | 6 | 3 | 2 | 2 | 98 | 96 | 267 | 29 |
| 45— ... | 4 | 15 | 58 | 97 | 74 | 91 | — | 3 | — | — | 141 | 95 | 93 | 10 |
| 65 and over ... | 1 | 7 | 13 | 24 | 33 | 73 | — | — | — | — | 127 | 116 | 34 | 5 |
| Unknown ... | — | — | 11 | 11 | 5 | 2 | 1 | — | — | — | 8 | 7 | 22 | 2 |

Tuberculosis

| Age-group | Respiratory | | Meninges and C.N.S. | | Other | | Age-group | Respiratory | | Meninges and C.N.S. | | Other | |
|--------------|-------------|-------|---------------------|----|-------|-----|-------------|-------------|-----|---------------------|----|-------|----|
| | M. | F. | M. | F. | M. | F. | | M. | F. | M. | F. | M. | F. |
| All Ages ... | 2,121 | 1,082 | 21 | 17 | 306 | 361 | | | | | | | |
| 0— ... | 7 | 8 | — | — | — | 2 | 25— ... | 321 | 204 | 3 | 2 | 94 | 8 |
| 1— ... | 18 | 16 | 1 | 1 | — | 2 | 35— ... | 308 | 173 | 3 | 3 | 59 | 7 |
| 2— ... | 52 | 55 | 1 | 3 | 6 | 6 | 45— ... | 344 | 122 | — | — | 36 | 4 |
| 5— ... | 48 | 49 | 6 | 2 | 11 | 6 | 55— ... | 423 | 92 | 1 | — | 17 | 3 |
| 10— ... | 49 | 38 | 1 | 1 | 4 | 6 | 65— ... | 213 | 59 | — | 1 | 10 | 2 |
| 15— ... | 78 | 90 | 1 | 1 | 16 | 21 | 75 and over | 93 | 39 | — | — | 6 | 2 |
| 20— ... | 155 | 128 | 3 | 3 | 43 | 32 | Unknown ... | 12 | 9 | 1 | — | 4 | — |

TABLE V

Infant mortality: rates by quarters and each completed year, 1963 to 1965

*England and Wales and various other countries**(Deaths under 1 year per 1,000 live births)*

| Country | 1963 | 1964 | 1965 | 1963 | | | | 1964 | | | | 1965 | | | |
|----------------|------|------|------|------|------|-------|------|------|------|-------|------|------|------|-------|------|
| | | | | Mar. | June | Sept. | Dec. | Mar. | June | Sept. | Dec. | Mar. | June | Sept. | Dec. |
| land and | | | | | | | | | | | | | | | |
| Wales | 21 | 20 | 19 | 24 | 19 | 19 | 22 | 22 | 20 | 18 | 21 | 21 | 18 | 17 | 20 |
| es | 23 | 24 | 20 | 25 | 21 | 21 | 23 | 29 | 23 | 20 | 25 | 22 | 20 | 16 | 22 |
| land | 26 | 24 | 23 | 29 | 24 | 21 | 28 | 27 | 23 | 22 | 23 | 24 | 22 | 21 | 25 |
| reland | 27 | 26 | † | 30 | 26 | 25 | 27 | 26 | 27 | 26 | 27 | 26 | 25 | 23 | † |
| n Republic ... | 27 | 27 | † | 30 | 26 | 24 | 27 | 29 | 26 | 25 | 27 | 25 | 27 | 23 | † |
| tralia | 20 | 19 | † | 19 | 20 | 20 | 19 | 18 | 20 | 21 | 18 | 18 | 19 | 19 | † |
| ada | 26 | 25 | † | 29 | 25 | 24 | 27 | 26 | 24 | 24 | 25 | † | † | † | † |
| e | 111 | † | † | 130 | 100 | 99 | 116 | † | † | † | † | † | † | † | † |
| emark | 19 | 19 | † | 20 | 20 | 18 | 19 | 20 | 19 | 18 | 18 | † | † | † | † |
| nce | 26 | 23 | † | 31 | 25 | 22 | 24 | 26 | 24 | 21 | 23 | 25 | 22 | 20 | † |
| | 40 | 36 | † | 46 | 39 | 36 | 38 | 38 | 37 | 32 | 36 | 39 | 35 | 32 | † |
| erlands | 14 | 15 | 14 | 17 | 14 | 13 | 15 | 17 | 14 | 14 | 15 | 14 | 14 | 14 | 15 |
| Zealand | 20 | 19 | 20 | 18 | 21 | 23 | 17 | 18 | 19 | 22 | 18 | 19 | 17 | 23 | 20 |
| den | 15 | 14 | † | 17 | 14 | 13 | 16 | 14 | 12 | 14 | 15 | 13 | † | † | † |
| A. | 25 | 24 | 25 | 27 | 25 | 23 | 26 | 25 | 24 | 23 | 25 | 27 | 25 | 23 | 25 |

Figures not yet available.

TABLE VI

Deaths by cause and sex in 1963 and 1964 and in the last nine available quarters, classified according to the International Abbreviated List (7th Revision, 1955), with certain sub-divisions

England and Wales

| Causes of Death | | 1963 | 1964 | 1963 | | 1964 | | | | 1965† | | |
|--------------------------------|---|---------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | | | Sept. | Dec. | March | June | Sept. | Dec. | March | June | Sept. |
| CAUSES | M | 292,410 | 274,773 | 58,699 | 68,537 | 79,885 | 65,136 | 58,096 | 71,656 | 80,356 | 66,591 | 61,401 |
| | F | 280,458 | 259,964 | 55,219 | 64,525 | 76,187 | 61,877 | 55,455 | 66,445 | 76,849 | 63,276 | 57,766 |
| Deaths from non-violent causes | M | 278,336 | 260,529 | 55,317 | 64,936 | 76,163 | 61,618 | 54,760 | 67,988 | 76,730 | 63,260 | 58,018 |
| | F | 269,909 | 249,648 | 53,040 | 61,892 | 73,158 | 59,427 | 53,290 | 63,773 | 73,956 | 60,935 | 55,417 |
| tuberculosis of respiratory | M | 2,022 | 1,711 | 404 | 453 | 542 | 426 | 332 | 411 | 431 | 335 | 323 |
| system (001-008) ... | F | 587 | 498 | 119 | 141 | 155 | 110 | 113 | 120 | 124 | 158 | 97 |
| tuberculosis of meninges | M | 37 | 26 | 11 | 6 | 7 | 7 | 8 | 4 | 7 | 3 | 6 |
| and C.N.S. (010) ... | F | 34 | 18 | 7 | 9 | 5 | 6 | 5 | 2 | 6 | 10 | 3 |
| tuberculosis, other forms | M | 132 | 116 | 22 | 36 | 27 | 31 | 31 | 27 | 33 | 32 | 28 |
| (011-019) | F | 148 | 115 | 39 | 44 | 30 | 32 | 34 | 19 | 35 | 22 | 21 |
| philis and its sequelae | M | 485 | 496 | 111 | 114 | 131 | 116 | 105 | 144 | 148 | 109 | 125 |
| (020-029) | F | 335 | 295 | 69 | 86 | 81 | 51 | 72 | 91 | 111 | 61 | 75 |
| typhoid fever (040) ... | M | 3 | 1 | 1 | — | — | — | 1 | — | — | 1 | 1 |
| | F | 1 | 1 | — | 1 | 1 | — | — | — | — | — | 2 |
| paratyphoid fever (041) | M | — | 1 | — | — | — | — | — | 1 | — | 1 | — |
| | F | 1 | — | 1 | — | — | — | — | — | — | — | — |
| cholera (043) | M | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — |
| ysentery, all forms | M | 21 | 7 | 4 | 2 | 1 | 1 | 2 | 3 | 3 | 1 | 4 |
| (045-048) | F | 14 | 10 | 6 | 2 | 4 | 4 | 1 | 1 | 5 | 2 | 4 |
| arlet fever (050) ... | M | 1 | 2 | 1 | — | 2 | — | — | — | 1 | — | — |
| | F | 1 | — | 1 | — | — | — | — | — | — | — | — |
| reptococcal sore | M | 6 | 6 | 1 | 1 | 2 | 3 | 1 | — | — | — | 2 |
| throat (051) | F | 2 | 2 | — | 1 | — | 1 | 1 | — | 1 | 1 | 3 |
| iphtheria (055) ... | M | 1 | — | — | 1 | — | — | — | — | — | — | — |
| | F | 1 | — | — | 1 | — | — | — | — | — | — | — |
| whooping cough (056) | M | 15 | 22 | 6 | 7 | 7 | 4 | 8 | 3 | 2 | — | 4 |
| | F | 21 | 22 | 4 | 12 | 7 | 4 | 3 | 8 | 5 | 4 | 1 |
| eningococcal infections | M | 88 | 53 | 14 | 18 | 20 | 16 | 5 | 12 | 22 | 11 | 6 |
| (057) | F | 58 | 45 | 9 | 12 | 13 | 10 | 6 | 16 | 25 | 12 | 6 |
| ague (058) | M | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — |
| cute poliomyelitis | M | 2 | 2 | 1 | — | 1 | — | — | 1 | — | — | 1 |
| (080) | F | 1 | 2 | 1 | — | 1 | 1 | — | — | — | — | 3 |
| cute infectious | M | 52 | 55 | 14 | 16 | 15 | 13 | 11 | 16 | 14 | 10 | 12 |
| encephalitis (082) ... | F | 35 | 43 | 7 | 6 | 10 | 9 | 13 | 11 | 9 | 10 | 18 |
| mallpox (084) | M | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — |
| Measles (085) | M | 62 | 30 | 8 | 6 | 7 | 8 | 3 | 12 | 27 | 13 | 7 |
| | F | 65 | 43 | 9 | 3 | 9 | 7 | 10 | 17 | 30 | 16 | 9 |
| typhus and other rickettsial | M | 1 | — | — | — | — | — | — | — | — | — | — |
| diseases (100-108) ... | F | 1 | — | 1 | — | — | — | — | — | — | — | — |
| Malaria (110-117) ... | M | 4 | 2 | 1 | 3 | 1 | — | 1 | — | — | 1 | — |
| | F | 2 | — | 2 | — | — | — | — | — | — | 2 | — |

† Provisional.

TABLE VI (continued)

| Causes of Death | 1963 | 1964 | 1963 | | 1964 | | | | 1965† | | |
|--|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| | | | Sept. | Dec. | March | June | Sept. | Dec. | March | June | Sept. |
| Deaths from non-violent causes— <i>continued</i> | | | | | | | | | | | |
| Other diseases classified as | | | | | | | | | | | |
| infective or parasitic {M | 396 | 374 | 91 | 87 | 105 | 89 | 76 | 104 | 110 | 74 | |
| (Rem. of 001-138) ... {F | 391 | 401 | 88 | 93 | 116 | 96 | 83 | 106 | 113 | 112 | |
| Malignant neoplasm of {M | 7,744 | 7,500 | 1,900 | 1,961 | 1,897 | 1,878 | 1,844 | 1,881 | 1,890 | 1,811 | 1,8 |
| stomach (151) ... {F | 5,937 | 5,569 | 1,480 | 1,522 | 1,425 | 1,329 | 1,402 | 1,413 | 1,378 | 1,343 | 1,4 |
| Malignant neoplasm of in- | | | | | | | | | | | |
| testines and rectum (152- | | | | | | | | | | | |
| 154) ... {M | 6,593 | 6,701 | 1,696 | 1,700 | 1,672 | 1,675 | 1,660 | 1,694 | 1,670 | 1,614 | 1,6 |
| ... {F | 8,036 | 8,186 | 2,033 | 1,988 | 2,013 | 1,978 | 2,121 | 2,074 | 2,024 | 1,964 | 2,0 |
| Malignant neoplasm of | | | | | | | | | | | |
| other digestive organs {M | 4,730 | 4,849 | 1,203 | 1,234 | 1,169 | 1,171 | 1,216 | 1,293 | 1,230 | 1,230 | 1,2 |
| (Rem. of 150-159) ... {F | 4,470 | 4,636 | 1,152 | 1,092 | 1,151 | 1,101 | 1,174 | 1,210 | 1,159 | 1,181 | 1,1 |
| Malignant neoplasm of | | | | | | | | | | | |
| trachea, bronchus, lung {M | 20,757 | 21,476 | 5,030 | 5,570 | 5,469 | 5,109 | 5,266 | 5,632 | 5,552 | 5,316 | 5,4 |
| (162-163) ... {F | 3,677 | 3,895 | 929 | 984 | 926 | 934 | 1,026 | 1,009 | 1,010 | 977 | 1,0 |
| Malignant neoplasm of | | | | | | | | | | | |
| other respiratory organs {M | 806 | 760 | 192 | 197 | 202 | 178 | 180 | 200 | 225 | 189 | 2 |
| (Rem. of 160-165) ... {F | 271 | 286 | 77 | 72 | 71 | 72 | 83 | 60 | 78 | 79 | |
| Malignant neoplasm of {M | 70 | 84 | 13 | 16 | 24 | 19 | 13 | 28 | 19 | 18 | |
| breast (170) ... {F | 9,442 | 9,860 | 2,256 | 2,411 | 2,508 | 2,395 | 2,407 | 2,550 | 2,469 | 2,268 | 2,4 |
| Malignant neoplasm of | | | | | | | | | | | |
| uterus (171-174) ... {F | 3,969 | 3,989 | 998 | 1,007 | 1,008 | 992 | 981 | 1,008 | 1,049 | 1,003 | 9 |
| Leukaemia and | | | | | | | | | | | |
| aleukaemia (204) ... {M | 1,511 | 1,564 | 366 | 395 | 412 | 351 | 373 | 428 | 372 | 342 | 3 |
| ... {F | 1,319 | 1,303 | 338 | 334 | 336 | 290 | 321 | 356 | 347 | 353 | 3 |
| Malignant neoplasm of | | | | | | | | | | | |
| other sites (Rem. of 140- | | | | | | | | | | | |
| 205) ... {M | 12,981 | 13,313 | 3,291 | 3,368 | 3,276 | 3,238 | 3,274 | 3,525 | 3,320 | 3,436 | 3,4 |
| ... {F | 10,103 | 10,727 | 2,496 | 2,633 | 2,636 | 2,578 | 2,683 | 2,830 | 2,757 | 2,589 | 2,6 |
| Benign and unspecified neo- | | | | | | | | | | | |
| plasms (210-239) ... {M | 654 | 712 | 168 | 161 | 187 | 169 | 156 | 200 | 164 | 146 | 1 |
| ... {F | 740 | 784 | 171 | 191 | 182 | 205 | 198 | 199 | 193 | 168 | 2 |
| Thyrototoxicosis with or | | | | | | | | | | | |
| without goitre (252) ... {M | 31 | 39 | 7 | 5 | 12 | 10 | 7 | 10 | 17 | 12 | |
| ... {F | 264 | 207 | 55 | 50 | 62 | 57 | 44 | 44 | 69 | 55 | |
| Diabetes mellitus (260) ... {M | 1,371 | 1,409 | 252 | 323 | 430 | 317 | 307 | 355 | 421 | 366 | 2 |
| ... {F | 2,433 | 2,522 | 519 | 557 | 740 | 604 | 511 | 667 | 763 | 614 | 5 |
| Pernicious and other hyper- | | | | | | | | | | | |
| chronic anaemias (290) ... {M | 214 | 186 | 51 | 46 | 48 | 40 | 51 | 47 | 44 | 40 | |
| ... {F | 487 | 449 | 125 | 108 | 107 | 104 | 124 | 114 | 124 | 112 | 1 |
| Anaemias, other (291-293) {M | 344 | 379 | 82 | 75 | 96 | 87 | 98 | 98 | 113 | 109 | |
| ... {F | 700 | 629 | 161 | 136 | 141 | 146 | 172 | 170 | 189 | 186 | 1 |
| Vascular lesions affecting | | | | | | | | | | | |
| the central nervous system {M | 32,264 | 29,818 | 6,352 | 7,399 | 8,600 | 7,127 | 6,287 | 7,804 | 9,067 | 7,410 | 6,8 |
| (330-334) ... {F | 48,076 | 44,147 | 9,616 | 11,100 | 12,688 | 10,752 | 9,353 | 11,354 | 13,529 | 10,851 | 10,1 |
| Non-meningococcal | | | | | | | | | | | |
| meningitis (340) ... {M | 212 | 251 | 37 | 42 | 64 | 72 | 53 | 62 | 81 | 57 | |
| ... {F | 183 | 204 | 32 | 50 | 60 | 52 | 39 | 53 | 64 | 48 | |
| Rheumatic fever (400-402) {M | 52 | 30 | 10 | 12 | 5 | 8 | 10 | 7 | 16 | 8 | |
| ... {F | 45 | 31 | 11 | 4 | 8 | 9 | 5 | 9 | 8 | 8 | |
| Chronic rheumatic heart | | | | | | | | | | | |
| disease (410-416) ... {M | 2,382 | 2,126 | 507 | 549 | 598 | 515 | 439 | 574 | 618 | 515 | 4 |
| ... {F | 4,542 | 4,045 | 832 | 1,073 | 1,194 | 926 | 869 | 1,056 | 1,241 | 941 | 8 |
| Coronary and atherosclerotic | | | | | | | | | | | |
| heart disease (420) ... {M | 65,840 | 65,082 | 13,927 | 16,200 | 17,730 | 15,613 | 14,123 | 17,616 | 19,027 | 16,445 | 15,2 |
| ... {F | 42,016 | 41,208 | 8,528 | 10,464 | 11,626 | 9,745 | 8,807 | 11,030 | 12,392 | 10,338 | 9,5 |
| Chronic endocarditis and | | | | | | | | | | | |
| other myocardial degener- | | | | | | | | | | | |
| ation (421,422) ... {M | 17,719 | 14,617 | 3,166 | 3,719 | 4,735 | 3,527 | 2,742 | 3,613 | 4,481 | 3,348 | 2,7 |
| ... {F | 29,240 | 24,519 | 5,154 | 6,146 | 7,833 | 5,842 | 4,916 | 5,928 | 7,429 | 5,819 | 4,8 |
| Other diseases of heart (430- | | | | | | | | | | | |
| 434) ... {M | 6,602 | 6,031 | 1,133 | 1,419 | 1,868 | 1,404 | 1,234 | 1,525 | 1,925 | 1,441 | 1,2 |
| ... {F | 8,399 | 7,671 | 1,550 | 1,792 | 2,368 | 1,869 | 1,520 | 1,914 | 2,474 | 1,930 | 1,7 |
| Hypertension with heart | | | | | | | | | | | |
| disease (440-443) ... {M | 4,082 | 3,427 | 701 | 925 | 1,100 | 806 | 660 | 861 | 1,090 | 790 | 7 |
| ... {F | 6,201 | 5,232 | 1,130 | 1,355 | 1,607 | 1,259 | 1,021 | 1,345 | 1,542 | 1,273 | 9 |
| Hypertension without men- | | | | | | | | | | | |
| tion of heart (444-447) ... {M | 2,574 | 2,171 | 511 | 527 | 657 | 506 | 438 | 570 | 663 | 485 | 4 |
| ... {F | 2,901 | 2,365 | 545 | 632 | 695 | 572 | 529 | 569 | 724 | 529 | 4 |
| Other diseases of circulatory | | | | | | | | | | | |
| system (Rem. of 400-468) {M | 9,262 | 8,472 | 1,814 | 2,184 | 2,429 | 2,067 | 1,725 | 2,251 | 2,617 | 2,084 | 1,9 |
| ... {F | 11,762 | 11,226 | 2,314 | 2,678 | 3,155 | 2,756 | 2,291 | 3,024 | 3,442 | 2,856 | 2,4 |
| Influenza (480-483) ... {M | 1,442 | 494 | 21 | 104 | 329 | 69 | 11 | 85 | 186 | 108 | |
| ... {F | 1,772 | 549 | 18 | 94 | 382 | 78 | 15 | 74 | 188 | 128 | |
| Pneumonia (except of new- | | | | | | | | | | | |
| born) (490-493) ... {M | 16,945 | 13,830 | 2,261 | 3,316 | 5,010 | 3,145 | 2,182 | 3,493 | 4,914 | 3,387 | 2,4 |
| ... {F | 19,118 | 15,679 | 2,431 | 3,765 | 5,822 | 3,475 | 2,506 | 3,876 | 5,649 | 3,935 | 2,7 |
| <i>Pneumonia of newborn</i> {M | 401 | 354 | 82 | 90 | 114 | 84 | 83 | 73 | 97 | 82 | |
| (763) ... {F | 278 | 229 | 63 | 66 | 65 | 56 | 45 | 63 | 73 | 63 | |
| Bronchitis (500-502) ... {M | 24,832 | 20,773 | 2,861 | 5,086 | 8,312 | 4,155 | 2,891 | 5,415 | 7,644 | 4,639 | 3,5 |
| ... {F | 10,500 | 7,967 | 949 | 1,927 | 3,498 | 1,625 | 930 | 1,914 | 3,011 | 1,722 | 1,0 |
| Other respiratory diseases | | | | | | | | | | | |
| (Rem. 470-527) ... {M | 3,651 | 3,413 | 614 | 746 | 1,204 | 740 | 565 | 904 | 1,096 | 798 | 6 |
| ... {F | 1,805 | 1,672 | 315 | 387 | 578 | 364 | 295 | 435 | 536 | 399 | 3 |
| Ulcer of stomach and duo- | | | | | | | | | | | |
| denum (540, 541) ... {M | 2,799 | 2,568 | 509 | 609 | 834 | 618 | 479 | 637 | 810 | 566 | 4 |
| ... {F | 1,542 | 1,376 | 300 | 316 | 435 | 331 | 277 | 333 | 444 | 333 | 2 |
| Appendicitis (550-553) ... {M | 299 | 274 | 57 | 74 | 61 | 70 | 66 | 77 | 81 | 72 | |
| ... {F | 257 | 224 | 61 | 63 | 49 | 48 | 59 | 68 | 69 | 52 | |
| Intestinal obstruction and | | | | | | | | | | | |
| hernia (560, 561, 570) ... {M | 1,472 | 1,401 | 339 | 334 | 378 | 335 | 329 | 359 | 383 | 315 | 3 |
| ... {F | 1,661 | 1,638 | 366 | 401 | 468 | 378 | 383 | 409 | 472 | 391 | 3 |
| Gastritis, duodenitis, enter- | | | | | | | | | | | |
| itis and colitis, except | | | | | | | | | | | |
| diarrhoea of the newborn {M | 1,031 | 1,046 | 224 | 252 | 303 | 240 | 211 | 292 | 263 | 237 | 2 |
| (543, 571, 572) ... {F | 1,566 | 1,611 | 377 | 376 | 410 | 392 | 396 | 413 | 392 | 325 | 3 |
| <i>Gastro-enteritis and colitis,</i> | | | | | | | | | | | |
| <i>except ulcerative, aged</i> | | | | | | | | | | | |
| <i>4 wks.-2 yrs., and</i> | | | | | | | | | | | |
| <i>diarrhoea of newborn</i> {M | 272 | 295 | 57 | 56 | 124 | 62 | 41 | 68 | 76 | 47 | |
| (571.0, 764) ... {F | 185 | 207 | 36 | 44 | 78 | 51 | 28 | 50 | 57 | 32 | |

† Provisional.

TABLE VI (continued)

| Causes of Death | 1963 | 1964 | 1963 | | 1964 | | | | 1965† | | |
|--|------|------|-------|------|-------|------|-------|------|-------|------|-------|
| | | | Sept. | Dec. | March | June | Sept. | Dec. | March | June | Sept. |
| Deaths from non-violent causes—continued | | | | | | | | | | | |
| Cirrhosis of liver (581) ... { M 701 657 154 171 174 145 135 203 176 161 178 | | | | | | | | | | | |
| ... { F 621 652 140 165 142 169 162 179 173 169 155 | | | | | | | | | | | |
| Other diseases of digestive system (Rem. of 530-587) { M 1,412 1,467 319 366 386 376 348 357 359 333 350 | | | | | | | | | | | |
| ... { F 2,020 1,994 445 505 543 465 497 489 525 489 460 | | | | | | | | | | | |
| Nephritis and nephrosis (590-594) ... { M 1,695 1,518 391 399 422 381 348 367 424 386 323 | | | | | | | | | | | |
| ... { F 1,484 1,404 299 339 384 379 321 320 366 322 285 | | | | | | | | | | | |
| Hyperplasia of prostate (610) M 2,479 2,338 516 602 664 558 531 585 568 487 449 | | | | | | | | | | | |
| Other diseases of genito-urinary system (Rem. of 590-637) ... { M 1,772 1,794 406 439 458 446 427 463 471 431 411 | | | | | | | | | | | |
| ... { F 2,542 2,610 576 645 641 662 619 688 695 644 583 | | | | | | | | | | | |
| Sepsis of pregnancy, childbirth and puerperium; abortion with sepsis (640, 641, 651, 681, 682, 684) ... F 60 61 16 17 21 12 9 19 18 15 5 | | | | | | | | | | | |
| Other complications of pregnancy, childbirth and puerperium including abortion (Rem. 640-689) F 183 166 45 50 43 48 41 34 40 52 38 | | | | | | | | | | | |
| Congenital malformations { M 2,783 2,741 664 710 710 714 667 650 674 646 585 | | | | | | | | | | | |
| (750-759) ... { F 2,466 2,417 553 594 626 595 574 622 627 555 587 | | | | | | | | | | | |
| Birth injuries, postnatal asphyxia and atelectasis { M 2,705 2,765 643 631 710 737 641 677 631 621 655 | | | | | | | | | | | |
| (760-762) ... { F 1,753 1,816 412 433 473 462 458 423 421 422 395 | | | | | | | | | | | |
| Infections of the newborn { M 489 431 106 111 139 101 104 87 114 102 81 | | | | | | | | | | | |
| (763-768) ... { F 335 283 82 80 85 72 56 70 86 76 51 | | | | | | | | | | | |
| Other diseases peculiar to early infancy and immaturity (769-776) { M 2,406 2,199 584 586 536 562 540 561 551 573 522 | | | | | | | | | | | |
| ... { F 1,727 1,656 407 411 409 456 394 397 384 418 363 | | | | | | | | | | | |
| Senility without mention of psychosis, ill-defined and unknown causes (780-795) { M 2,173 1,725 340 456 549 401 342 433 467 372 302 | | | | | | | | | | | |
| ... { F 4,092 3,444 802 839 1,077 843 728 796 977 783 675 | | | | | | | | | | | |
| All other natural causes { M 5,127 5,194 1,209 1,167 1,436 1,224 1,203 1,331 1,498 1,223 1,265 | | | | | | | | | | | |
| (Rem. 001-795) ... { F 7,494 7,244 1,581 1,695 2,100 1,675 1,632 1,837 1,965 1,810 1,745 | | | | | | | | | | | |
| Deaths by violence ... { M 14,074 14,244 3,382 3,601 3,722 3,518 3,336 3,668 3,626 3,331 3,383 | | | | | | | | | | | |
| ... { F 10,549 10,316 2,179 2,633 3,029 2,450 2,165 2,672 2,884 2,341 2,349 | | | | | | | | | | | |
| Motor vehicle accidents { M 4,589 5,238 1,153 1,443 1,245 1,173 1,221 1,599 1,358 1,230 1,229 | | | | | | | | | | | |
| (E810-E835) ... { F 1,762 2,033 415 553 555 419 448 611 610 448 485 | | | | | | | | | | | |
| Other transport accidents { M 489 471 134 113 103 129 112 127 81 95 160 | | | | | | | | | | | |
| (E800-E802, E840-E866), { F 66 81 19 19 19 21 14 27 15 9 18 | | | | | | | | | | | |
| Accidental poisoning { M 928 780 142 199 284 184 124 188 249 159 164 | | | | | | | | | | | |
| (E870-E895) ... { F 1,144 982 181 271 344 231 149 258 292 157 174 | | | | | | | | | | | |
| Accidental falls { M 2,073 1,873 444 460 538 446 434 455 511 458 440 | | | | | | | | | | | |
| (E900-E904) ... { F 3,613 3,441 735 800 1,013 813 724 891 989 820 771 | | | | | | | | | | | |
| Accidents caused by fire or hot substance (E916, E917) ... { M 374 358 62 57 134 89 42 93 128 65 52 | | | | | | | | | | | |
| ... { F 612 505 64 116 227 107 49 122 213 101 77 | | | | | | | | | | | |
| All other accidents (Rem. E800-E962) ... { M 2,126 2,193 576 477 515 603 623 452 499 540 533 | | | | | | | | | | | |
| ... { F 818 747 167 184 201 180 176 190 233 189 191 | | | | | | | | | | | |
| Suicide and self-inflicted injury (E963, E970-E979) ... { M 3,308 3,175 841 797 860 862 744 709 754 736 771 | | | | | | | | | | | |
| ... { F 2,407 2,391 574 652 626 644 577 544 510 582 602 | | | | | | | | | | | |
| Homicide and operations of war (E964, E965, E980-E999) ... { M 187 156 30 55 43 32 36 45 46 48 34 | | | | | | | | | | | |
| ... { F 127 136 24 38 44 35 28 29 22 35 31 | | | | | | | | | | | |

Provisional

TABLE VII
Accidental deaths registered in the quarter ended 31st December 1965
analysed by sex and age, with totals for the corresponding quarter of the previous year
England and Wales

(Classified according to the International Classification of Diseases (7th Revision 1955))

| | | All ages December quarter | | 0— | 1— | 5— | 10-14 | Total under 15 | 15— | 25— | 45— | 65 & over | Total aged 15 & over |
|---|-----|---------------------------------|-------|-------|----|----|-------|----------------------|-----|-----|-----|--------------|-------------------------------|
| | | 1964 | 1965 | | | | | | | | | | |
| Home accidents*: | | | | | | | | | | | | | |
| Coal gas poisoning | { M | 77 | 81 | — | 1 | — | — | 1 | 3 | 10 | 17 | 50 | 80 |
| (E890) | | F | 135 | 142 | 1 | — | — | 1 | 6 | 5 | 17 | 113 | 141 |
| Other poisoning | { M | 75 | 76 | — | 6 | — | — | 6 | 7 | 17 | 30 | 16 | 70 |
| (E870-E888, E891-E895) ... | | F | 94 | 72 | 1 | 1 | — | — | 2 | 3 | 20 | 27 | 20 |
| Falls | { M | 299 | 289 | 5 | 4 | — | — | 9 | 1 | 14 | 35 | 230 | 280 |
| (E900-E904)... .. | | F | 724 | 684 | 3 | 6 | 2 | — | 11 | 1 | 5 | 24 | 643 |
| Burns and scalds | { M | 74 | 71 | 6 | 19 | 3 | 1 | 29 | 3 | 6 | 10 | 23 | 42 |
| (E916-E917)... .. | | F | 120 | 109 | 2 | 18 | 5 | — | 25 | 3 | 7 | 18 | 56 |
| Choking and suffocation | { M | 85 | 92 | 54 | 8 | 1 | 1 | 64 | 2 | 9 | 8 | 9 | 28 |
| (E921, E922, E924, E925) | | F | 54 | 58 | 36 | 2 | — | — | 38 | — | 4 | 8 | 8 |
| Other | { M | 43 | 62 | 14 | 6 | — | 6 | 26 | 7 | 8 | 9 | 12 | 36 |
| (Remainder of E870-E936) | | F | 39 | 48 | 9 | 6 | 1 | — | 16 | 1 | 3 | 7 | 21 |
| Total home accidents | { M | 653 | 671 | 79 | 44 | 4 | 8 | 135 | 23 | 64 | 109 | 340 | 536 |
| (E870-936) | | F | 1,166 | 1,113 | 52 | 33 | 8 | — | 93 | 14 | 44 | 101 | 861 |
| Transport accidents: | | | | | | | | | | | | | |
| Motor vehicle road accidents involving injury to: | | | | | | | | | | | | | |
| Motor cyclist† | { M | 389 | 287 | — | — | — | — | — | 197 | 42 | 45 | 3 | 287 |
| (E814, E815, E821) ... | | F | 42 | 25 | — | 1 | — | 1 | 2 | 18 | 2 | 3 | — |
| Pedal cyclist | { M | 132 | 120 | — | 1 | 9 | 15 | 25 | 13 | 9 | 51 | 22 | 95 |
| (E813) | | F | 18 | 12 | — | — | — | 3 | 3 | 1 | 1 | 4 | 3 |
| Pedestrian | { M | 459 | 447 | — | 20 | 29 | 14 | 63 | 31 | 33 | 96 | 224 | 384 |
| (E812) | | F | 342 | 372 | — | 21 | 23 | 13 | 57 | 14 | 17 | 74 | 210 |
| Occupant of motor vehicle‡ | { M | 557 | 576 | 4 | 6 | 6 | 3 | 19 | 192 | 187 | 128 | 50 | 557 |
| (Remainder of E810- E825) | | F | 188 | 244 | 1 | 4 | 8 | 6 | 19 | 58 | 46 | 77 | 44 |
| Other road accidents involving injury to: | | | | | | | | | | | | | |
| Pedal cyclist | { M | 12 | 14 | — | — | 1 | 2 | 3 | — | 1 | 4 | 6 | 11 |
| (E843) | | F | 2 | 1 | — | 1 | — | — | 1 | — | — | — | — |
| Pedestrian | { M | — | 1 | — | — | — | — | — | — | — | — | 1 | 1 |
| (E840-E842, E844) ... | | F | 10 | 3 | — | — | — | — | — | — | — | 2 | 1 |
| All other transport accidents including rail, air, water (Remainder of E800-E866) | { M | 135 | 116 | 1 | 3 | 2 | 4 | 10 | 21 | 34 | 42 | 9 | 106 |
| | | F | 15 | 10 | — | — | — | 1 | 1 | 1 | 1 | 5 | 2 |
| Total transport accidents | { M | 1,684 | 1,561 | 5 | 30 | 47 | 38 | 120 | 454 | 306 | 366 | 315 | 1,441 |
| (E800-E866)... .. | | F | 617 | 667 | 1 | 27 | 31 | 24 | 83 | 92 | 67 | 165 | 260 |
| Other accidents: | | | | | | | | | | | | | |
| Poisonings | { M | 32 | 24 | — | — | — | — | — | 2 | 8 | 10 | 4 | 24 |
| (E870-E895)... .. | | F | 27 | 38 | — | — | — | — | — | — | 7 | 17 | 14 |
| Falls | { M | 132 | 146 | 1 | 1 | 3 | 6 | 11 | 16 | 33 | 49 | 37 | 135 |
| (E900-E904)... .. | | F | 77 | 79 | — | — | — | — | — | 1 | 1 | 13 | 64 |
| Burns | { M | 19 | 47 | — | 1 | — | 2 | 3 | 2 | 19 | 22 | 1 | 44 |
| (E916-E917)... .. | | F | 1 | 4 | — | — | — | 1 | 1 | — | 1 | 2 | — |
| Drowning | { M | 73 | 99 | 10 | 9 | 14 | — | 33 | 6 | 14 | 34 | 12 | 66 |
| (E929) | | F | 28 | 25 | — | 3 | 3 | — | 6 | — | 4 | 7 | 8 |
| Other | { M | 198 | 216 | 4 | 4 | 3 | 10 | 21 | 32 | 80 | 69 | 14 | 195 |
| (Remainder of E870-E936) | | F | 19 | 28 | 3 | 1 | 2 | 2 | 8 | — | 5 | 9 | 6 |
| Total other accidents | { M | 454 | 532 | 15 | 15 | 20 | 18 | 68 | 58 | 154 | 184 | 68 | 464 |
| (E.870-E936) | | F | 152 | 174 | 3 | 4 | 5 | 3 | 15 | 1 | 18 | 48 | 92 |
| §Total, all accidents December Quarter 1965(E800- E936) | { M | | 2,764 | 99 | 89 | 71 | 64 | 323 | 535 | 524 | 659 | 723 | 2,441 |
| | | F | | 1,954 | 56 | 64 | 44 | 27 | 191 | 107 | 129 | 314 | 1,213 |
| §Total, all accidents December Quarter 1964 (E800- E936) | { M | 2,791 | | 79 | 83 | 54 | 70 | 286 | 612 | 572 | 638 | 683 | 2,505 |
| | | F | 1,935 | | 56 | 63 | 33 | 26 | 178 | 103 | 131 | 292 | 1,231 |

* Including deaths in residential institutions. † Including passengers. ‡ Including a few deaths of other and unspecified persons.

§ Excluding deaths from therapeutic misadventure, etc., (E940-E959), and late effects of injury and poisoning (E960-E962).

TABLE VIII

Numbers of insured persons absent from work owing to certified sickness or industrial injury (or prescribed disease)

*England and Wales, standard regions**

(Supplied by the Ministry of Pensions and National Insurance)

(Figures to nearest hundred)

| Area | 19th October 1965 | | 16th November 1965 | | 21st December 1965 | |
|------------------------------|-------------------|--------|--------------------|--------|--------------------|--------|
| | Sickness | Injury | Sickness | Injury | Sickness | Injury |
| England and Wales | 882,500 | 65,900 | 870,400 | 64,500 | 868,600 | 64,700 |
| Northern | 79,700 | 10,100 | 79,100 | 9,800 | 84,400 | 10,400 |
| East and West Ridings | 93,600 | 11,000 | 92,300 | 10,700 | 92,100 | 11,100 |
| North Western | 170,300 | 9,700 | 168,700 | 9,600 | 168,100 | 9,500 |
| North Midland | 61,500 | 5,900 | 61,100 | 5,800 | 60,900 | 5,900 |
| Midland | 86,300 | 5,500 | 84,400 | 5,300 | 83,100 | 5,100 |
| Eastern | 47,500 | 2,500 | 46,400 | 2,400 | 46,600 | 2,300 |
| London and South Eastern: | | | | | | |
| Greater London | 126,700 | 5,000 | 124,100 | 5,100 | 119,700 | 4,900 |
| Remainder | 44,000 | 2,100 | 44,200 | 2,100 | 43,500 | 1,900 |
| Southern | 38,400 | 1,900 | 37,600 | 1,900 | 36,800 | 1,800 |
| South Western | 57,100 | 2,800 | 56,100 | 2,700 | 56,000 | 2,600 |
| Wales | 77,500 | 9,600 | 76,600 | 9,000 | 77,300 | 9,200 |

Notes: (1) Periodical checks of the proportion of males included in the total figures of persons absent from work have shown a fairly constant level of about 70 or 71 per cent for absence caused by sickness and about 87 per cent for absence caused by industrial injury.

(2) Broadly, the whole of the civilian *working* population aged 15 and over can now qualify under the National Insurance Act for sickness benefit without limit of income, including not only those employed under contract of service but also the self-employed. There are, however, about 3½ million employed persons who do not qualify including about 3 million married women who elect not to be insured in their own right.

(3) The National Insurance (Industrial Injuries) Act applies, generally speaking, to all civilians working for an employer under contract of service or apprenticeship, corresponding closely with the class of "employed persons" under the main scheme.

(4) It is not practicable to make a straightforward count of the number of persons who are absent from work on a given day owing to sickness or industrial injury. The method followed has accordingly been to take the number of long-term certificates then current, and to add to it the number of first and intermediate certificates of incapacity received during the week ended on the given day. (The figure so obtained includes a small proportion of persons whose incapacity in fact ended before that day, and excludes a small proportion of persons whose incapacity in fact began on or before that day. Sample enquiries indicate that these factors do not produce on balance any significant effect on the national and regional totals.)

*The constitution of the standard regions of England and Wales in this Table is as follows:

| | | | |
|---|---|--|---|
| Northern Cumberland Durham Northumberland Westmorland Yorkshire, North Riding | Midland Herefordshire Shropshire Staffordshire Warwickshire Worcestershire | Southern Berkshire Buckinghamshire Dorset, Part of ³ Hampshire Oxfordshire Wight, Isle of | Wales II (remainder) Anglesey Caernarvonshire Cardiganshire Denbighshire Flintshire Merionethshire Montgomeryshire Pembrokeshire Radnorshire |
| East and West Ridings Yorkshire, East Riding Yorkshire, West Riding | Eastern Bedfordshire Cambridgeshire & Isle of Ely Essex Hertfordshire Huntingdonshire Norfolk Suffolk, East Suffolk, West | South Western Cornwall Devon Dorset, Part of ⁴ Gloucestershire Somerset Wiltshire | |
| North Western Cheshire Derbyshire, Part of ¹ Lancashire | London and South Eastern City of London and London Boroughs Kent Surrey Sussex, East Sussex, West | Wales I (South East) Breconshire Carmarthenshire Glamorgan Monmouthshire | |
| North Midland Derbyshire, Part of ² Leicestershire Lincolnshire Parts of Holland Parts of Kesteven Parts of Lindsey Northamptonshire Nottinghamshire Peterborough, Soke of Rutland | | | |

¹ Buxton M.B., Glossop M.B., New Mills U.D., Whaley Bridge U.D. and Chapel en le Frith R.D.

² All except the areas stated in 1 above.

³ Poole M.B. only.

⁴ All areas except Poole M.B.

TABLE IX

Populations, births (distinguishing stillbirths) and deaths (distinguishing deaths from certain causes) registered in the third quarter 1965 and, where available, fourth quarter 1965

Greater London and certain cities abroad

| CITIES | POPULATION (enumerated or estimated) | LIVE BIRTHS | STILLBIRTHS | DEATHS (excluding Stillbirths) | Rate per 1,000 living | | Deaths from | | | | | | | | | | Deaths under 1 year per 1,000 Live Births |
|---------------------|--|-------------|-------------|--------------------------------------|--------------------------|--|--------------------------------------|----------|-------------------|------------|-----------------------------|-----------|------------------------|--|----|--|--|
| | | | | | Live Births | Deaths (exclu- ding Still- births) | Typhoid and paratyphoid fevers | Smallpox | Whooping cough | Diphtheria | Tuberculosis (all forms) | Influenza | Acute poliomyelitis | Enteritis and diarrhoea (under 2 yrs.) | | | |
| Third Quarter 1965 | | | | | | | | | | | | | | | | | |
| GREATER LONDON | 7,948,800 | 38,153 | 537 | 19,126 | 19.0 | 9.5 | 1 | — | — | — | 83 | 3 | — | 6 | 14 | | |
| AUCKLAND ... | 515,100 | 3,107 | 38 | 1,377 | 24.1 | 10.7 | † | † | † | † | † | † | † | † | 17 | | |
| CHRISTCHURCH | 243,900 | 1,227 | 16 | 683 | 20.2 | 11.2 | † | † | † | † | † | † | † | † | 17 | | |
| COPENHAGEN ... | 706,400 | 3,183 | 49 | 1,928 | 17.6 | 10.7 | † | † | † | † | 5 | 1 | † | † | 20 | | |
| GOTHENBURG ... | 421,662 | † | † | 938 | † | 8.9 | † | † | † | † | 2 | 1 | † | † | † | | |
| HELSINKI ... | 501,100 | 2,125 | 20 | 1,189 | 17.0 | 9.5 | † | † | † | † | † | † | † | † | 15 | | |
| OSLO ... | 485,000 | 1,660 | 20 | 1,168 | 13.6 | 9.6 | † | † | † | † | 2 | — | † | † | 10 | | |
| ROME ... | 2,491,728 | 13,832 | 197 | 4,301 | 22.0 | 6.8 | 4 | † | 3 | † | 72 | † | 10 | 18 | † | | |
| STOCKHOLM ... | 793,196 | 2,337 | 20 | 2,110 | 11.8 | 10.6 | — | — | — | — | 11 | — | — | — | 17 | | |
| WELLINGTON ... | 273,000 | 1,650 | 20 | 606 | 24.2 | 8.9 | † | † | † | † | † | † | † | † | 18 | | |
| Fourth Quarter 1965 | | | | | | | | | | | | | | | | | |
| GREATER LONDON | 7,948,800 | 34,447 | 538 | 23,156 | 17.2 | 11.6 | 1 | — | 2 | — | 87 | 16 | — | 18 | 20 | | |
| AUCKLAND ... | 515,100 | 3,152 | 33 | 1,138 | 24.5 | 8.8 | † | † | † | † | † | † | † | † | 17 | | |
| CHRISTCHURCH | 243,900 | 1,235 | 12 | 545 | 20.2 | 8.9 | † | † | † | † | † | † | † | † | 12 | | |
| COPENHAGEN ... | 706,400 | 2,903 | 32 | 2,131 | 16.3 | 12.0 | † | † | † | † | 7 | 4 | † | † | 24 | | |
| GOTHENBURG ... | 421,662 | † | † | 958 | † | 9.0 | † | † | † | † | 2 | — | † | † | † | | |
| OSLO ... | 485,000 | 1,747 | 18 | 1,373 | 14.3 | 11.2 | † | † | † | † | 7 | † | † | † | 11 | | |
| ROME ... | 2,508,258 | 12,328 | 205 | 4,912 | 19.5 | 7.8 | 1 | — | 4 | — | 95 | † | 2 | 27 | † | | |
| STOCKHOLM ... | 793,196 | 2,186 | 18 | 2,180 | 11.0 | 11.0 | — | — | — | — | 17 | 1 | — | — | 18 | | |
| WELLINGTON ... | 273,000 | 1,657 | 25 | 560 | 24.3 | 8.2 | † | † | † | † | † | † | † | † | 15 | | |

† Figures not available.

TABLE X

Meteorology: values of air temperature, rainfall and sunshine for the fourth quarter 1965 expressed as differences from, or percentages of, the average values†

Districts of England and Wales

(Supplied by the Director-General of the Meteorological Office)

| District | Air Temperature | | | Rainfall | | Sunshine |
|----------------------------------|-----------------|--------|------------------------------------|-----------------------|--|-----------------------|
| | Highest | Lowest | Difference from average daily mean | Percentage of average | Number of days difference from average | Percentage of average |
| | °F. | °F. | °F. | % | | % |
| OCTOBER 1965 | | | | | | |
| England N.E. | 71 | 27 | +1.3 | 37 | —7 | 91 |
| England E. | 75 | 26 | +1.1 | 28 | —9 | 125 |
| Midland Counties | 79 | 27 | +1.4 | 39 | —7 | 97 |
| England S.E. | 79 | 25 | +1.8 | 24 | —9 | 133 |
| England N.W. and N. Wales | 78 | 26 | +1.8 | 57 | —9 | 138 |
| England S.W. and S. Wales | 75 | 31 | +1.1 | 29 | —9 | 89 |
| Mean... .. | — | — | +1.4 | 36 | —8 | 112 |
| NOVEMBER 1965 | | | | | | |
| England N.E. | 59 | 17 | —4.5 | 265 | +6 | 98 |
| England E. | 62 | 12 | —3.4 | 87 | +3 | 148 |
| Midland Counties | 59 | 15 | —4.0 | 107 | +2 | 138 |
| England S.E. | 60 | 16 | —3.1 | 101 | +3 | 150 |
| England N.W. and N. Wales | 60 | 14 | —4.3 | 87 | —3 | 141 |
| England S.W. and S. Wales | 61 | 18 | —3.2 | 111 | +3 | 126 |
| Mean... .. | — | — | —3.7 | 126 | +2 | 133 |
| DECEMBER 1965 | | | | | | |
| England N.E. | 57 | 11 | —2.2 | 128 | +4 | 121 |
| England E. | 58 | 12 | —0.4 | 183 | +3 | 211 |
| Midland Counties | 58 | 10 | 0.0 | 209 | +4 | 161 |
| England S.E. | 59 | 10 | +0.7 | 161 | +4 | 127 |
| England N.W. and N. Wales | 59 | 10 | —0.5 | 192 | +4 | 120 |
| England S.W. and S. Wales | 58 | 15 | +0.5 | 190 | +5 | 128 |
| Mean... .. | — | — | —0.3 | 177 | +4 | 145 |
| 4th QUARTER 1965 | | | | | | |
| England N.E. | 71 | 11 | —1.8 | 150 | +3 | 103 |
| England E. | 75 | 12 | —0.9 | 99 | —3 | 161 |
| Midland Counties | 79 | 10 | —0.9 | 118 | —1 | 132 |
| England S.E. | 79 | 10 | —0.2 | 95 | —2 | 137 |
| England N.W. and N. Wales | 78 | 10 | —1.0 | 112 | —8 | 133 |
| England S.W. and S. Wales | 75 | 15 | —0.5 | 110 | —1 | 114 |
| Mean... .. | — | — | —0.9 | 114 | —2 | 130 |

† The averages used for rainfall and raindays are for the period 1916-50, while those for sunshine and temperatures are for 1931-60.

APPENDIX A

Estimated population of children aged under 15 years as at 30th June 1965

England and Wales, administrative counties, county boroughs, Greater London, City of London and London boroughs

| Area | Under 1 | 1-4 | Total under 5 | 5-14 | Total under 15 | Area | Under 1 | 1-4 | Total under 5 | 5-14 | Total under 15 |
|----------------------------------|---------|-----------|---------------|-----------|----------------|-------------------------------------|---------|---------|---------------|-----------|----------------|
| ENGLAND and WALES | 851,300 | 3,262,100 | 4,113,400 | 6,791,200 | 10,904,600 | Administrative counties (continued) | | | | | |
| Administrative counties | 608,600 | 2,335,200 | 2,943,800 | 4,867,600 | 7,811,400 | Sussex, West | 6,430 | 27,170 | 33,600 | 62,400 | 96,000 |
| Bedfordshire | 5,800 | 23,000 | 28,800 | 41,100 | 69,900 | Warwickshire | 10,300 | 40,600 | 50,900 | 83,800 | 134,700 |
| Berkshire | 9,020 | 35,180 | 44,200 | 70,600 | 114,800 | Westmorland | 1,050 | 3,950 | 5,000 | 9,200 | 14,200 |
| Buckinghamshire | 10,300 | 42,200 | 52,500 | 82,800 | 135,300 | Wight, Isle of | 1,400 | 5,060 | 6,500 | 13,900 | 20,400 |
| Cambridgeshire and Isle of Ely | 4,900 | 18,400 | 23,300 | 39,100 | 62,400 | Wiltshire | 8,960 | 35,040 | 44,000 | 71,500 | 115,500 |
| Cheshire | 17,800 | 72,700 | 90,500 | 149,800 | 240,300 | Worcestershire | 8,370 | 31,730 | 40,100 | 67,000 | 107,100 |
| Cornwall (excl. Isles of Scilly) | 5,220 | 19,980 | 25,200 | 47,100 | 72,300 | Yorkshire, East Riding | 3,940 | 15,460 | 19,400 | 33,100 | 52,500 |
| Scilly, Isles of | 30 | 170 | 200 | 300 | 500 | Yorkshire, North Riding | 3,800 | 31,000 | 38,800 | 63,800 | 102,600 |
| Cumberland | 3,970 | 15,630 | 19,600 | 35,500 | 55,100 | Yorkshire, West Riding | 30,700 | 118,000 | 148,700 | 255,800 | 404,500 |
| Derbyshire | 13,300 | 52,300 | 65,600 | 111,700 | 177,300 | Anglesey | 990 | 3,710 | 4,700 | 8,500 | 13,200 |
| Devon | 8,360 | 32,440 | 40,800 | 75,400 | 116,200 | Breconshire | 860 | 3,240 | 4,100 | 7,700 | 11,800 |
| Dorset | 5,150 | 20,550 | 25,700 | 46,900 | 72,600 | Caernarvonshire | 1,810 | 7,090 | 8,900 | 15,700 | 24,600 |
| Durham | 17,400 | 69,400 | 86,800 | 153,800 | 240,600 | Cardiganshire | 810 | 2,990 | 3,800 | 6,900 | 10,700 |
| Essex | 19,700 | 82,300 | 102,000 | 148,900 | 250,900 | Carmarthenshire | 2,370 | 9,430 | 11,800 | 22,600 | 34,400 |
| Gloucestershire | 10,400 | 39,800 | 50,200 | 80,300 | 130,500 | Denbighshire | 2,700 | 11,100 | 13,800 | 25,500 | 39,000 |
| Greater London | 141,500 | 490,500 | 632,000 | 983,700 | 1,615,700 | Flintshire | 2,910 | 10,890 | 13,800 | 22,800 | 36,600 |
| Hampshire | 17,000 | 66,200 | 83,200 | 134,900 | 218,100 | Merionethshire | 13,100 | 50,700 | 63,800 | 113,500 | 177,300 |
| Herefordshire | 2,430 | 9,270 | 11,700 | 21,000 | 32,700 | Monmouthshire | 600 | 2,500 | 3,100 | 5,300 | 8,400 |
| Hertfordshire | 15,400 | 66,300 | 81,700 | 137,200 | 218,900 | Monmouthshire | 6,350 | 24,950 | 31,300 | 54,000 | 85,300 |
| Huntingdon and Peterborough | 3,500 | 13,100 | 16,600 | 27,000 | 43,600 | Montgomeryshire | 680 | 2,620 | 3,300 | 6,400 | 9,700 |
| Kent | 22,300 | 85,900 | 108,200 | 177,300 | 285,500 | Pembrokeshire | 1,720 | 6,480 | 8,200 | 15,000 | 23,200 |
| Lancashire | 41,900 | 167,400 | 209,300 | 347,500 | 556,800 | Radnorshire | 280 | 1,120 | 1,400 | 2,500 | 3,900 |
| Leicestershire | 8,260 | 34,140 | 42,400 | 67,600 | 110,000 | County boroughs | 242,700 | 926,900 | 1,169,600 | 1,923,600 | 3,093,200 |
| Lincolnshire (Parts of Holland) | 1,690 | 6,410 | 8,100 | 15,200 | 23,300 | Barnsley | 1,360 | 5,340 | 6,700 | 11,800 | 18,500 |
| Lincolnshire (Parts of Kesteven) | 2,490 | 9,910 | 12,400 | 20,900 | 33,300 | Barrow-in-Furness | 1,130 | 4,570 | 5,700 | 9,200 | 14,900 |
| Lincolnshire (Parts of Lindsey) | 6,710 | 25,890 | 32,600 | 53,600 | 85,900 | Bath | 1,300 | 4,900 | 6,200 | 10,500 | 16,700 |
| Norfolk | 5,510 | 21,290 | 26,800 | 45,800 | 72,600 | Birkenhead | 2,850 | 10,950 | 13,800 | 22,600 | 36,400 |
| Northamptonshire | 8,120 | 32,780 | 40,900 | 76,600 | 117,500 | Birmingham | 21,600 | 78,700 | 100,300 | 155,700 | 256,000 |
| Northumberland | 11,700 | 45,000 | 56,700 | 94,900 | 151,600 | Blackburn | 1,720 | 6,980 | 8,700 | 13,700 | 22,400 |
| Nottinghamshire | 4,620 | 17,280 | 21,900 | 34,700 | 56,600 | Blackpool | 1,980 | 7,820 | 9,800 | 17,000 | 26,800 |
| Oxfordshire | 510 | 1,990 | 2,500 | 4,100 | 6,600 | Bolton | 2,680 | 10,320 | 13,000 | 21,700 | 34,700 |
| Rutland | 5,670 | 21,330 | 27,000 | 45,900 | 72,900 | Bootle | 1,770 | 7,430 | 9,200 | 16,200 | 25,400 |
| Shropshire | 9,030 | 35,070 | 44,100 | 78,800 | 122,900 | Bournemouth | 1,920 | 6,880 | 8,800 | 16,100 | 24,900 |
| Somerset | 20,300 | 79,300 | 99,600 | 159,300 | 258,900 | Bradford | 5,510 | 22,290 | 27,800 | 44,300 | 72,100 |
| Staffordshire | 3,860 | 14,940 | 18,800 | 32,400 | 51,200 | Brighton | 2,400 | 9,100 | 11,500 | 19,400 | 30,900 |
| Suffolk, East | 2,620 | 9,680 | 12,300 | 20,300 | 32,600 | Bristol | 7,370 | 26,630 | 34,000 | 60,800 | 94,800 |
| Suffolk, West | 15,600 | 65,100 | 80,700 | 132,700 | 213,400 | Burnley | 1,270 | 5,330 | 6,600 | 11,400 | 18,000 |
| Surrey | 5,630 | 21,970 | 27,600 | 48,900 | 76,500 | Burton upon Trent | 1,000 | 3,800 | 4,800 | 7,900 | 12,700 |

| Area | | Under 1 | 1-4 | Total under 5 | 5-14 | Total under 15 |
|------------------------------------|-----|---------|---------|---------------|---------|----------------|
| County boroughs (continued) | | | | | | |
| Bury ... | ... | 1,220 | 4,580 | 5,800 | 8,900 | 14,700 |
| Canterbury ... | ... | 540 | 1,960 | 2,500 | 4,500 | 7,000 |
| Carlisle ... | ... | 1,280 | 4,820 | 6,100 | 11,000 | 17,100 |
| Chester ... | ... | 1,100 | 3,900 | 5,000 | 8,800 | 13,800 |
| Coventry ... | ... | 27,370 | 8,300 | 33,900 | 49,600 | 83,500 |
| Darlington ... | ... | 1,470 | 5,530 | 7,000 | 11,600 | 18,600 |
| Derby ... | ... | 2,290 | 8,010 | 10,300 | 17,400 | 27,700 |
| Dewsbury ... | ... | 940 | 3,660 | 4,600 | 8,100 | 12,700 |
| Doncaster ... | ... | 1,480 | 6,120 | 7,600 | 12,700 | 20,300 |
| Dudley ... | ... | 1,120 | 3,880 | 5,000 | 8,700 | 13,700 |
| Eastbourne ... | ... | 660 | 2,840 | 3,500 | 6,200 | 9,700 |
| Exeter ... | ... | 1,280 | 4,920 | 6,200 | 11,100 | 17,300 |
| Gateshead ... | ... | 1,860 | 6,840 | 8,700 | 14,200 | 22,900 |
| Gloucester ... | ... | 1,510 | 5,490 | 7,000 | 11,000 | 18,000 |
| Great Yarmouth ... | ... | 780 | 3,020 | 3,800 | 7,100 | 10,900 |
| Grimsby ... | ... | 1,850 | 7,550 | 9,400 | 15,600 | 25,000 |
| Halifax ... | ... | 1,600 | 6,500 | 8,100 | 13,600 | 21,700 |
| Hastings ... | ... | 850 | 3,350 | 4,200 | 7,800 | 12,000 |
| Huddersfield ... | ... | 2,460 | 9,340 | 11,800 | 18,200 | 30,000 |
| Ipswich ... | ... | 2,230 | 8,470 | 10,700 | 18,600 | 29,300 |
| Kingston upon Hull ... | ... | 5,650 | 22,450 | 28,100 | 48,300 | 76,400 |
| Leeds ... | ... | 9,210 | 35,390 | 44,600 | 73,100 | 117,700 |
| Leicester ... | ... | 4,840 | 17,260 | 22,100 | 37,500 | 59,600 |
| Lincoln ... | ... | 1,310 | 5,690 | 7,000 | 10,900 | 17,900 |
| Liverpool ... | ... | 14,700 | 56,200 | 70,900 | 113,900 | 184,800 |
| Luton ... | ... | 3,610 | 14,390 | 18,000 | 40,300 | 58,300 |
| Manchester ... | ... | 12,400 | 46,900 | 59,300 | 92,500 | 151,800 |
| Middlesbrough ... | ... | 3,160 | 12,940 | 16,100 | 28,700 | 44,800 |
| Newcastle upon Tyne ... | ... | 4,350 | 16,550 | 20,900 | 37,500 | 58,400 |
| Northampton ... | ... | 2,360 | 8,840 | 11,200 | 16,100 | 27,300 |
| Nottingham ... | ... | 1,910 | 6,890 | 8,800 | 16,500 | 25,300 |
| Nottingham Oldham ... | ... | 5,960 | 22,440 | 28,400 | 46,000 | 74,400 |
| Oxford ... | ... | 2,030 | 7,870 | 9,900 | 16,000 | 25,900 |
| Plymouth ... | ... | 1,810 | 6,190 | 8,000 | 13,000 | 21,000 |
| Portsmouth ... | ... | 3,840 | 13,560 | 17,400 | 28,900 | 46,300 |
| Preston ... | ... | 3,700 | 13,200 | 16,900 | 26,600 | 43,500 |
| Reading ... | ... | 2,060 | 7,540 | 9,600 | 15,400 | 25,000 |
| Rochdale ... | ... | 2,410 | 8,790 | 11,200 | 17,800 | 29,000 |
| Rotherham ... | ... | 1,540 | 5,860 | 7,400 | 12,400 | 19,800 |
| St. Helens ... | ... | 1,600 | 6,500 | 8,100 | 13,400 | 21,500 |
| Salford ... | ... | 1,780 | 6,920 | 8,700 | 15,900 | 24,600 |
| Sheffield ... | ... | 2,950 | 11,250 | 14,200 | 21,900 | 36,100 |
| Smethwick ... | ... | 8,400 | 31,400 | 39,800 | 62,300 | 102,100 |
| Solihull ... | ... | 1,370 | 4,530 | 5,900 | 7,700 | 13,600 |
| Southampton ... | ... | 1,680 | 7,920 | 9,600 | 14,600 | 24,200 |
| Southend on Sea ... | ... | 3,750 | 14,650 | 18,400 | 31,900 | 50,300 |
| Southport ... | ... | 2,370 | 9,830 | 12,200 | 21,400 | 33,600 |
| South Shields ... | ... | 1,080 | 4,320 | 5,400 | 9,500 | 14,900 |
| Stockport ... | ... | 1,910 | 7,590 | 9,500 | 17,500 | 27,000 |
| Stockton ... | ... | 2,620 | 10,180 | 12,800 | 20,400 | 33,200 |
| Stoke on Trent ... | ... | 4,640 | 17,460 | 22,100 | 40,500 | 62,600 |
| Sunderland ... | ... | 3,470 | 14,530 | 18,000 | 32,000 | 50,000 |
| Tynemouth ... | ... | 1,360 | 5,540 | 6,900 | 11,200 | 18,100 |
| County boroughs (continued) | | | | | | |
| Wakefield ... | ... | 990 | 3,710 | 4,700 | 9,000 | 13,700 |
| Wallasey ... | ... | 1,930 | 7,270 | 9,200 | 15,600 | 24,800 |
| Walsall ... | ... | 2,270 | 8,630 | 10,900 | 18,400 | 29,300 |
| Warrington ... | ... | 1,390 | 4,810 | 6,200 | 10,700 | 16,900 |
| West Bromwich ... | ... | 1,800 | 6,900 | 8,700 | 15,300 | 24,000 |
| West Hartlepool ... | ... | 1,580 | 6,420 | 8,000 | 13,300 | 21,300 |
| Wigan ... | ... | 1,250 | 4,650 | 5,900 | 10,700 | 16,600 |
| Wolverhampton ... | ... | 3,110 | 10,190 | 13,300 | 20,400 | 33,700 |
| Worcester ... | ... | 1,180 | 4,520 | 5,700 | 9,800 | 15,500 |
| York ... | ... | 1,710 | 6,390 | 8,100 | 13,800 | 21,900 |
| Cardiff ... | ... | 4,870 | 19,230 | 24,100 | 41,500 | 65,600 |
| Merthyr Tydfil ... | ... | 1,010 | 3,990 | 5,000 | 8,500 | 13,500 |
| Newport (Mon.) ... | ... | 2,020 | 8,180 | 10,200 | 15,600 | 25,800 |
| Swansea ... | ... | 2,850 | 11,250 | 14,100 | 24,400 | 38,500 |
| Greater London ... | ... | 141,500 | 490,500 | 632,000 | 983,700 | 1,615,700 |
| City of London ... | ... | 30 | 120 | 150 | 200 | 350 |
| London boroughs ... | ... | 141,470 | 490,380 | 631,850 | 983,500 | 1,615,350 |
| Barking ... | ... | 2,450 | 10,050 | 12,500 | 27,800 | 40,300 |
| Barnet ... | ... | 4,750 | 17,450 | 22,200 | 41,000 | 63,200 |
| Bexley ... | ... | 3,680 | 13,920 | 17,600 | 30,400 | 48,000 |
| Brent ... | ... | 6,270 | 19,730 | 26,000 | 32,200 | 58,200 |
| Bromley ... | ... | 4,870 | 19,430 | 24,300 | 44,700 | 69,000 |
| Camden ... | ... | 3,950 | 12,150 | 16,100 | 22,500 | 38,600 |
| Croydon ... | ... | 5,590 | 22,510 | 28,100 | 45,500 | 73,600 |
| Ealing ... | ... | 5,500 | 17,600 | 23,100 | 34,700 | 57,800 |
| Enfield ... | ... | 4,160 | 15,240 | 19,400 | 33,600 | 53,000 |
| Greenwich ... | ... | 3,770 | 13,730 | 17,500 | 30,500 | 48,000 |
| Hackney ... | ... | 5,890 | 19,310 | 25,200 | 31,900 | 57,100 |
| Hammersmith ... | ... | 4,350 | 12,750 | 17,100 | 22,200 | 39,300 |
| Haringey ... | ... | 5,620 | 17,280 | 22,900 | 28,900 | 51,800 |
| Harrow ... | ... | 3,290 | 12,110 | 15,400 | 25,700 | 41,100 |
| Havering ... | ... | 4,220 | 18,080 | 22,300 | 31,300 | 53,600 |
| Hillingdon ... | ... | 3,820 | 15,580 | 19,400 | 32,300 | 51,700 |
| Hounslow ... | ... | 3,500 | 12,900 | 16,400 | 26,100 | 42,500 |
| Islington ... | ... | 6,100 | 18,800 | 24,900 | 29,800 | 54,700 |
| Kensington and Chelsea ... | ... | 3,560 | 10,040 | 13,600 | 18,000 | 31,600 |
| Kingston upon Thames ... | ... | 2,350 | 8,300 | 10,650 | 18,800 | 29,450 |
| Lambeth ... | ... | 7,360 | 23,640 | 31,000 | 40,100 | 71,100 |
| Lewisham ... | ... | 5,650 | 19,650 | 25,300 | 35,600 | 60,900 |
| Merton ... | ... | 2,810 | 10,290 | 13,100 | 24,200 | 37,300 |
| Newham ... | ... | 5,000 | 17,600 | 22,600 | 32,500 | 55,100 |
| Redbridge ... | ... | 3,820 | 14,080 | 17,900 | 26,600 | 44,500 |
| Richmond upon Thames ... | ... | 2,830 | 9,770 | 12,600 | 20,600 | 33,200 |
| Southwark ... | ... | 5,800 | 20,600 | 26,400 | 41,000 | 67,400 |
| Sutton ... | ... | 3,360 | 11,800 | 15,100 | 22,400 | 37,500 |
| Tower Hamlets ... | ... | 3,890 | 13,510 | 17,400 | 28,600 | 46,000 |
| Waltham Forest ... | ... | 3,840 | 13,560 | 17,400 | 28,600 | 46,000 |
| Wandsworth ... | ... | 6,370 | 20,530 | 26,900 | 37,800 | 64,700 |
| Westminster, City of ... | ... | 3,970 | 10,830 | 14,800 | 18,300 | 33,100 |

Total population, projections from 30th June 1965 by sex and age

England and Wales

These projections have been prepared by the Government Actuary's Department in consultation with the General Register Office

Basis: Mid 1965 estimate of Total population of England and Wales (*plus* members of H.M. Forces belonging to England and Wales and serving overseas but *minus* the Forces of other countries temporarily in England and Wales).

Assumptions (1965 Revision):

Mortality: Death rates at the outset based on recent experience. At ages under 40, death rates are assumed to decline over the period of the projection until, at the end of forty years, they are one half or less of the rates now being experienced. At ages over 40 the assumed rates of decline become progressively smaller as the age advances until they vanish at ages over 90.

Natality: The estimates assume 869,000 live births in the year mid-1965 to mid-1966 and a gradual increase thereafter to 948,000 in 1970, to 1,008,000 in 1980, to 1,199,000 in 1990 and to 1,364,000 in 2,000. (Male/Female ratio 1.06 throughout).

Migration: A net inward migration from other parts of the United Kingdom and all countries overseas of 53,000 in the year mid-1965 to mid-1966, declining to 35,000 in the year mid-1970 to mid-1971 and to 18,000 a year from mid-1978 onwards. The net inward migration is assumed to comprise about $47\frac{1}{2}$ per cent males and $52\frac{1}{2}$ per cent females.

Projections involving children yet unborn are shown above the dotted line

(Figures in thousands)

| Estimated population as at 30th June 1965 | Age-group | Projected population at 30th June | | | | | | | | | | | | | | | | | | | | |
|---|-----------|-----------------------------------|---------|-------|---------|-------|---------|-------|---------|-------|---------|-------|---------|-------|---------|-------|---------|-------|---------|-------|---------|-------|
| | | 1966 | | 1967 | | 1968 | | 1969 | | 1970 | | 1971 | | 1976 | | 1981 | | 1991 | | 2001 | | |
| Males | Females | Males | Females | Males | Females | Males | Females | Males | Females | Males | Females | Males | Females | Males | Females | Males | Females | Males | Females | Males | Females | |
| 2,110 | 2,003 | 0— | 2,146 | 2,038 | 2,176 | 2,065 | 2,206 | 2,092 | 2,237 | 2,121 | 2,274 | 2,156 | 2,320 | 2,199 | 2,479 | 2,349 | 2,528 | 2,394 | 2,954 | 2,795 | 3,422 | 3,236 |
| 1,807 | 1,718 | 5— | 1,868 | 1,775 | 1,932 | 1,835 | 1,990 | 1,891 | 2,050 | 1,947 | 2,102 | 1,998 | 2,139 | 2,032 | 2,312 | 2,193 | 2,473 | 2,344 | 2,670 | 2,529 | 3,221 | 3,048 |
| 1,671 | 1,595 | 10— | 1,672 | 1,595 | 1,692 | 1,612 | 1,724 | 1,641 | 1,761 | 1,674 | 1,810 | 1,719 | 1,870 | 1,775 | 2,139 | 2,031 | 2,312 | 2,193 | 2,522 | 2,389 | 2,948 | 2,791 |
| 1,920 | 1,822 | 15— | 1,911 | 1,814 | 1,816 | 1,726 | 1,747 | 1,661 | 1,713 | 1,632 | 1,690 | 1,610 | 1,690 | 1,608 | 1,881 | 1,783 | 2,145 | 2,037 | 2,479 | 2,349 | 2,677 | 2,534 |
| 1,640 | 1,583 | 20— | 1,704 | 1,643 | 1,833 | 1,760 | 1,908 | 1,826 | 1,938 | 1,850 | 1,946 | 1,857 | 1,934 | 1,847 | 1,705 | 1,630 | 1,889 | 1,798 | 2,327 | 2,212 | 2,538 | 2,409 |
| 1,548 | 1,479 | 25— | 1,540 | 1,482 | 1,541 | 1,494 | 1,566 | 1,525 | 1,604 | 1,564 | 1,648 | 1,610 | 1,711 | 1,667 | 1,936 | 1,862 | 1,706 | 1,640 | 2,154 | 2,061 | 2,489 | 2,374 |
| 1,520 | 1,425 | 30— | 1,513 | 1,419 | 1,512 | 1,424 | 1,521 | 1,444 | 1,537 | 1,469 | 1,545 | 1,485 | 1,536 | 1,487 | 1,706 | 1,669 | 1,931 | 1,862 | 1,886 | 1,809 | 2,324 | 2,223 |
| 1,538 | 1,488 | 35— | 1,535 | 1,474 | 1,533 | 1,462 | 1,530 | 1,450 | 1,518 | 1,433 | 1,513 | 1,423 | 1,506 | 1,417 | 1,529 | 1,484 | 1,699 | 1,665 | 1,696 | 1,638 | 2,143 | 2,059 |
| 1,674 | 1,660 | 40— | 1,618 | 1,600 | 1,578 | 1,555 | 1,554 | 1,523 | 1,537 | 1,498 | 1,525 | 1,479 | 1,522 | 1,465 | 1,493 | 1,409 | 1,517 | 1,476 | 1,909 | 1,849 | 1,869 | 1,800 |

| | | | | | | | | | | | | | | | | | | | | | | |
|--------|--------|-----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 1,447 | 1,477 | 45— | 1,515 | 1,536 | 1,574 | 1,587 | 1,641 | 1,648 | 1,681 | 1,685 | 1,646 | 1,641 | 1,591 | 1,582 | 1,498 | 1,450 | 1,471 | 1,395 | 1,664 | 1,644 | 1,666 | 1,621 |
| 1,551 | 1,639 | 50— | 1,527 | 1,610 | 1,490 | 1,568 | 1,423 | 1,493 | 1,374 | 1,430 | 1,403 | 1,449 | 1,469 | 1,508 | 1,544 | 1,554 | 1,456 | 1,426 | 1,459 | 1,442 | 1,844 | 1,814 |
| 1,464 | 1,582 | 55— | 1,469 | 1,588 | 1,467 | 1,589 | 1,463 | 1,588 | 1,464 | 1,592 | 1,463 | 1,591 | 1,440 | 1,563 | 1,392 | 1,467 | 1,464 | 1,513 | 1,366 | 1,343 | 1,559 | 1,591 |
| 1,254 | 1,440 | 60— | 1,269 | 1,460 | 1,284 | 1,474 | 1,298 | 1,488 | 1,310 | 1,497 | 1,319 | 1,505 | 1,324 | 1,512 | 1,304 | 1,492 | 1,268 | 1,405 | 1,270 | 1,339 | 1,289 | 1,364 |
| 886 | 1,227 | 65— | 924 | 1,242 | 962 | 1,260 | 1,001 | 1,282 | 1,035 | 1,305 | 1,055 | 1,324 | 1,069 | 1,343 | 1,123 | 1,397 | 1,112 | 1,384 | 1,154 | 1,356 | 1,099 | 1,218 |
| 619 | 991 | 70— | 623 | 1,004 | 629 | 1,018 | 637 | 1,031 | 650 | 1,046 | 677 | 1,063 | 708 | 1,077 | 825 | 1,172 | 874 | 1,225 | 867 | 1,162 | 887 | 1,121 |
| 392 | 724 | 75— | 393 | 730 | 397 | 738 | 401 | 747 | 405 | 757 | 408 | 768 | 411 | 779 | 474 | 842 | 557 | 923 | 599 | 972 | 642 | 973 |
| 206 | 432 | 80— | 206 | 440 | 206 | 450 | 206 | 459 | 206 | 466 | 207 | 471 | 208 | 476 | 220 | 512 | 257 | 559 | 328 | 655 | 344 | 647 |
| 100 | 252 | 85 & over | 99 | 259 | 100 | 264 | 100 | 270 | 100 | 275 | 100 | 281 | 100 | 288 | 102 | 315 | 108 | 343 | 149 | 419 | 172 | 467 |
| 23,347 | 24,537 | All ages | 23,532 | 24,709 | 23,722 | 24,881 | 23,916 | 25,059 | 24,120 | 25,241 | 24,331 | 25,430 | 24,548 | 25,625 | 25,662 | 26,611 | 25,767 | 27,582 | 29,453 | 29,963 | 33,133 | 33,290 |

Summary

| Num-ber | per 1,000 | | Num-ber | per 1,000 | Num-ber | per 1,000 | Num-ber | per 1,000 | Num-ber | per 1,000 | Num-ber | per 1,000 | Num-ber | per 1,000 | Num-ber | per 1,000 | Num-ber | per 1,000 | Num-ber | per 1,000 | Num-ber | per 1,000 |
|---------|-----------|------------------------|---------|-----------|---------|-----------|---------|-----------|---------|-----------|---------|-----------|---------|-----------|---------|-----------|---------|-----------|---------|-----------|---------|-----------|
| 47,884 | 1,000 | Total M. & F. under 15 | 48,241 | 1,000 | 48,603 | 1,000 | 48,975 | 1,000 | 49,361 | 1,000 | 49,761 | 1,000 | 50,173 | 1,000 | 52,273 | 1,000 | 54,349 | 1,000 | 59,416 | 1,000 | 66,423 | 1,000 |
| 10,904 | 228 | | 11,094 | 230 | 11,312 | 233 | 11,544 | 236 | 11,790 | 239 | 12,059 | 242 | 12,335 | 246 | 13,503 | 258 | 14,244 | 262 | 15,859 | 267 | 18,666 | 281 |
| 9,840 | 205 | M 15—44 | 9,821 | 204 | 9,813 | 202 | 9,826 | 201 | 9,847 | 199 | 9,867 | 198 | 9,899 | 197 | 10,250 | 196 | 10,887 | 200 | 12,451 | 210 | 14,040 | 211 |
| 9,457 | 197 | F 15—44 | 9,432 | 196 | 9,421 | 194 | 9,429 | 193 | 9,446 | 191 | 9,464 | 190 | 9,491 | 189 | 9,837 | 188 | 10,478 | 193 | 11,918 | 201 | 13,399 | 202 |
| 5,716 | 119 | M 45—64 | 5,780 | 120 | 5,815 | 120 | 5,825 | 119 | 5,829 | 118 | 5,831 | 117 | 5,824 | 116 | 5,738 | 110 | 5,659 | 104 | 5,759 | 97 | 6,358 | 96 |
| 4,698 | 98 | F 45—59 | 4,734 | 98 | 4,744 | 98 | 4,729 | 97 | 4,707 | 95 | 4,681 | 94 | 4,653 | 93 | 4,471 | 86 | 4,334 | 80 | 4,429 | 75 | 5,026 | 76 |
| 2,203 | 46 | M 65 + | 2,245 | 47 | 2,294 | 47 | 2,345 | 48 | 2,396 | 49 | 2,447 | 49 | 2,496 | 50 | 2,744 | 52 | 2,908 | 54 | 3,097 | 52 | 3,144 | 47 |
| 5,066 | 106 | F 60 + | 5,135 | 106 | 5,204 | 107 | 5,277 | 108 | 5,346 | 108 | 5,412 | 109 | 5,475 | 109 | 5,730 | 110 | 5,839 | 107 | 5,903 | 99 | 5,790 | 87 |

APPENDIX C

Note on population projections in Appendix B

Appendix B to this return shows the projections of the total population of England and Wales, based on the population at 30th June, 1965. These projections have been made by the Government Actuary's Department after consultation with the General Register Office on the mortality and fertility assumptions and with a number of government departments, including the General Register Office, on the migration assumption.

Similar projections have been made for Scotland and Northern Ireland and a combined projection for the United Kingdom will appear in the *Monthly Digest of Statistics*, April 1966.

A full discussion of the methods used and the background behind the assumptions made in the projections based on the mid-1964 population appeared in the May 1965 issue of *Economic Trends*. This note supplements that article by discussing briefly the background to the assumptions made this year and, in particular, any changes there are from the assumptions made a year ago. It refers specifically to the projections for England and Wales.

Starting population

The mid-1965 total population of England and Wales was estimated as 47,884 thousand compared with the total population of 47,902 thousand projected from mid-1964, giving a difference of 18 thousand. This difference arose as follows:

| | Projected | (thousands) Estimated | Difference |
|---------------------|-----------|--------------------------|------------|
| Mid-1964 population | 47,511 | 47,514* | + 3* |
| Births | 886 | 866 | —20 |
| Deaths | 556 | 539 | +17 |
| Net Immigrants | 61 | 43 | —18 |
| Mid-1965 | 47,902 | 47,884 | —18 |

* Population modified to allow for final figures for birth occurrences as compared with provisional figures.

Thus all the elements of population change were over-estimated in the mid-1964 based projection compared with what actually happened. The differences in deaths work in the opposite direction to those in births and immigration.

Comparison of the age distributions of the actual and projected mid-1965 populations shown below suggests that the lower than expected mortality was most evident among people over 75 years of age. It is in these old age-groups that the proportional error in age-groups reached its maximum of about 3 or 4 per cent. At younger ages the differences are all well below 1 per cent reaching about one half per cent for children aged 0-4 — where the difference in births has its impact.

Mid-1965 total population of England and Wales Comparison of projected and estimated population (figures in thousands)

| Age-group | Males | | | | Females | | | |
|-------------|-----------|-----------|-------------------|----------|-----------|-----------|-------------------|----------|
| | Projected | Estimated | Difference No. | Per cent | Projected | Estimated | Difference No. | Per cent |
| 0—4 | 2,120 | 2,110 | +10 | +0.5 | 2,013 | 2,003 | +10 | +0.5 |
| 5—9 | 1,813 | 1,807 | +6 | +0.3 | 1,722 | 1,718 | +4 | +0.2 |
| 10—14 | 1,674 | 1,670 | +4 | +0.2 | 1,596 | 1,595 | +1 | +0.1 |
| 15—19 | 1,912 | 1,920 | —8 | —0.4 | 1,818 | 1,822 | —4 | —0.2 |
| 20—24 | 1,634 | 1,639 | —5 | —0.3 | 1,580 | 1,583 | —3 | —0.2 |
| 25—29 | 1,551 | 1,548 | +3 | +0.2 | 1,481 | 1,479 | +2 | +0.1 |
| 30—34 | 1,524 | 1,520 | +4 | +0.3 | 1,427 | 1,425 | +2 | +0.1 |
| 35—39 | 1,541 | 1,538 | +3 | +0.2 | 1,489 | 1,488 | +1 | +0.1 |
| 40—44 | 1,677 | 1,674 | +3 | +0.2 | 1,663 | 1,661 | +2 | +0.1 |
| 45—49 | 1,448 | 1,447 | +1 | +0.1 | 1,479 | 1,477 | +2 | +0.1 |
| 50—54 | 1,552 | 1,551 | +1 | +0.1 | 1,641 | 1,639 | +2 | +0.1 |
| 55—59 | 1,465 | 1,464 | +1 | +0.1 | 1,582 | 1,582 | 0 | 0.0 |
| 60—64 | 1,255 | 1,254 | +1 | +0.1 | 1,440 | 1,440 | 0 | 0.0 |
| 65—69 | 887 | 886 | +1 | +0.1 | 1,225 | 1,226 | —1 | —0.1 |
| 70—74 | 619 | 619 | 0 | 0.0 | 988 | 991 | —3 | —0.3 |
| 75—79 | 392 | 392 | 0 | 0.0 | 721 | 725 | —4 | —0.6 |
| 80—84 | 204 | 206 | —2 | —1.0 | 429 | 432 | —3 | —0.7 |
| 85 and over | 97 | 100 | —3 | —3.0 | 243 | 252 | —9 | —3.6 |
| All Ages | 23,365 | 23,347 | +18 | +0.1 | 24,537 | 24,538 | —1 | —0.0 |

In terms of the elements of population change themselves much the largest proportional difference was between the estimated and projected net immigrants where the estimated number was only about two-thirds of that expected. The difference in the deaths amounted to 3 per cent of the number projected and in births to 2 per cent of the number projected.

Assumptions for the mid-1965 based projections

In the light of these changes it was decided that the new set of projections should basically represent “no change” from the mid-1964 set apart from some modification in the assumption about future migration and a slight change in the fertility assumption in the light of new information now available from the 1961 Census on the fertility of immigrants to England and Wales.

Mortality

The pattern of annual numbers of deaths in the past has been one of continuous fluctuation about a slowly rising trend. It seems clear that factors such as the incidence of epidemics and bad weather have considerable influence on annual deaths, particularly at the oldest ages where most of the discrepancy in the past year arose. The fact that deaths were less than expected in a single year therefore provides no support for a revision of a long-term projection of mortality. Nevertheless, a slight modification has been made to the death rates used to take account of the latest mortality information available, but this will have a negligible effect except at the very oldest ages.

Fertility

In some respects the position with births is similar to that for deaths. The difference between projected and actual births was proportionately smaller than that for deaths. However, whereas the trend of deaths has been very blurred by annual fluctuations, there has been a continuous rise in the number of births at a rate of about 3 per cent a year ever since 1955. Although the number of births between mid-1964 and mid-1965 was still slightly above the corresponding figures for the year to mid-1964 period (866 thousand compared with 863 thousand) the increase was far smaller than in earlier years. The estimated births in 1965 (864 thousand) are clearly lower than in 1964 (876 thousand); the first time annual births have fallen since 1955. The situation is illustrated by the quarterly figures which appear in Table II(a) of this Return which indicate some recovery of births in the second half of 1965. On the other hand, present indications are that the first quarter of 1966 will show a further fall in births, to a level lower than that of the first quarter of 1965.

The present position on births is by no means clear. The absence of detailed fertility rates for the 1964-65 period make it impossible to tell whether the most recent drop in the number of births has affected any one group of women markedly. It is therefore not possible yet to form a reasoned judgment as to whether the present fall is merely a short-term fluctuation about an unchanged trend in fertility rates or whether it marks a turning point in that trend. It should be noted that the fertility assumption used last year implied that there would be some slackening of the rate of increase in births, which had been continuing since 1955.

It was therefore decided to make no change in the birth assumptions for the non-migrant population for years after 1970. The lower level of actual births at present meant that births for 1966 to 1970 had to be adjusted to achieve a smooth transition from the present position to the births produced by the unchanged assumptions after 1970. These old assumptions when coupled with the assumptions regarding marriage implied that the mean ultimate family size for women married under 45 in various years after 1940 would be as shown below:

| Year of marriage | Mean ultimate family size | Year of marriage | Mean ultimate family size |
|------------------|---------------------------|------------------|---------------------------|
| 1940 | 1.98 | 1958 | 2.51 |
| 1943 | 2.11 | 1961 | 2.57 |
| 1946 | 2.14 | 1964 | 2.62 |
| 1949 | 2.21 | 1969 | 2.66 |
| 1952 | 2.28 | 1974 | 2.72 |
| 1955 | 2.39 | 1984 | 2.75 |

Fertility of Migrants

There is not much information available on the fertility of migrants. Until the mid-1964 based projection it was assumed that both immigrants and emigrants had the same fertility as the population who did not migrate. In the mid-1964 based projection the assumption made implied that the fertility of women immigrating into England and Wales was 10 per cent higher than that of women already living here while the fertility of women emigrating was assumed to be the same as that of non-migrant women. Results now available from the 1961 Census of Population (to be published later this year) show the relationship of fertility of women born outside England and Wales to women born here. This information does not relate directly to women migrating here in the future since it is now five years out of date and relates to women who may have immigrated many years before. Nevertheless, in the complete absence of other information recourse has been had to this data which suggested that if the total group of immigrant women was made up as proposed in the current migration assumptions (*see below*) the fertility of immigrant women would be about 30 per cent higher than that of non-migrant women. This factor has therefore been applied in the current set of projections. Since no further information has become available on the fertility of women emigrating from England and Wales it has again been assumed that they have the same fertility as women who do not migrate. The above change has meant a noticeable increase in the fertility assumed for women immigrating to England and Wales, an increase reinforced by the fact that more of the female immigrants have been assumed to be in the child-bearing age-groups in the current projections. Furthermore, a higher proportion of the immigrants have been assumed to be women, though the effect of this has

been lessened somewhat by the reduction in the total volume of immigration expected. Since the fertility of non-migrant women has not been altered after 1970, the result has been to increase the total number of births expected in the future compared with the mid-1964 based projection. The maximum impact of this change is towards the end of the projection period (when some of the extra children are themselves assumed to be mothers) where the change amounts to about 3 per cent of the total births.

Migration

As noted above the difference between projected and actual net migration in 1964-5 was proportionately far greater than the differences in births and deaths. It was assumed that there would be a net inward movement of 61 thousand, of which 25 thousand would come from the rest of the United Kingdom and 36 thousand from other countries. In fact the numbers coming from the rest of the United Kingdom were a little larger than expected but this was more than offset by the net movement from the rest of the world being smaller than expected. Thus we have:

| Net migration into England and Wales (<i>figures in thousands</i>) | | |
|--|-----------|-----------------------------|
| Source | Projected | Actual (<i>estimated</i>) |
| Scotland | 21 | 22 |
| Northern Ireland | 4 | 5 |
| All other countries | 36 | 16 |
| Total | 61 | 43 |

The main factors behind the difference for migration from other countries was that a greater than expected number coming from the Irish Republic was more than offset by a smaller than expected number in those coming from the newer Commonwealth countries. There was also a larger than expected rise in the number emigrating from this country.

Detailed figures are not available for England and Wales but the following comparison for the United Kingdom between the migration projected from mid-1964 and the actual migration during the year illustrates the main features:

| Net migration to and from United Kingdom (<i>figures in thousands</i>) | | |
|--|-----------|-----------------------------|
| (Year ending 30th June 1965) | | |
| Citizens of: | Projected | Actual (<i>estimated</i>) |
| Irish Republic | +15 | +33 |
| Foreign Countries | +25 | +36 |
| Commonwealth Countries | +80 | +55 |
| United Kingdom | —100 | —130 |
| Total | +20 | — 6 |

For the future it has been assumed that the following changes will take place:

- (i) that net migration from Scotland will start at its present level, will be halved by 1970/71 and will fall to 3 thousand by 1980 and remain constant thereafter;
- (ii) that migration from Northern Ireland and the Irish Republic will remain at their present level;
- (iii) that net immigration of aliens and net emigration of citizens of the United Kingdom to and from the rest of the world will remain at about their present level but that net immigration from the newer Commonwealth countries will fall over the next ten years to about five-sixths of its present size.

The effect of these changes on the expected migration to England and Wales is that net immigration is expected to fall from 53 thousand in the next year to 18 thousand in 1980/81, remaining constant thereafter. This compares with the assumption in the mid-1964 based projection of 61 thousand in the year starting mid-1965 falling to 38 thousand a year from 1979 on. It should perhaps be emphasised that the level of future migration is more directly susceptible to government policy than is the future level of births or deaths.

Impact of the assumptions

The population projections shown on pages 26 and 27 demonstrate the impact of these assumptions. By the early years of the next century the population will on present assumptions, have risen by some 20 million, or two-fifths of its present size. One result of the relatively high fertility assumed is that the population becomes younger by the end of the projection period.

APPENDIX D

ongenital Malformations. Numbers notified in respect of live and still born infants born during 1964, with distribution by site of malformation. England and Wales, county boroughs and administrative counties

(See Special Note on page 3)

| Area | All Sites | 0 Central nervous system | 1 Eye, ear | 2 Alimentary system | 3 Heart and great vessels | 4 Respiratory system | 5 Uro-genital system | 6 Limbs | 7 Other skeletal | 8 Other systems | 9 Other malformations |
|----------------------------|-----------|-----------------------------|---------------|------------------------|------------------------------|-------------------------|-------------------------|------------|---------------------|--------------------|--------------------------|
| LAND AND WALES ... | 17,844 | 4,162 | 556 | 1,922 | 835 | 214 | 1,355 | 5,982 | 483 | 1,302 | 1,033 |
| County boroughs | | | | | | | | | | | |
| Arnsley | 32 | 12 | — | 4 | — | 2 | 1 | 11 | 1 | 1 | — |
| Carrow-in-Furness | 19 | 4 | — | 3 | 3 | — | 2 | 4 | 3 | — | — |
| | 28 | 10 | 1 | — | 1 | — | 1 | 15 | — | — | — |
| | 18 | 11 | — | 3 | — | — | 2 | 2 | — | — | — |
| Birmingham | 675 | 64 | 27 | 79 | 65 | 6 | 52 | 284 | 9 | 50 | 39 |
| Blackburn | 30 | 4 | 1 | 4 | — | — | 1 | 6 | 3 | 9 | 2 |
| Blackpool | 59 | 23 | — | 5 | — | 2 | 3 | 14 | 2 | 3 | 7 |
| Bolton | 40 | 12 | — | 11 | — | — | — | 11 | 2 | 2 | 2 |
| Bottle | 59 | 18 | 1 | 4 | 8 | — | 2 | 17 | 1 | 1 | 7 |
| Bournemouth | 58 | 9 | — | 7 | 3 | — | 5 | 29 | — | 4 | 1 |
| Bradford | 145 | 24 | 4 | 9 | 2 | 1 | 15 | 70 | 3 | 10 | 7 |
| Brighton | 104 | 18 | 3 | 14 | 9 | 3 | 7 | 24 | 3 | 17 | 6 |
| Bristol | 187 | 56 | 13 | 20 | 5 | — | 12 | 58 | 5 | 8 | 10 |
| Barnley | 33 | 8 | 1 | 2 | 1 | — | 2 | 10 | 4 | 3 | 2 |
| Barton upon Trent | 25 | 2 | 1 | 2 | — | — | 2 | 13 | — | 1 | 4 |
| Bury | 23 | 11 | — | 2 | — | — | 3 | 3 | — | 2 | 2 |
| Canterbury | 10 | 1 | — | 1 | 2 | — | 1 | 2 | — | 3 | — |
| Carlisle | 34 | 13 | 1 | 2 | — | — | — | 16 | — | 2 | — |
| Cheshire | 37 | 12 | 2 | 1 | 2 | — | 4 | 9 | — | 4 | 3 |
| Coventry | 87 | 25 | — | 8 | 4 | — | 8 | 22 | 8 | 8 | 4 |
| Croydon | 98 | 24 | 3 | 7 | 6 | 3 | 5 | 27 | 5 | 9 | 9 |
| Earlington | 24 | 9 | 1 | 1 | 3 | — | — | 8 | — | 1 | 1 |
| Derby | 53 | 17 | 1 | 5 | 4 | 1 | 5 | 17 | 1 | 1 | 1 |
| Leedsbury | 26 | 13 | — | 2 | — | — | 2 | 8 | — | 1 | — |
| Doncaster | 34 | 10 | — | 6 | — | — | 3 | 12 | 3 | — | — |
| Dudley | 15 | 1 | — | 2 | — | — | — | 7 | 1 | 2 | 2 |
| Eastbourne | 24 | 3 | — | 2 | — | — | 2 | 9 | 3 | 5 | — |
| East Ham | 18 | 5 | — | 2 | 1 | — | 2 | 6 | — | 1 | 1 |
| Keter | 23 | 8 | 2 | 3 | — | — | — | 8 | — | — | 2 |
| Kateshead | 63 | 19 | 2 | 6 | 2 | 5 | 6 | 12 | 1 | 2 | 8 |
| Loucester | 61 | 10 | — | 3 | 3 | — | 1 | 38 | — | 4 | 2 |
| Great Yarmouth | 27 | 2 | — | 4 | 2 | — | 1 | 13 | 1 | 1 | 3 |
| Grimsby | 31 | 5 | — | 6 | 6 | — | 4 | 9 | 1 | — | — |
| Halifax | 28 | 12 | — | 3 | 1 | 2 | 1 | 9 | — | — | — |
| Hastings | 13 | 2 | — | 3 | 3 | — | — | 4 | — | 1 | — |
| Huddersfield | 48 | 13 | 3 | 8 | 1 | — | — | 20 | — | 3 | — |
| Swich | 51 | 8 | 2 | 9 | 2 | — | — | 23 | 2 | 4 | 1 |
| Kingston upon Hull | 117 | 21 | 4 | 12 | 5 | — | 12 | 42 | 2 | 9 | 10 |
| Leeds | 198 | 44 | 5 | 27 | 18 | — | 20 | 41 | 5 | 15 | 23 |
| Leicester | 144 | 43 | 5 | 11 | 3 | 2 | 4 | 47 | 1 | 16 | 12 |
| Lincoln | 11 | 3 | — | — | — | — | 2 | 5 | — | 1 | — |
| Liverpool | 204 | 62 | 2 | 22 | 8 | 2 | 5 | 67 | 7 | 13 | 16 |
| | 25 | 9 | — | 3 | — | — | 3 | 7 | — | 3 | — |
| Manchester | 267 | 116 | 2 | 17 | 2 | — | 17 | 85 | 10 | 11 | 7 |
| Middlesbrough | 87 | 20 | 2 | 11 | 1 | — | 5 | 26 | 4 | 4 | 14 |
| Newcastle upon Tyne | 61 | 22 | 1 | 5 | 1 | 1 | 4 | 22 | — | 2 | 3 |
| Northampton | 37 | 4 | 3 | 4 | 2 | 1 | 3 | 7 | 1 | 10 | 2 |
| Northwich | 45 | 7 | — | 7 | 1 | 1 | 4 | 19 | — | 1 | 5 |
| Nottingham | 151 | 24 | 6 | 25 | 9 | — | 13 | 50 | 3 | 15 | 6 |
| Oldham | 57 | 10 | 1 | 5 | 7 | — | 3 | 18 | 3 | 5 | 5 |
| Oxford | 45 | 11 | — | 5 | 3 | 1 | 8 | 8 | 2 | 6 | 1 |
| Portsmouth | 68 | 19 | 1 | 3 | — | 1 | 3 | 30 | 1 | 7 | 3 |
| Portsmouth | 55 | 18 | 1 | 9 | 3 | — | 3 | 17 | 1 | — | 3 |
| Reston | 62 | 12 | 5 | 4 | 1 | — | 4 | 28 | — | 4 | 4 |
| Reading | 74 | 20 | 1 | 2 | 4 | 1 | 3 | 23 | — | 13 | 7 |
| Rochdale | 34 | 13 | 1 | 3 | 2 | — | 1 | 11 | — | 1 | 2 |
| Rotherham | 30 | 8 | — | 3 | 5 | 1 | 3 | 6 | 1 | 2 | 1 |
| ... Helens | 75 | 22 | — | 5 | 3 | — | 6 | 18 | 4 | 11 | 6 |
| ... lford | 98 | 22 | 1 | 15 | 2 | 1 | 12 | 26 | 5 | 5 | 9 |
| ... effield | 157 | 41 | 3 | 19 | 3 | 1 | 9 | 50 | 2 | 22 | 7 |

Created a C.B. on 1st April 1964. Figures relate to births occurring during the period April to December 1964.

APPENDIX D (continued)

| Area | All Sites | 0 Central nervous system | 1 Eye, ear | 2 Alimentary system | 3 Heart and great vessels | 4 Respiratory system | 5 Uro-genital system | 6 Limbs | 7 Other skeletal | 8 Other systems | 9 Other malformation |
|------------------------------------|-----------|-----------------------------|---------------|------------------------|------------------------------|-------------------------|-------------------------|------------|---------------------|--------------------|-------------------------|
| County boroughs (continued) | | | | | | | | | | | |
| Smethwick | 37 | 6 | 1 | 5 | 4 | 1 | 2 | 13 | 1 | 2 | 2 |
| *Solihull | 24 | 1 | — | 1 | 1 | — | 1 | 13 | — | 4 | 3 |
| Southampton | 94 | 38 | 1 | 5 | — | 2 | 5 | 33 | 3 | 3 | 4 |
| Southend on Sea | 45 | 13 | — | 4 | 1 | — | 2 | 23 | — | 1 | 1 |
| Southport | 32 | 11 | — | 1 | 3 | — | 4 | 9 | — | 3 | 1 |
| South Shields | 56 | 12 | 3 | 13 | 4 | 3 | 5 | 7 | 3 | 3 | 3 |
| Stockport | 59 | 19 | 1 | 5 | 1 | — | 5 | 18 | 2 | 3 | 5 |
| Stoke-on-Trent | 114 | 45 | 1 | 11 | — | 1 | 6 | 39 | 1 | 7 | 3 |
| Sunderland | 110 | 17 | 7 | 8 | 2 | 1 | 12 | 38 | — | 18 | 7 |
| Tynemouth | 22 | 12 | — | 4 | — | — | — | 1 | — | 2 | 3 |
| Wakefield | 31 | 5 | 3 | 2 | — | — | 3 | 14 | — | 3 | 1 |
| Wallasey | 53 | 12 | 3 | 5 | 2 | — | 4 | 20 | 1 | 4 | 2 |
| Walsall | 52 | 16 | — | 2 | — | — | 8 | 19 | 3 | 3 | 1 |
| Warrington | 24 | 5 | — | 3 | 2 | — | 2 | 7 | 1 | 2 | 2 |
| West Bromwich | 26 | 4 | — | 4 | 2 | — | 2 | 10 | — | 2 | 2 |
| West Ham | 70 | 13 | 2 | 2 | 9 | 2 | 8 | 22 | 3 | 5 | 4 |
| West Hartlepool | 36 | 8 | — | 5 | 8 | — | 2 | 8 | — | — | 5 |
| Wigan | 32 | 9 | — | 1 | 2 | — | 4 | 15 | 1 | — | — |
| Wolverhampton | 53 | 16 | — | 7 | 1 | — | 4 | 12 | — | 8 | 5 |
| Worcester | 57 | 7 | 4 | 6 | 2 | — | 5 | 20 | 4 | 9 | — |
| York | 38 | 8 | 3 | 4 | — | — | 3 | 11 | 3 | 6 | — |
| Cardiff | 115 | 28 | 5 | 6 | 7 | 1 | 6 | 25 | 2 | 29 | 6 |
| Merthyr Tydfil | 32 | 5 | 2 | 3 | 1 | — | — | 17 | 2 | 1 | 1 |
| Newport | 34 | 9 | 1 | 1 | — | — | 6 | 10 | 1 | 2 | 4 |
| Swansea | 75 | 27 | 1 | 10 | 2 | 1 | 4 | 15 | 2 | 10 | 3 |
| Administrative counties: | | | | | | | | | | | |
| Bedfordshire | 60 | 18 | 1 | 13 | 2 | 1 | 5 | 12 | 3 | 3 | 2 |
| Berkshire | 144 | 38 | 6 | 16 | 1 | 1 | 8 | 43 | 6 | 16 | 9 |
| Buckinghamshire... .. | 205 | 61 | 8 | 25 | — | 1 | 12 | 68 | 4 | 15 | 11 |
| Cambridgeshire | 67 | 12 | 5 | 5 | — | — | 3 | 23 | 2 | 12 | 5 |
| Cheshire | 336 | 70 | 11 | 42 | 29 | 3 | 28 | 100 | 9 | 20 | 24 |
| Cornwall | 212 | 18 | 19 | 18 | 12 | 3 | 15 | 69 | 4 | 43 | 1 |
| Cumberland | 77 | 24 | 2 | 6 | 2 | 1 | 4 | 32 | — | 3 | 3 |
| Derbyshire | 175 | 54 | 7 | 24 | 9 | — | 10 | 49 | 9 | 2 | 11 |
| Devon | 249 | 50 | 12 | 26 | 13 | 3 | 19 | 83 | 11 | 22 | 10 |
| Dorset | 107 | 28 | 1 | 11 | 5 | — | 7 | 41 | 2 | 5 | 7 |
| Durham | 381 | 87 | 11 | 50 | 25 | 9 | 30 | 114 | 13 | 25 | 17 |
| Ely, Isle of | 45 | 4 | 1 | 2 | 3 | — | 10 | 13 | 1 | 9 | 2 |
| Essex | 577 | 106 | 21 | 65 | 28 | 5 | 52 | 200 | 14 | 45 | 41 |
| Gloucestershire | 177 | 38 | 8 | 17 | 1 | 1 | 16 | 77 | 2 | 8 | 9 |
| Hampshire | 348 | 100 | 5 | 45 | 20 | 3 | 19 | 100 | 9 | 16 | 31 |
| Herefordshire | 75 | 24 | 5 | 8 | 2 | — | 5 | 23 | 5 | 2 | 1 |
| Hertfordshire | 259 | 46 | 11 | 35 | 13 | 3 | 15 | 107 | 5 | 8 | 16 |
| Huntingdonshire | 49 | 6 | 4 | 5 | 7 | 3 | 3 | 14 | 2 | 2 | 3 |
| Kent | 547 | 106 | 16 | 54 | 16 | 14 | 57 | 185 | 25 | 51 | 23 |
| Lancashire | 820 | 233 | 23 | 97 | 36 | 12 | 45 | 258 | 10 | 58 | 48 |
| Leicestershire | 180 | 44 | 1 | 17 | 9 | — | 23 | 48 | 5 | 21 | 12 |
| Lincolnshire (Parts of Holland) | 51 | 13 | 2 | 8 | 6 | — | — | 15 | 1 | 2 | 4 |
| Lincolnshire (Parts of Kesteven) | 32 | 8 | — | 4 | 2 | — | 2 | 8 | — | 6 | 2 |
| Lincolnshire (Parts of Lindsey)... | 91 | 35 | 1 | 10 | 3 | 2 | 6 | 21 | 2 | 6 | 5 |
| London | 1,376 | 271 | 34 | 127 | 26 | 27 | 134 | 561 | 25 | 84 | 87 |
| Middlesex | 811 | 150 | 25 | 86 | 29 | 8 | 91 | 307 | 26 | 44 | 45 |
| Norfolk... .. | 141 | 28 | 2 | 18 | 4 | 3 | 11 | 43 | 11 | 11 | 10 |
| Northamptonshire | 156 | 29 | 10 | 18 | 8 | — | 6 | 59 | 7 | 14 | 5 |
| Northumberland | 145 | 39 | 6 | 19 | 1 | 1 | 7 | 45 | 9 | 13 | 5 |
| Nottinghamshire | 284 | 76 | 8 | 35 | 21 | 1 | 18 | 84 | 8 | 22 | 11 |
| Oxfordshire | 88 | 23 | 1 | 6 | 6 | — | 5 | 34 | 2 | 7 | 4 |
| Peterborough, Soke of | 24 | 1 | 1 | 3 | 2 | 1 | 1 | 13 | — | — | 2 |
| Rutland | 6 | 2 | 2 | — | 1 | 1 | — | — | — | — | — |
| Shropshire | 121 | 35 | 1 | 13 | 8 | — | 5 | 46 | 1 | 5 | 7 |
| Somerset | 248 | 48 | 13 | 23 | 17 | 2 | 28 | 86 | 4 | 17 | 10 |

* Created a C.B. on 1st April 1964. Figures relate to births occurring during the period April to December 1964.

APPENDIX D (continued)

| Area | | | | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
|-------------------------------------|-----|-----|-----|-----------|------------------------|----------|-------------------|-------------------------|--------------------|--------------------|-------|----------------|---------------|---------------------|
| | | | | All Sites | Central nervous system | Eye, ear | Alimentary system | Heart and great vessels | Respiratory system | Uro-genital system | Limbs | Other skeletal | Other systems | Other malformations |
| Administrative counties (continued) | | | | | | | | | | | | | | |
| Fordshire | ... | ... | ... | 288 | 70 | 8 | 55 | 22 | 3 | 11 | 83 | 8 | 8 | 20 |
| olk, East | ... | ... | ... | 70 | 13 | 3 | 14 | 4 | — | 6 | 20 | 2 | 6 | 2 |
| olk, West | ... | ... | ... | 79 | 15 | 3 | 8 | 1 | 2 | 5 | 31 | 4 | 8 | 2 |
| ey ... | ... | ... | ... | 488 | 95 | 26 | 57 | 44 | 14 | 42 | 133 | 16 | 21 | 40 |
| ex, East | ... | ... | ... | 132 | 16 | 9 | 18 | 3 | — | 14 | 32 | 4 | 24 | 12 |
| ex, West | ... | ... | ... | 84 | 15 | — | 6 | 5 | — | 8 | 36 | 4 | 5 | 5 |
| wickshire | ... | ... | ... | 212 | 65 | 2 | 25 | 14 | 2 | 11 | 66 | 8 | 6 | 13 |
| tmorland | ... | ... | ... | 26 | 7 | — | 4 | 2 | — | 2 | 5 | 2 | 2 | 2 |
| ht, Isle of | ... | ... | ... | 40 | 3 | 4 | 2 | 3 | 2 | 6 | 12 | — | 6 | 2 |
| shire ... | ... | ... | ... | 231 | 52 | 14 | 22 | 13 | 9 | 20 | 69 | 7 | 15 | 10 |
| cestershire | ... | ... | ... | 194 | 32 | 6 | 20 | 20 | 2 | 15 | 86 | 1 | 3 | 9 |
| kshire, East Riding | ... | ... | ... | 93 | 22 | 2 | 14 | 3 | 1 | 5 | 34 | 2 | 4 | 6 |
| kshire, North Riding | ... | ... | ... | 98 | 22 | 6 | 9 | 2 | — | 8 | 33 | 5 | 6 | 7 |
| kshire, West Riding | ... | ... | ... | 598 | 153 | 15 | 60 | 8 | 9 | 53 | 203 | 11 | 63 | 23 |
| lesey | ... | ... | ... | 46 | 10 | 2 | 6 | 4 | 4 | 3 | 8 | 1 | 6 | 2 |
| onshire | ... | ... | ... | 16 | 3 | — | 2 | 2 | — | 3 | 3 | — | — | 3 |
| rnarvonshire | ... | ... | ... | 40 | 7 | — | 3 | 12 | 2 | 5 | 4 | 2 | 3 | 2 |
| liganshire | ... | ... | ... | 24 | 7 | 1 | 2 | — | — | 1 | 11 | — | — | 2 |
| marthenshire | ... | ... | ... | 60 | 22 | 1 | 2 | — | 1 | 5 | 22 | 2 | — | 5 |
| bighshire | ... | ... | ... | 81 | 19 | 4 | 7 | 3 | — | 5 | 27 | 3 | 7 | 6 |
| tshire | ... | ... | ... | 28 | 7 | 1 | 2 | — | — | 1 | 14 | — | 1 | 2 |
| norgan | ... | ... | ... | 350 | 119 | 11 | 30 | 21 | 3 | 15 | 107 | 11 | 15 | 18 |
| ionethshire | ... | ... | ... | 8 | 2 | — | 2 | 1 | — | — | — | 2 | — | 1 |
| mouthshire | ... | ... | ... | 91 | 35 | 1 | 6 | 3 | 1 | 4 | 27 | 3 | 6 | 5 |
| atgomeryshire | ... | ... | ... | 8 | 2 | — | 3 | — | — | — | — | 1 | 1 | 1 |
| brokeshire | ... | ... | ... | 20 | 5 | 2 | 2 | — | — | 2 | 9 | — | — | — |
| norshire | ... | ... | ... | 12 | 4 | — | 2 | 2 | — | — | 4 | — | — | — |

Notifications of congenital malformations commenced 1st February 1964. Figures relate, therefore, to births occurring during the period February to December 1964.

APPENDIX E

Congenital Malformations. Numbers notified in respect of infants born during 1964, by site of malformation, sex and type of birth; rates per 10,000 births of each sex and type.

(See Special Note on page 3)

| Site | Numbers of malformations | | | | | Rates per 10,000 births each sex and type | | | | |
|------------------------|--------------------------|-------|-------|-------|--------|---|--------|----------|----------|--------|
| | Live | | Still | | *Total | Live | | Still | | Total |
| | M | F | M | F | P | M | F | M | F | P |
| ITES | 7,997 | 6,732 | 1,204 | 1,767 | 17,844 | 177.29 | 158.44 | 1,591.33 | 2,531.52 | 200.38 |
| entral Nervous System | 901 | 1,174 | 757 | 1,314 | 4,162 | 19.97 | 27.63 | 1,000.53 | 1,882.52 | 46.74 |
| e, ear | 264 | 267 | 8 | 14 | 556 | 5.85 | 6.28 | 10.57 | 20.06 | 6.24 |
| imentary system | 1,091 | 691 | 67 | 52 | 1,922 | 24.19 | 16.26 | 88.55 | 74.50 | 21.58 |
| art and great vessels. | 414 | 382 | 17 | 19 | 835 | 9.18 | 8.99 | 22.47 | 27.22 | 9.38 |
| spiratory system | 107 | 83 | 12 | 12 | 214 | 2.37 | 1.95 | 15.86 | 17.19 | 2.40 |
| o-genital system | 1,105 | 133 | 43 | 24 | 1,355 | 24.50 | 3.13 | 56.83 | 34.38 | 15.22 |
| mb | 2,910 | 2,780 | 132 | 137 | 5,982 | 64.51 | 65.43 | 174.46 | 196.28 | 67.17 |
| her skeletal | 214 | 198 | 30 | 36 | 483 | 4.74 | 4.66 | 39.65 | 51.58 | 5.42 |
| her systems | 575 | 587 | 55 | 74 | 1,302 | 12.75 | 13.82 | 72.69 | 106.02 | 14.62 |
| her malformations | 416 | 437 | 83 | 85 | 1,033 | 9.22 | 10.28 | 109.70 | 121.78 | 11.60 |

cluding cases where the sex or type of birth was not stated.

APPENDIX F

Migration¹ into and out from the United Kingdom² during 1964, by sex, age and citizenship

(Figures in thousands)

Note: Figures derived from the International Passenger Survey³

| Age/Citizenship | | Into United Kingdom | | | Out from United Kingdom | | | Balance | | |
|-----------------|------------------|------------------------|-------|---------|----------------------------|-------|---------|---------|--------|---------|
| | | Persons | Males | Females | Persons | Males | Females | Persons | Males | Females |
| All ages | | | | | | | | | | |
| | British | 71.5 | 33.0 | 38.5 | 202.3 | 98.1 | 104.2 | —130.8 | — 65.1 | — 65.7 |
| | Commonwealth ... | 73.1 | 39.2 | 33.9 | 29.8 | 15.9 | 14.0 | + 43.3 | + 23.3 | + 19.9 |
| | Alien | 67.2 | 30.8 | 36.3 | 39.6 | 16.1 | 23.5 | + 27.6 | + 14.8 | + 12.8 |
| | Total | 211.7 | 103.0 | 108.7 | 271.7 | 130.1 | 141.6 | — 60.0 | — 27.0 | — 32.9 |
| Under 15 | | | | | | | | | | |
| | British | 18.7 | 8.7 | 10.0 | 54.4 | 27.3 | 27.1 | — 35.7 | — 18.6 | — 17.1 |
| | Commonwealth ... | 16.0 | 7.5 | 8.6 | 5.7 | 3.1 | 2.6 | + 10.3 | + 4.4 | + 5.9 |
| | Alien | 8.3 | 4.3 | 4.0 | 7.8 | 4.2 | 3.6 | + 0.4 | + 0.1 | + 0.3 |
| | Total | 43.0 | 20.5 | 22.5 | 68.0 | 34.6 | 33.4 | — 25.0 | — 14.1 | — 10.9 |
| 15—24 | | | | | | | | | | |
| | British | 13.2 | 5.3 | 7.9 | 49.6 | 20.7 | 28.9 | — 36.4 | — 15.4 | — 21.0 |
| | Commonwealth ... | 27.3 | 14.3 | 13.0 | 6.7 | 2.6 | 4.0 | + 20.6 | + 11.7 | + 9.0 |
| | Alien | 30.8 | 12.1 | 18.7 | 18.0 | 5.1 | 13.0 | + 12.8 | + 7.0 | + 5.7 |
| | Total | 71.3 | 31.7 | 39.6 | 74.3 | 28.4 | 45.9 | — 3.0 | + 3.3 | — 6.3 |
| 25—44 | | | | | | | | | | |
| | British | 29.2 | 14.4 | 14.8 | 76.5 | 39.3 | 37.3 | — 47.4 | — 24.9 | — 22.5 |
| | Commonwealth ... | 25.6 | 15.1 | 10.4 | 14.8 | 9.0 | 5.8 | + 10.8 | + 6.2 | + 4.6 |
| | Alien | 22.8 | 11.3 | 11.5 | 11.5 | 5.7 | 5.8 | + 11.3 | + 5.6 | + 5.7 |
| | Total | 77.5 | 40.8 | 36.7 | 102.8 | 54.0 | 48.9 | — 25.3 | — 13.1 | — 12.2 |
| 45—64 | | | | | | | | | | |
| | British | 7.9 | 3.9 | 4.0 | 16.6 | 8.7 | 7.9 | — 8.7 | — 4.8 | — 3.9 |
| | Commonwealth ... | 3.6 | 2.1 | 1.5 | 2.0 | 1.0 | 1.1 | + 1.5 | + 1.1 | + 0.4 |
| | Alien | 3.4 | 2.4 | 1.1 | 1.5 | 0.9 | 0.6 | + 1.9 | + 1.4 | + 0.4 |
| | Total | 14.9 | 8.3 | 6.5 | 20.2 | 10.6 | 9.6 | — 5.3 | — 2.3 | — 3.0 |
| 65 and over | | | | | | | | | | |
| | British | 2.5 | 0.8 | 1.8 | 5.2 | 2.2 | 3.0 | — 2.7 | — 1.4 | — 1.3 |
| | Commonwealth ... | 0.6 | 0.2 | 0.5 | 0.6 | 0.2 | 0.4 | + 0.0 | — 0.0 | + 0.1 |
| | Alien | 1.9 | 0.7 | 1.1 | 0.7 | 0.2 | 0.5 | + 1.2 | + 0.5 | + 0.7 |
| | Total | 5.0 | 1.7 | 3.4 | 6.4 | 2.6 | 3.9 | — 1.4 | — 0.9 | — 0.5 |

¹ A declared intention by the passenger to reside in or leave the country for at least a year.

² Excluding routes between the United Kingdom and the Irish Republic.

³ These are grossed sample items and are accordingly subject to error. For the complex nature of the sample, reference may be made to the *Board of Trade Journal* of 10th September 1965.



APPENDIX G

Migration between the United Kingdom and countries overseas during 1964

(Figures in thousands)

Note: Figures derived from the International Passenger Survey

| Country of last or intended future residence | Into United Kingdom | Out from United Kingdom | Balance |
|--|---------------------|-------------------------|--------------|
| Commonwealth: | | | |
| Australia... .. | 15.8 | 80.8 | —65.0 |
| Canada | 9.8 | 31.7 | —22.0 |
| New Zealand | 5.9 | 16.2 | —10.3 |
| African countries ¹ | 22.3 | 17.1 | + 5.2 |
| India, Pakistan and Ceylon | 26.6 | 8.8 | +17.8 |
| West Indies | 19.1 | 7.5 | +11.6 |
| Other | 16.2 | 7.5 | + 8.7 |
| Foreign: | | | |
| South Africa | 4.4 | 15.0 | —10.6 |
| Latin America | 2.3 | 2.1 | + 0.2 |
| United States of America | 18.7 | 30.0 | —11.3 |
| Eastern Europe | 2.8 | 1.3 | + 1.5 |
| Western Europe | 55.7 | 44.6 | +11.2 |
| Other | 12.2 | 9.1 | + 3.1 |
| All countries | 211.7 | 271.7 | —60.0 |

¹Gambia, Ghana, Kenya, Malawi, Nigeria, Sierra Leone, Southern Rhodesia, Tanzania, Uganda and Zambia.

See footnotes to Appendix F.

APPENDIX H

Changes in boundaries, names, etc., of counties, boroughs, urban and rural districts during the six months ended 31st December 1965

There were no changes during the six months ended 31st December 1965

© Crown copyright 1966

Published by

HER MAJESTY'S STATIONERY OFFICE

To be purchased from

49 High Holborn, London w.c.1

423 Oxford Street, London w.1

13A Castle Street, Edinburgh 2

109 St. Mary Street, Cardiff

Brazennose Street, Manchester 2

50 Fairfax Street, Bristol 1

35 Smallbrook, Ringway, Birmingham 5

80 Chichester Street, Belfast 1

or through any bookseller

Printed in England for Her Majesty's Stationery Office
by Stephenson Newspapers Limited